

THE TRANSPREAD ADVANTAGE

Transpread Chain Trailer Spreaders fit the requirements of the farmer who wants to spread his own fertiliser. These units can spread a wide range of materials from Urea at 20 kg/Ha to Lime

at 10,000 kg/Ha, utilising a 500mm Wide scraper chain driven through a fully enclosed 3 Speed gearbox. The Stainless Steel models have the advantage of corrosion and bend resistance inherent in complete stainless steel bodies.



- ◆ All-Steel Welded Construction
- ◆ Anti-Sieze Chain
- ◆ Spinner Speed Readout
- ◆ High Speed motors
- ◆ Three Speed Gearbox
- ◆ Spreads Most Materials

Specially designed TranSpread Twin Spinners are hydraulically driven from the tractor remotes and speed controlled by a flow control valve. All units come fitted with a rev counter which gives a constant real display of spinner speed. No need to change sprockets chains or spinners when changing to different products, simply slide gear change button. 500mm wide chain gives positive ground speed related feed to spinners without the need of Load Cells.



- ◆ Some Models Complete Stainless Steel
- ◆ Low Centre of Gravity
- ◆ 3 Point Linkage unit
- ◆ 2-8 Tonne Trailers
- ◆ Simple Operation



THE TRANSPREAD ADVANTAGE

The Three Point Linkage unit is ideal for spreading Urea and following the cows around eliminating an extra set of marks in the fields. The [Transpread](#) Three Point Linkage unit is also one of the only Three Point Linkage units that can be used to spread lime.

Roll tarps available. [PowerDrive](#) axle and [SpreadSmart](#) In-Cab Control for the contracting operator, giving you 6 Wheel Drive and total electronic GPS compatible control with navigation.

Brief Specification

Low Pasture Impact


- ◆ These trailed units are popular with Farmers because larger loads can be spread by smaller tractors. The total load on the field is carried by six wheels, not four. The extra-wide floatation tyres ensure minimum tread impact and lowest pasture damage.

Chain Feed Quality

- ◆ The open link Seize resistant chain provides reliable trouble free and constant feed to the spinner discs.
- ◆ Easily spreads all types of materials from powdery lime to granular fertiliser and nitrogen products with out changing any spinners or sprockets..
- ◆ reliable, effective and accurate spreading on hilly or uneven ground.

Superb Accuracy

- ◆ Uniquely shaped spinner discs and deflectors work together to provide an accurate, controlled, even spread



THE TRANSPREAD ADVANTAGE

- ◆ A Transpread digital tachometer comes standard with all Transpread trailer spreaders. This enables the operator to accurately monitor the spinner speed and therefore control the spread pattern.

Proven History and Performance.

- ◆ Over 50 years of development and use around the world in some of the most punishing conditions. Transpread spreaders continue to sell better due to the expert design and experience. Patented technology means you can't get better accuracy, reliability and quality from any other spreader.
- ◆ The robust gearbox is manufactured from the highest quality steel components and offers the new three speed ground related drive with no slip between trailer and gearbox drive wheels.

Optional Extras

- ◆ Transpread units can also be manufactured with the optional ComputerSpread controller. This is the ultimate set-and-forget system. It's easy to use! Simply enter rate per hectare, required bout width, material density and spinner speed. At the flick of a switch, spreading can begin.
- ◆ Tandem axle and tyre options can be specified to suit application



3 Speed completely enclosed gear box.
Simply shift pin in or out for gear options

Roll Tarp option



Wide door opening
suitable for waste products such as
chicken litter, yet still able to spread light rates of urea.

Transpread hydraulically driven spinners for unequalled wide
spread

At Transpread we are constantly improving our products and reserve
the right to change design and/or specifications without notice.



Transpread 500 V Chain Spreaders



Transpread Australia Ph. 0353 682 330

Transread 500 V Chain Spreader



3 Speed completely enclosed gear box.


Simply shift pin in or out for gear options



Roll Tarp option



Wide door opening suitable for waste products such as chicken litter, yet still able to spread light rates of urea.




TranSpread hydraulically driven spinners for unequalled wide spread.

Units fitted with flow control and tachometer for accurate setting.



Fine adjust door opening and easy charts for accurate rate adjustment.



Gear Box...Low Gear		RATE CHART KG. PER HA.															
Material Density	Cu. Mtre.	Figures in body of chart = mm of door opening															
Width	8	10	12	14	16	18	20	22	24	26	28	30					
Rate																	
40	No	No	No	No	24	27	31	34	37	40	43	46					
50	No	No	No	No	27	31	34	38	42	46	50	53	57				
60	No	No	27	32	37	41	46	50	55	60	64	69					
70	No	27	32	37	43	48	53	59	64	69	75	80					
80	24	31	37	43	49	55	61	67	73	79	85	92					
90	27	34	41	48	55	62	69	76	82	89	96	103					
100	31	38	46	53	61	69	76	84	92	99	107	114					
110	34	42	50	59	67	76	84	92	101	109	118	126					
120	37	46	55	64	73	82	92	101	110	119	128	137					
130	40	50	60	69	79	89	99	109	119	129	139	149					
140	43	53	64	75	85	96	107	118	128	139	150	160					
150	46	57	69	80	92	103	114	126	137	149	160	172					
160	49	61	73	85	98	110	122	134	147	159	171	183					
170	52	65	78	91	104	117	130	143	156	169	182	195					
180	55	69	82	96	110	124	137	151	165	179	192	206					
190	58	72	87	101	116	130	145	159	174	188	203	217					
200	61	76	92	107	122	137	153	168	183	198	214	229					
210	64	80	96	112	128	144	160	176	192	208	224	240					
220	67	84	101	118	134	151	168	185	201	218	235	252					
230	70	88	105	123	140	158	175	193	211	228	246	263					
240	73	92	110	128	147	165	183	201	220	238	256	275					
250	76	95	114	134	153	172	191	210	229	248	267	286					
260	79	99	119	139	159	179	198	218	238	258	278	298					
270	82	103	124	144	165	185	206	227	247	268	288	309					
280	85	107	128	150	171	192	214	235	256	278	299	320					
290	89	111	133	155	177	199	221	243	266	288	310	332					
300	92	114	137	160	183	206	229	252	275	298	320	343					
320	98	122	147	171	195	220	244	269	293	317	342	366					
340	104	130	156	182	208	233	259	285	311	337	363	389					
360	110	137	165	192	220	247	275	302	330	357	385	412					
380	116	145	174	203	232	261	290	319	348	377	406	435					
400	122	153	183	214	244	275	305	336	366	397	427	458					
425	130	162	195	227	259	292	324	357	389	422	454	486					
450	137	172	206	240	275	309	343	378	412	446	481	515					
475	145	181	217	254	290	326	362	399	435	471	507	544					
500	153	191	229	267	305	343	382	420	458	496	534	572					
525	160	200	240	280	320	361	401	441	481	521	561	601					
550	168	210	252	294	336	378	420	462	504	546	588	629					
575	175	219	263	307	351	395	439	483	526	570	614	658					
600	183	229	275	320	366	412	458	504	549	595	641	687					