

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box	RATE CHART KG. PER HA. gb006, 1000, Narrow														
	Low	Figures in body of chart = mm of door opening													
Weight per litre	0.70														
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
70	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
80	-	-	-	-	-	-	-	-	-	-	26	29	32	35	39
90	-	-	-	-	-	-	-	-	25	29	32	36	40	43	47
100	-	-	-	-	-	-	-	28	32	36	40	44	48	52	56
110	-	-	-	-	-	-	26	31	35	40	44	49	53	57	61
120	-	-	-	-	-	26	29	34	39	43	48	53	58	62	67
130	-	-	-	-	26	29	31	37	42	47	52	57	62	67	72
140	-	-	-	25	28	31	34	39	45	51	56	62	67	72	77
150	-	-	-	27	30	33	36	42	48	54	60	66	72	77	82
160	-	-	-	26	29	32	35	39	45	51	58	64	71	77	82
170	-	-	-	27	31	34	38	41	48	55	61	68	75	82	87
180	-	-	-	25	29	32	36	40	43	51	58	65	72	79	87
190	-	-	-	27	30	34	38	42	46	53	61	69	76	84	91
200	-	-	-	28	32	36	40	44	48	56	64	72	80	88	96
210	-	-	25	29	34	38	42	46	51	59	67	76	84	93	101
220	-	-	26	31	35	40	44	49	53	62	71	79	88	97	106
230	-	-	28	32	37	42	46	51	55	65	74	83	92	101	111
240	-	-	29	34	39	43	48	53	58	67	77	87	96	106	116
250	25	30	35	40	45	50	55	60	70	80	90	100	110	120	130
260	26	31	37	42	47	52	57	63	73	83	94	104	115	125	135
270	27	32	38	43	49	54	60	65	76	87	97	108	119	130	140
280	28	34	39	45	51	56	62	67	79	90	101	112	124	135	146
290	29	35	41	47	52	58	64	70	81	93	105	116	128	140	151
300	30	36	42	48	54	60	66	72	84	96	108	120	132	144	156
320	26	32	39	45	51	58	64	71	77	90	103	116	128	141	154
340	27	34	41	48	55	61	68	75	82	95	109	123	136	150	164
360	29	36	43	51	58	65	72	79	87	101	116	130	144	159	173
380	30	38	46	53	61	69	76	84	91	107	122	137	152	168	183
400	32	40	48	56	64	72	80	88	96	112	128	144	160	177	193
425	34	43	51	60	68	77	85	94	102	119	136	153	170	188	205
450	36	45	54	63	72	81	90	99	108	126	144	162	181	199	217
475	38	48	57	67	76	86	95	105	114	133	152	171	191	210	229
500	40	50	60	70	80	90	100	110	120	140	160	181	201	221	241
525	42	53	63	74	84	95	105	116	126	147	168	190	211	232	253
550	44	55	66	77	88	99	110	121	132	154	177	199	221	243	265
575	46	58	69	81	92	104	115	127	138	161	185	208	231	254	277
600	48	60	72	84	96	108	120	132	144	168	193	217	241	265	289

Gear Box	RATE CHART KG. PER HA. gb006, 1000, Narrow														
	Low	Figures in body of chart = mm of door opening													
Weight per litre	0.75														
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
70	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
80	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36
90	-	-	-	-	-	-	-	-	-	-	27	30	34	37	40
100	-	-	-	-	-	-	-	-	-	26	30	34	37	41	45
110	-	-	-	-	-	-	-	-	26	30	33	37	41	45	49
120	-	-	-	-	-	-	-	27	31	36	40	45	49	54	58
130	-	-	-	-	-	-	27	29	34	39	44	49	54	58	63
140	-	-	-	-	-	26	29	31	37	42	47	52	58	63	67
150	-	-	-	-	25	28	31	34	39	45	51	56	62	67	72
160	-	-	-	-	27	30	33	36	42	48	54	60	66	72	77
170	-	-	-	-	25	29	32	35	38	45	51	57	64	70	76
180	-	-	-	-	27	30	34	37	40	47	54	61	67	74	81
190	-	-	-	-	28	32	36	39	43	50	57	64	71	78	85
200	-	-	-	26	30	34	37	41	45	51	56	62	67	75	82
210	-	-	-	28	31	35	39	43	47	55	63	71	79	86	94
220	-	-	-	29	33	37	41	45	49	58	66	74	82	91	99
230	-	-	26	30	34	39	43	47	52	60	69	78	86	95	103
240	-	-	27	31	36	40	45	49	54	63	72	81	90	99	108
250	25	30	35	40	45	50	55	60	70	80	90	100	110	120	130
260	26	31	37	42	47	52	57	63	73	83	94	104	115	125	135
270	27	32	38	43	49	54	60	65	76	87	97	108	119	130	140
280	28	34	39	45	51	56	62	67	79	90	101	112	124	135	146
290	29	35	41	47	52	58	64	70	81	93	105	116	128	140	151
300	30	36	42	48	54	60	66	72	84	96	108	120	132	144	156
320	26	32	39	45	51	58	64	71	77	90	103	116	128	141	154
340	27	34	41	48	55	61	68	75	82	95	109	123	136	150	164
360	29	36	43	51	58	65	72	79	87	101	116	130	144	159	173
380	30	38	46	53	61	69	76	84	91	107	122	137	152	168	183
400	32	40	48	56	64	72	80	88	96	112	128	144	160	177	193
425	34	43	51	60	68	77	85	94	102	119	136	153	170	188	205
450	36	45	54	63	72	81	90	99	108	126	144	162	181	199	217
475	38	48	57	67	76	86	95	105	114	133	152	171	191	210	229
500	40	50	60	70	80	90	100	110	120	140	160	181	201	221	241
525	42	53	63	74	84	95	105	116	126	147	168	190	211	232	253
550	44	55	66	77	88	99	110	121	132	154	177	199	221	243	265
575	46	58	69	81	92	104	115	127	138	161	185	208	231	254	277
600	48	60	72	84	96	108	120	132	144	168	193	217	241	265	289

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box	RATE CHART KG. PER HA. gb006, 1000, Narrow														
	Low		0.80												
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
70	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29
80	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
90	-	-	-	-	-	-	-	-	-	-	25	28	32	35	38
100	-	-	-	-	-	-	-	-	-	28	32	35	39	42	46
110	-	-	-	-	-	-	-	-	27	31	35	39	42	46	51
120	-	-	-	-	-	-	-	25	29	34	38	42	46	50	55
130	-	-	-	-	-	-	25	27	32	37	41	46	50	54	59
140	-	-	-	-	-	26	29	29	34	39	44	49	54	59	63
150	-	-	-	-	25	28	31	32	37	42	47	53	58	63	67
160	-	-	-	25	28	30	33	34	39	45	51	56	62	67	72
170	-	-	-	27	30	33	35	36	42	48	54	60	66	72	76
180	-	-	-	27	30	33	35	37	44	51	57	63	69	76	80
190	-	-	-	28	31	34	37	38	47	53	60	67	73	80	84
200	-	-	-	28	32	35	39	42	49	56	63	70	77	84	88
210	-	-	-	26	29	33	37	41	44	52	59	66	74	81	88
220	-	-	-	27	31	35	39	42	46	54	62	69	77	85	93
230	-	-	-	28	32	36	40	44	48	57	65	73	81	89	97
240	-	-	25	29	34	38	42	46	51	59	67	76	84	93	101
250	-	-	26	31	35	39	44	48	53	61	70	79	88	97	105
260	-	-	27	32	37	41	46	50	55	64	73	82	91	100	110
270	-	-	28	33	38	43	47	52	57	66	76	85	95	104	114
280	-	-	29	34	39	44	49	54	59	69	79	88	98	108	118
290	-	25	31	36	41	46	51	56	61	71	81	92	102	112	122
300	-	26	32	37	42	47	53	58	63	74	84	95	105	116	126
320	-	28	34	39	45	51	56	62	67	79	90	101	112	124	135
340	-	30	36	42	48	54	60	66	72	84	95	107	119	131	143
360	25	32	38	44	51	57	63	69	76	88	101	114	126	139	152
380	27	33	40	47	53	60	67	73	80	93	107	120	133	147	160
400	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168
425	30	37	45	52	60	67	75	82	90	104	119	134	149	164	179
450	32	39	47	55	63	71	79	87	95	111	126	142	158	174	190
475	33	42	50	58	67	75	83	92	100	117	133	150	167	183	200
500	35	44	53	61	70	79	88	97	105	123	140	158	176	193	211
525	37	46	55	64	74	83	92	101	111	129	147	166	184	203	221
550	39	48	58	68	77	87	97	106	116	135	154	174	193	212	232
575	40	50	61	71	81	91	101	111	121	141	161	182	202	222	242
600	42	53	63	74	84	95	105	116	126	147	168	190	211	232	253

Gear Box	RATE CHART KG. PER HA. gb006, 1000, Narrow														
	Low		0.85												
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
80	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
90	-	-	-	-	-	-	-	-	-	-	-	25	28	30	33
100	-	-	-	-	-	-	-	-	-	-	26	30	33	36	40
110	-	-	-	-	-	-	-	-	25	29	33	36	40	44	48
120	-	-	-	-	-	-	-	-	28	32	36	40	44	48	52
130	-	-	-	-	-	-	-	-	26	30	34	39	43	47	51
140	-	-	-	-	-	-	-	25	28	32	37	42	46	51	55
150	-	-	-	-	-	-	-	27	30	35	40	45	50	55	59
160	-	-	-	-	-	-	-	26	29	32	37	42	48	53	58
170	-	-	-	-	-	-	-	25	28	31	34	39	45	51	56
180	-	-	-	-	-	-	-	27	30	33	36	42	48	54	59
190	-	-	-	-	-	-	-	25	28	31	35	38	44	50	56
200	-	-	-	-	-	-	-	26	30	33	36	40	46	53	59
210	-	-	-	-	-	-	-	28	31	35	38	42	49	55	62
220	-	-	-	-	-	-	-	25	29	33	36	40	44	51	58
230	-	-	-	-	-	-	-	27	30	34	38	42	46	53	61
240	-	-	-	-	-	-	-	28	32	36	40	44	48	55	63
250	-	-	-	-	-	-	-	29	33	37	41	45	50	58	66
260	-	-	-	-	-	-	-	26	30	34	39	43	47	52	60
270	-	-	-	-	-	-	-	27	31	36	40	45	49	54	62
280	-	-	-	-	-	-	-	28	32	37	42	46	51	55	65
290	-	-	-	-	-	-	-	29	34	38	43	48	53	57	67
300	-	-	-	-	-	-	-	30	35	40	45	50	55	59	69
320	-	-	-	-	-	-	-	26	32	37	42	48	53	58	63
340	-	-	-	-	-	-	-	28	34	39	45	51	56	62	67
360	25	30	36	42	48	54	59	65	71	83	95	107	119	131	143
380	27	33	40	47	53	60	67	73	80	93	107	120	133	147	160
400	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168
425	30	37	45	52	60	67	75	82	90	104	119	134	149	164	179
450	32	39	47	55	63	71	79	87	95	111	126	142	158	174	190
475	33	42	50	58	67	75	83	92	100	117	133	150	167	183	200
500	35	44	53	61	70	79	88	97	105	123	140	158	176	193	211
525	37	46	55	64	74	83	92	101	111	129	147	166	184	203	221
550	39	48	58	68	77	87	97	106	116	135	154	174	193	212	232
575	40	50	61	71	81	91	101	111	121	141	161	182	202	222	242
600	42	53	63	74	84	95	105	116	126	147	168	190	211	232	253

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		RATE CHART KG. PER HA. gb006, 1000, Narrow													
Low		0.90													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
80	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
90	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
100	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
110	-	-	-	-	-	-	-	-	-	27	-	31	34	38	41
120	-	-	-	-	-	-	-	-	26	30	-	34	37	41	45
130	-	-	-	-	-	-	-	-	28	32	-	37	41	45	49
140	-	-	-	-	-	-	-	-	26	31	35	-	39	44	48
150	-	-	-	-	-	-	-	26	28	33	37	-	42	47	51
160	-	-	-	-	-	-	-	27	30	35	40	-	45	50	55
170	-	-	-	-	-	27	29	32	37	42	48	53	58	64	70
180	-	-	-	-	25	28	31	34	39	45	51	56	62	67	73
190	-	-	-	-	27	30	33	36	41	47	53	59	65	71	77
200	-	-	-	-	28	31	34	37	44	50	56	62	69	75	81
210	-	-	-	26	29	33	36	39	46	52	59	66	72	79	85
220	-	-	-	27	31	34	38	41	48	55	62	69	76	82	89
230	-	-	25	29	32	36	39	43	50	57	65	72	79	86	93
240	-	-	26	30	34	37	41	45	52	60	67	75	82	90	97
250	-	-	27	31	35	39	43	47	55	62	70	78	86	94	101
260	-	-	28	32	37	41	45	49	57	65	73	81	89	97	105
270	-	25	29	34	38	42	46	51	59	67	76	84	93	101	109
280	-	26	31	35	39	44	48	52	61	70	79	87	96	105	113
290	-	27	32	36	41	45	50	54	63	72	81	90	100	109	117
300	-	28	33	37	42	47	51	56	66	75	84	94	103	112	121
320	-	30	35	40	45	50	55	60	70	80	90	100	110	120	130
340	27	32	37	42	48	53	58	64	74	85	95	106	117	127	137
360	28	34	39	45	51	56	62	67	79	90	101	112	124	135	145
380	30	36	41	47	53	59	65	71	83	95	107	119	130	142	153
400	31	37	44	50	56	62	69	75	87	100	112	125	137	150	162
425	27	33	40	46	53	60	66	73	80	93	106	119	133	146	159
450	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168
475	30	37	44	52	59	67	74	82	89	104	119	133	148	163	178
500	31	39	47	55	62	70	78	86	94	109	125	140	156	172	187
525	33	41	49	57	66	74	82	90	98	115	131	147	164	180	197
550	34	43	51	60	69	77	86	94	103	120	137	154	172	189	206
575	36	45	54	63	72	81	90	99	108	126	144	161	179	197	215
600	37	47	56	66	75	84	94	103	112	131	150	168	187	206	225

Gear Box		RATE CHART KG. PER HA. gb006, 1000, Narrow													
Low		0.95													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
80	-	-	-	-	-	-	-	-	-	-	-	-	-	27	28
90	-	-	-	-	-	-	-	-	-	-	-	25	28	31	32
100	-	-	-	-	-	-	-	-	-	-	-	28	30	33	35
110	-	-	-	-	-	-	-	-	-	-	-	26	29	33	36
120	-	-	-	-	-	-	-	-	26	30	-	32	35	39	43
130	-	-	-	-	-	-	-	-	27	31	-	33	37	42	46
140	-	-	-	-	-	-	-	-	29	33	37	-	41	46	50
150	-	-	-	-	-	-	-	26	27	31	35	40	44	49	53
160	-	-	-	-	-	-	-	27	28	33	38	43	47	52	57
170	-	-	-	-	-	27	29	32	37	43	48	53	58	63	68
180	-	-	-	-	25	28	31	34	39	45	51	56	62	67	72
190	-	-	-	-	27	30	33	36	41	47	53	59	65	71	77
200	-	-	-	-	28	31	34	37	44	50	56	62	69	75	81
210	-	-	-	26	29	33	36	39	46	52	59	66	72	79	85
220	-	-	-	27	31	34	38	41	48	55	62	69	76	82	89
230	-	-	25	29	32	36	39	43	50	57	65	72	79	86	93
240	-	-	26	30	34	37	41	45	52	60	67	75	82	90	97
250	-	-	27	31	35	39	43	47	55	62	70	78	86	94	101
260	-	-	28	32	37	41	45	49	57	65	73	81	89	97	105
270	-	25	29	34	38	42	46	51	59	67	76	84	93	101	109
280	-	26	31	35	39	44	48	52	61	70	79	87	96	105	113
290	-	27	32	36	41	45	50	54	63	72	81	90	100	109	117
300	-	28	33	37	42	47	51	56	66	75	84	94	103	112	121
320	-	30	35	40	45	50	55	60	70	80	90	100	110	120	130
340	27	32	37	42	48	53	58	64	74	85	95	106	117	127	137
360	28	34	39	45	51	56	62	67	79	90	101	112	124	135	145
380	30	36	41	47	53	59	65	71	83	95	107	119	130	142	153
400	31	37	44	50	56	62	69	75	87	100	112	125	137	150	162
425	27	33	40	46	53	60	66	73	80	93	106	119	133	146	159
450	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168
475	30	37	44	52	59	67	74	82	89	104	119	133	148	163	178
500	31	39	47	55	62	70	78	86	94	109	125	140	156	172	187
525	33	41	49	57	66	74	82	90	98	115	131	147	164	180	197
550	34	43	51	60	69	77	86	94	103	120	137	154	172	189	206
575	36	45	54	63	72	81	90	99	108	126	144	161	179	197	215
600	37	47	56	66	75	84	94	103	112	131	150	168	187	206	225

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		RATE CHART KG. PER HA. gb006, 1000, Narrow													
Low		Figures in body of chart = mm of door opening													
Weight per litre		1.00													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
90	-	-	-	-	-	-	-	-	-	-	-	-	25	28	30
100	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
110	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
120	-	-	-	-	-	-	-	-	-	27	-	30	34	37	40
130	-	-	-	-	-	-	-	-	-	26	29	33	37	40	44
140	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47
150	-	-	-	-	-	-	-	-	25	29	34	38	42	46	51
160	-	-	-	-	-	-	-	-	27	31	36	40	45	49	54
170	-	-	-	-	-	-	26	-	29	33	38	43	48	53	57
180	-	-	-	-	-	25	28	-	30	35	40	45	51	56	61
190	-	-	-	-	27	29	-	-	32	37	43	48	53	59	64
200	-	-	-	25	28	31	-	-	34	39	45	51	56	62	67
210	-	-	-	27	29	32	-	-	35	41	47	53	59	65	71
220	-	-	-	28	31	34	-	-	37	43	49	56	62	68	74
230	-	-	-	26	29	32	36	-	39	45	52	58	65	71	78
240	-	-	-	27	30	34	37	-	40	47	54	61	67	74	81
250	-	-	-	28	32	35	39	-	42	49	56	63	70	77	84
260	-	-	26	29	33	37	40	-	44	51	58	66	73	80	88
270	-	-	27	30	34	38	42	-	45	53	61	68	76	83	91
280	-	-	28	31	35	39	43	-	47	55	63	71	79	86	94
290	-	-	29	33	37	41	45	-	49	57	65	73	81	90	98
300	-	25	29	34	38	42	46	-	51	59	67	76	84	93	101
320	-	27	31	36	40	45	49	-	54	63	72	81	90	99	108
340	-	29	33	38	43	48	53	-	57	67	76	86	95	105	115
360	25	30	35	40	45	51	56	-	61	71	81	91	101	111	121
380	27	32	37	43	48	53	59	-	64	75	85	96	107	117	128
400	28	34	39	45	51	56	62	-	67	79	90	101	112	124	135
425	30	36	42	48	54	60	66	-	72	84	95	107	119	131	143
450	25	32	38	44	51	57	63	69	-	76	88	101	114	126	139
475	27	33	40	47	53	60	67	73	-	80	93	107	120	133	147
500	28	35	42	49	56	63	70	77	-	84	98	112	126	140	154
525	29	37	44	52	59	66	74	81	-	88	103	118	133	147	162
550	31	39	46	54	62	69	77	85	-	93	108	124	139	154	170
575	32	40	48	57	65	73	81	89	-	97	113	129	145	161	178
600	34	42	51	59	67	76	84	93	-	101	118	135	152	168	185

Gear Box		RATE CHART KG. PER HA. gb006, 1000, Narrow													
Low		Figures in body of chart = mm of door opening													
Weight per litre		1.05													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
90	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
100	-	-	-	-	-	-	-	-	-	-	-	-	27	29	32
110	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35
120	-	-	-	-	-	-	-	-	-	-	26	29	32	35	39
130	-	-	-	-	-	-	-	-	-	26	29	31	35	38	42
140	-	-	-	-	-	-	-	-	-	26	30	34	37	41	45
150	-	-	-	-	-	-	-	-	-	28	32	36	40	44	48
160	-	-	-	-	-	-	-	-	26	30	34	39	43	47	51
170	-	-	-	-	-	-	25	-	27	32	36	41	45	50	55
180	-	-	-	-	-	26	29	-	29	34	39	43	48	53	58
190	-	-	-	-	27	29	-	-	28	30	36	41	46	51	56
200	-	-	-	25	28	31	-	-	27	29	32	37	43	48	53
210	-	-	-	26	29	32	-	-	28	31	34	39	45	51	56
220	-	-	-	27	30	34	-	-	26	29	32	35	41	47	53
230	-	-	-	28	31	34	36	-	28	31	34	37	43	49	55
240	-	-	-	26	29	32	35	-	29	32	35	39	45	51	58
250	-	-	-	27	30	33	37	-	27	30	33	37	40	47	53
260	-	-	26	29	31	35	38	-	28	31	35	38	42	49	56
270	-	-	25	29	32	36	40	-	28	31	35	38	42	49	56
280	-	-	26	30	34	37	41	-	26	30	34	37	41	45	52
290	-	-	27	31	35	39	43	-	27	31	35	39	43	47	54
300	-	28	32	36	40	44	48	-	28	32	36	40	44	48	56
320	-	26	30	34	39	43	47	-	26	30	34	39	43	47	51
340	-	27	32	36	41	45	50	-	27	32	36	41	45	50	55
360	25	29	34	39	43	48	53	-	29	34	39	43	48	53	58
380	27	30	36	41	46	51	56	-	30	36	41	46	51	56	61
400	28	32	37	43	48	53	59	-	27	32	37	43	48	53	59
425	30	36	42	48	54	60	66	-	28	34	40	45	51	57	63
450	25	32	38	44	51	57	63	69	-	30	36	42	48	54	60
475	27	33	40	47	53	60	67	73	-	25	32	38	44	51	57
500	28	35	42	49	56	63	70	77	-	27	33	40	47	53	60
525	29	37	44	52	59	66	74	81	-	28	35	42	49	56	63
550	31	39	46	54	62	69	77	85	-	29	37	44	51	59	66
575	32	40	48	57	65	73	81	89	-	31	38	46	54	62	69
600	34	42	51	59	67	76	84	93	-	32	40	48	56	64	72

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		RATE CHART KG. PER HA. gb006, 1000, Narrow													
Low		1.10													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
100	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31
110	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
120	-	-	-	-	-	-	-	-	-	-	28	31	34	37	40
130	-	-	-	-	-	-	-	-	-	27	30	33	37	40	43
140	-	-	-	-	-	-	-	-	25	29	32	36	39	43	46
150	-	-	-	-	-	-	-	-	27	31	34	38	42	46	49
160	-	-	-	-	-	-	-	-	29	33	37	41	45	49	52
170	-	-	-	-	-	-	-	26	30	35	39	43	48	52	55
180	-	-	-	-	-	-	25	28	32	37	41	46	51	55	58
190	-	-	-	-	-	27	29	29	34	39	44	49	53	58	61
200	-	-	-	-	26	28	31	36	41	46	51	56	61	66	70
210	-	-	-	-	27	29	32	38	43	48	54	59	64	69	74
220	-	-	-	-	28	31	34	39	45	51	56	62	67	72	77
230	-	-	-	-	26	29	32	35	41	47	53	59	65	70	75
240	-	-	-	-	28	31	34	37	43	49	55	61	67	73	79
250	-	-	-	26	29	32	35	38	45	51	57	64	70	77	83
260	-	-	-	27	30	33	37	40	46	53	60	66	73	80	87
270	-	-	-	28	31	34	38	41	48	55	62	69	76	83	90
280	-	-	25	29	32	36	39	43	50	57	64	71	79	86	93
290	-	-	26	30	33	37	41	44	52	59	67	74	81	89	96
300	-	-	27	31	34	38	42	46	54	61	69	77	84	92	99
320	-	-	29	33	37	41	45	49	57	65	74	82	90	98	106
340	-	-	26	30	35	39	43	48	56	64	73	81	89	97	105
360	-	-	28	32	37	41	46	51	59	67	76	84	92	101	109
380	-	-	29	34	39	44	49	55	63	72	80	89	97	107	116
400	26	31	36	41	46	51	56	61	71	82	92	102	112	123	133
425	27	33	38	43	49	54	60	65	76	87	98	108	119	130	141
450	29	34	40	46	52	57	63	69	80	92	103	115	126	138	149
475	30	36	42	49	55	61	67	73	85	97	109	121	133	146	158
500	26	32	38	45	51	57	64	70	82	94	107	119	132	145	158
525	27	34	40	47	54	60	67	74	86	99	112	124	137	150	163
550	28	35	42	49	56	63	70	77	89	102	116	129	142	155	168
575	29	37	44	51	59	66	73	81	93	107	121	135	149	162	176
600	31	38	46	54	61	69	77	84	97	111	125	139	153	167	181

Gear Box		RATE CHART KG. PER HA. gb006, 1000, Narrow													
Low		1.15													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
100	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29
110	-	-	-	-	-	-	-	-	-	-	-	-	27	30	32
120	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35
130	-	-	-	-	-	-	-	-	-	-	25	29	32	35	38
140	-	-	-	-	-	-	-	-	-	25	29	32	35	38	41
150	-	-	-	-	-	-	-	-	-	26	29	33	37	40	44
160	-	-	-	-	-	-	-	-	-	27	31	35	39	43	47
170	-	-	-	-	-	-	-	-	-	29	33	37	42	46	50
180	-	-	-	-	-	-	-	-	-	31	35	40	44	48	53
190	-	-	-	-	-	-	-	-	-	26	28	32	37	42	46
200	-	-	-	-	-	-	-	-	-	27	29	34	39	44	49
210	-	-	-	-	-	-	-	-	-	26	28	31	36	41	46
220	-	-	-	-	-	-	-	-	-	27	30	32	38	43	48
230	-	-	-	-	-	-	-	-	-	25	28	31	34	39	45
240	-	-	-	-	-	-	-	-	-	26	29	32	35	41	47
250	-	-	-	-	-	-	-	-	-	27	31	34	37	43	49
260	-	-	-	-	-	-	-	-	-	25	29	32	35	38	44
270	-	-	-	-	-	-	-	-	-	26	30	33	36	40	46
280	-	-	-	-	-	-	-	-	-	27	31	34	38	41	48
290	-	-	-	-	-	-	-	-	-	28	32	35	39	42	50
300	-	-	-	-	-	-	-	-	-	26	29	33	37	40	44
320	-	-	-	-	-	-	-	-	-	27	31	35	39	43	47
340	-	-	-	-	-	-	-	-	-	29	33	37	42	46	50
360	-	-	-	-	-	-	-	-	-	26	31	35	40	44	48
380	-	-	-	-	-	-	-	-	-	28	32	37	42	46	51
400	26	31	36	41	46	51	56	61	71	82	92	102	112	123	133
425	27	33	38	43	49	54	60	65	76	87	98	108	119	130	141
450	29	34	40	46	52	57	63	69	80	92	103	115	126	138	149
475	30	36	42	49	55	61	67	73	85	97	109	121	133	146	158
500	26	32	38	45	51	57	64	70	82	94	107	119	132	145	158
525	27	34	40	47	54	60	67	74	86	99	112	124	137	150	163
550	28	35	42	49	56	63	70	77	89	102	116	129	142	155	168
575	29	37	44	51	59	66	73	81	93	107	121	135	149	162	176
600	31	38	46	54	61	69	77	84	97	111	125	139	153	167	181

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		Low		RATE CHART KG. PER HA. gb006, 1000, Narrow											
Weight per litre		1.20		Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
100	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28
110	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31
120	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
130	-	-	-	-	-	-	-	-	-	-	26	27	30	33	37
140	-	-	-	-	-	-	-	-	-	26	29	33	36	39	42
150	-	-	-	-	-	-	-	-	-	28	32	35	39	42	45
160	-	-	-	-	-	-	-	-	26	30	34	37	41	45	48
170	-	-	-	-	-	-	-	-	28	32	36	40	44	48	51
180	-	-	-	-	-	-	-	25	29	34	38	42	46	51	53
190	-	-	-	-	-	-	-	27	31	36	40	44	49	53	56
200	-	-	-	-	-	-	26	28	33	37	42	47	51	56	59
210	-	-	-	-	-	-	27	29	34	39	44	49	54	59	62
220	-	-	-	-	-	26	28	31	36	41	46	51	57	62	65
230	-	-	-	-	-	27	30	32	38	43	48	54	59	65	67
240	-	-	-	-	25	28	31	34	39	45	51	56	62	67	70
250	-	-	-	-	26	29	32	35	41	47	53	59	64	70	73
260	-	-	-	-	27	30	33	37	43	49	55	61	67	73	76
270	-	-	-	-	25	28	32	35	38	44	51	57	63	69	75
280	-	-	-	-	26	29	33	36	39	46	52	59	66	72	79
290	-	-	-	-	27	31	34	37	41	48	54	61	68	75	81
300	-	-	-	-	28	32	35	39	42	49	56	63	70	77	84
320	-	-	-	26	30	34	37	41	45	52	60	67	75	82	90
340	-	-	-	28	32	36	40	44	48	56	64	72	80	88	95
360	-	-	25	29	34	38	42	46	51	59	67	76	84	93	101
380	-	-	27	31	36	40	44	49	53	62	71	80	89	98	107
400	-	-	28	33	37	42	47	51	56	66	75	84	94	103	112
425	-	-	30	35	40	45	50	55	60	70	80	90	99	109	119
450	-	26	32	37	42	47	53	58	63	74	84	95	105	116	126
475	-	28	33	39	44	50	56	61	67	78	89	100	111	122	133
500	-	29	35	41	47	53	59	64	70	82	94	105	117	129	140
525	-	31	37	43	49	55	61	68	74	86	98	111	123	135	147
550	26	32	39	45	51	58	64	71	77	90	103	116	129	142	154
575	27	34	40	47	54	61	67	74	81	94	108	121	135	148	161
600	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168

Gear Box		Low		RATE CHART KG. PER HA. gb006, 1000, Narrow											
Weight per litre		1.30		Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
110	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
120	-	-	-	-	-	-	-	-	-	-	-	-	26	29	31
130	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
140	-	-	-	-	-	-	-	-	-	-	26	27	30	33	36
150	-	-	-	-	-	-	-	-	-	26	29	32	36	39	42
160	-	-	-	-	-	-	-	-	26	29	33	37	40	44	47
170	-	-	-	-	-	-	-	26	29	33	37	41	45	49	52
180	-	-	-	-	-	-	27	31	35	39	43	47	51	55	59
190	-	-	-	-	-	27	31	35	39	43	47	51	55	59	63
200	-	-	-	-	-	26	28	33	37	42	47	51	56	60	64
210	-	-	-	-	-	27	32	36	41	45	50	54	58	62	66
220	-	-	-	-	-	26	29	33	38	43	48	52	56	60	64
230	-	-	-	-	-	27	30	35	40	45	50	55	59	63	67
240	-	-	-	-	25	28	31	34	39	44	49	54	59	63	67
250	-	-	-	-	26	29	32	35	41	47	53	59	64	69	73
260	-	-	-	-	27	30	33	37	43	49	55	61	67	73	76
270	-	-	-	-	25	28	32	35	38	44	51	57	63	69	75
280	-	-	-	-	26	29	33	36	39	46	52	59	66	72	79
290	-	-	-	-	27	31	34	37	41	48	54	61	68	75	81
300	-	-	-	-	28	32	35	39	42	49	56	63	70	77	84
320	-	-	-	26	30	34	37	41	45	52	60	67	75	82	90
340	-	-	-	28	32	36	40	44	48	56	64	72	80	88	95
360	-	-	25	29	34	38	42	46	51	59	67	76	84	93	101
380	-	-	27	31	36	40	44	49	53	62	71	80	89	98	107
400	-	-	28	33	37	42	47	51	56	66	75	84	94	103	112
425	-	-	30	35	40	45	50	55	60	70	80	90	99	109	119
450	-	26	32	37	42	47	53	58	63	74	84	95	105	116	126
475	-	28	33	39	44	50	56	61	67	78	89	100	111	122	133
500	-	29	35	41	47	53	59	64	70	82	94	105	117	129	140
525	-	31	37	43	49	55	61	68	74	86	98	111	123	135	147
550	26	32	39	45	51	58	64	71	77	90	103	116	129	142	154
575	27	34	40	47	54	61	67	74	81	94	108	121	135	148	161
600	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168



For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		RATE CHART KG. PER HA. gb006, 1000, Narrow													
Low		1.40													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	26	26
120	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
130	-	-	-	-	-	-	-	-	-	-	-	-	26	29	31
140	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
150	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36
160	-	-	-	-	-	-	-	-	-	-	26	29	32	35	39
170	-	-	-	-	-	-	-	-	-	25	27	31	34	38	41
180	-	-	-	-	-	-	-	-	25	29	30	32	36	40	43
190	-	-	-	-	-	-	-	-	27	30	34	38	42	46	46
200	-	-	-	-	-	-	-	-	28	32	36	40	44	48	48
210	-	-	-	-	-	-	-	-	25	29	34	38	42	46	51
220	-	-	-	-	-	-	-	-	26	31	35	40	44	49	53
230	-	-	-	-	-	-	-	25	28	32	37	42	46	51	55
240	-	-	-	-	-	-	-	26	29	34	39	43	48	53	58
250	-	-	-	-	-	25	28	30	35	40	45	50	55	60	60
260	-	-	-	-	26	29	31	37	42	47	52	57	63	63	63
270	-	-	-	-	27	30	32	38	43	49	54	60	65	65	65
280	-	-	-	-	25	28	31	34	39	45	51	56	62	67	67
290	-	-	-	-	26	29	32	35	41	47	52	58	64	70	70
300	-	-	-	-	27	30	33	36	42	48	54	60	66	72	72
320	-	-	-	26	29	32	35	39	45	51	58	64	71	77	77
340	-	-	-	27	31	34	38	41	48	55	61	68	75	82	82
360	-	-	-	25	29	32	36	40	43	51	58	65	72	79	87
380	-	-	-	27	30	34	38	42	46	53	61	69	76	84	91
400	-	-	-	28	32	36	40	44	48	56	64	72	80	88	96
425	-	26	30	34	38	43	47	51	60	68	77	85	94	102	102
450	-	27	32	36	41	45	50	54	63	72	81	90	99	108	108
475	-	29	33	38	43	48	52	57	67	76	86	95	105	114	114
500	25	30	35	40	45	50	55	60	70	80	90	100	110	120	120
525	26	32	37	42	47	53	58	63	74	84	95	105	116	126	126
550	28	33	39	44	50	55	61	66	77	88	99	110	121	132	132
575	29	35	40	46	52	58	63	69	81	92	104	115	127	138	138
600	30	36	42	48	54	60	66	72	84	96	108	120	132	144	144

Gear Box		RATE CHART KG. PER HA. gb006, 1000, Narrow													
Low		1.50													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
130	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29
140	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
150	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31
160	-	-	-	-	-	-	-	-	-	-	-	25	29	32	35
170	-	-	-	-	-	-	-	-	-	25	29	30	34	37	40
180	-	-	-	-	-	-	-	-	27	30	34	37	40	43	46
190	-	-	-	-	-	-	-	-	28	32	36	39	43	47	50
200	-	-	-	-	-	-	-	-	26	30	34	37	41	45	49
210	-	-	-	-	-	-	-	-	28	31	35	39	43	47	51
220	-	-	-	-	-	-	-	-	29	33	37	41	45	49	53
230	-	-	-	-	-	-	-	-	29	33	37	41	45	49	53
240	-	-	-	-	-	-	-	-	26	30	34	39	43	47	52
250	-	-	-	-	-	-	-	-	27	31	36	40	45	49	54
260	-	-	-	-	-	-	-	-	27	31	36	40	45	49	54
270	-	-	-	-	-	-	-	-	26	28	33	37	42	47	51
280	-	-	-	-	-	-	-	-	27	29	34	39	44	49	54
290	-	-	-	-	-	-	-	-	25	28	30	35	40	45	51
300	-	-	-	-	-	-	-	-	26	29	31	37	42	47	52
320	-	-	-	-	-	-	-	-	27	30	33	38	43	49	54
340	-	-	-	-	-	-	-	-	27	30	33	38	43	49	54
360	-	-	-	-	-	-	-	-	25	29	32	35	40	45	51
380	-	-	-	-	-	-	-	-	27	30	34	37	40	47	54
400	-	-	-	-	-	-	-	-	28	32	36	39	43	50	57
425	-	26	30	34	38	43	47	51	60	68	77	85	94	102	102
450	-	27	32	36	41	45	50	54	63	72	81	90	99	108	108
475	-	29	33	38	43	48	52	57	67	76	86	95	105	114	114
500	25	30	35	40	45	50	55	60	70	80	90	100	110	120	120
525	26	32	37	42	47	53	58	63	74	84	95	105	116	126	126
550	28	33	39	44	50	55	61	66	77	88	99	110	121	132	132
575	29	35	40	46	52	58	63	69	81	92	104	115	127	138	138
600	30	36	42	48	54	60	66	72	84	96	108	120	132	144	144

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H gb006, 1000, Narrow														
Weight per litre		0.70 Figures in body of chart = mm of door opening														
Rate	Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
100																
110																26
120															26	29
130														26	29	31
140													25	28	31	34
150													27	30	33	36
160												26	29	32	35	39
170												27	31	34	38	41
180											25	29	32	36	40	43
190											27	30	34	38	42	46
200											28	32	36	40	44	48
210										25	29	34	38	42	46	51
220										26	31	35	40	44	49	53
230								25		28	32	37	42	46	51	55
240								26		29	34	39	43	48	53	58
250							25	28		30	35	40	45	50	55	60
260							26	29		31	37	42	47	52	57	63
270							27	30		32	38	43	49	54	60	65
280						25	28	31		34	39	45	51	56	62	67
290						26	29	32		35	41	47	52	58	64	70
300						27	30	33		36	42	48	54	60	66	72
320						26	29	32		35	39	45	51	58	64	71
340						27	31	34		38	41	48	55	61	68	75
360						25	29	32		36	40	43	51	58	65	72
380						27	30	34		38	42	46	53	61	69	76
400						28	32	36		40	44	48	56	64	72	80
425						26	30	34		38	43	47	55	63	71	79
450						27	32	36		41	45	50	54	63	72	81
475						29	33	38		43	48	52	57	67	76	86
500						30	35	40		45	50	55	60	70	80	90
525						32	37	42		47	53	58	63	74	84	95
550						28	33	39		44	50	55	61	66	77	88
600						30	36	42		48	54	60	66	72	84	96
650						33	39	46		52	59	65	72	78	91	104
700						35	42	49		56	63	70	77	84	98	112
750						38	45	53		60	68	75	83	90	105	120
800						40	48	56		64	72	80	88	96	112	128
850						43	51	60		68	77	85	94	102	119	136
900						45	54	63		72	81	90	99	108	126	144
950						48	57	67		76	86	95	105	114	133	152
1000						50	60	70		80	90	100	110	120	140	160

Gear Box...Medium		RATE CHART KG. PER H gb006, 1000, Narrow														
Weight per litre		0.75 Figures in body of chart = mm of door opening														
Rate	Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
100																
110																
120																27
130																27
140															26	29
150															25	28
160															27	30
170															25	29
180															27	30
190															28	32
200															26	30
210															28	31
220															29	33
230															26	30
240															27	31
250															28	33
260															29	34
270															30	35
280															25	28
290															26	29
300															27	30
320															28	31
340															30	33
360															25	27
380															28	30
400															26	28
425															27	29
450															28	30
475															30	33
500															25	27
525															27	29
550															30	33
600															25	27
650															28	30
700															26	28
750															28	30
800															30	33
850															25	27
900															27	29
950															30	33
1000															25	27



For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		0.80												Figures in body of chart = mm of door opening											
Width		2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12									
Rate																									
100																									
110																									
120																25									
130															25	27									
140															27	29									
150														26	29	32									
160													25	28	31	34									
170													27	30	33	36									
180												25	28	32	35	38									
190												27	30	33	37	40									
200												28	32	35	39	42									
210												26	29	33	37	41									
220												27	31	35	39	42									
230												28	32	36	40	44									
240												25	29	34	38	42									
250												26	31	35	39	44									
260									25	27	32	37	41	46	50	55									
270									26	28	33	38	43	47	52	57									
280									27	29	34	39	44	49	54	59									
290								25	28	31	36	41	46	51	56	61									
300								26	29	32	37	42	47	53	58	63									
320						25	28	31	34	39	45	51	56	62	67										
340						27	30	33	36	42	48	54	60	66	72										
360					25	28	32	35	38	44	51	57	63	69	76										
380					27	30	33	37	40	47	53	60	67	73	80										
400					28	32	35	39	42	49	56	63	70	77	84										
425					26	30	34	37	41	45	52	60	67	75	82	90									
450					28	32	36	39	43	47	55	63	71	79	87	95									
475			25	29	33	38	42	46	50	58	67	75	83	92	100										
500			26	31	35	39	44	48	53	61	70	79	88	97	105										
525			28	32	37	41	46	51	55	64	74	83	92	101	111										
550			29	34	39	43	48	53	58	68	77	87	97	106	116										
600		26	32	37	42	47	53	58	63	74	84	95	105	116	126										
650		29	34	40	46	51	57	63	68	80	91	103	114	125	137										
700		31	37	43	49	55	61	68	74	86	98	111	123	135	147										
750	26	33	39	46	53	59	66	72	79	92	105	118	132	145	158										
800	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168										
850	30	37	45	52	60	67	75	82	90	104	119	134	149	164	179										
900	32	39	47	55	63	71	79	87	95	111	126	142	158	174	190										
950	33	42	50	58	67	75	83	92	100	117	133	150	167	183	200										
1000	35	44	53	61	70	79	88	97	105	123	140	158	176	193	211										

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		0.85												Figures in body of chart = mm of door opening											
Width		2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12									
Rate																									
100																									
110																									
120																									
130																26									
140															25	28									
150															27	30									
160															26	29									
170															25	28									
180															27	30									
190															25	28									
200															26	30									
210															28	31									
220															25	29									
230															27	30									
240															28	32									
250															29	33									
260															26	30									
270															27	31									
280															25	28									
290															26	29									
300															27	30									
320															26	29									
340															25	28									
360															27	30									
380															28	31									
400															26	29									
425															28	32									
450															26	30									
475															27	31									
500															29	33									
525															28	32									
550															27	31									
600															25	28									
650															26	29									
700															28	32									
750	26	33	39	46	53	59	66	72	79	92	105	118	132	145	158										
800	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168										
850	30	37	45	52	60	67	75	82	90	104	119	134	149	164	179										
900	32	39	47	55	63	71	79	87	95	111	126	142	158	174	190										
950	33	42	50	58	67	75	83	92	100	117	133	150	167	183	200										
1000	35	44	53	61	70	79	88	97	105	123	140	158	176	193	211										



For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.00												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate																									
100																									
110																									
120																									
130																									
140																									
150															25										
160															27										
170														26	29										
180													25	28	30										
190													27	29	32										
200												25	28	31	34										
210												27	29	32	35										
220												28	31	34	37										
230											26	29	32	36	39										
240											27	30	34	37	40										
250											28	32	35	39	42										
260										26	29	33	37	40	44										
270										27	30	34	38	42	45										
280										28	31	35	39	43	47										
290										29	33	37	41	45	49										
300										29	34	38	42	46	51										
320									25	29	34	38	42	46	51										
340									27	31	36	40	45	49	54										
360								26	29	33	38	43	48	53	57										
380							25	28	30	35	40	45	51	56	61										
400						25	28	29	32	37	43	48	53	59	64										
425						27	30	33	36	42	48	54	60	66	72										
450					25	28	32	35	38	44	51	57	63	69	76										
475					27	30	33	37	40	47	53	60	67	73	80										
500					28	32	35	39	42	49	56	63	70	77	84										
525				26	29	33	37	41	44	52	59	66	74	81	88										
550				27	31	35	39	42	46	54	62	69	77	85	93										
600			25	29	34	38	42	46	51	59	67	76	84	93	101										
650			27	32	37	41	46	50	55	64	73	82	91	100	110										
700			29	34	39	44	49	54	59	69	79	88	98	108	118										
750		26	32	37	42	47	53	58	63	74	84	95	105	116	126										
800		28	34	39	45	51	56	62	67	79	90	101	112	124	135										
850		30	36	42	48	54	60	66	72	84	95	107	119	131	143										
900	25	32	38	44	51	57	63	69	76	88	101	114	126	139	152										
950	27	33	40	47	53	60	67	73	80	93	107	120	133	147	160										
1000	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168										

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.05												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate																									
100																									
110																									
120																									
130																									
140																									
150																									
160															26										
170														25	27										
180														26	29										
190														25	28										
200														27	29										
210														25	28										
220														26	29										
230														26	29										
240														26	29										
250														27	30										
260														28	31										
270														28	31										
280														29	32										
290														27	31										
300														28	32										
320														28	32										
340														29	33										
360														29	33										
380														30	34										
400														30	34										
425														31	35										
450														31	35										
475														32	36										
500														32	36										
525														33	37										
550														33	37										
600														34	38										
650														34	38										
700														35	39										
750														35	39										
800														36	40										
850														36	40										
900														37	41										
950														37	41										
1000														38	42										

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.10												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate																									
100																									
110																									
120																									
130																									
140																									
150																									
160																									
170															26										
180														25	28										
190														27	29										
200													26	28	31										
210													27	29	32										
220												25	28	31	34										
230												26	29	32	35										
240												28	31	34	37										
250											26	29	32	35	38										
260											27	30	33	37	40										
270											28	31	34	38	41										
280										25	29	32	36	39	43										
290										26	30	33	37	41	44										
300										27	31	34	38	42	46										
320										29	33	37	41	45	49										
340									26	30	35	39	43	48	52										
360								25	28	32	37	41	46	51	55										
380								27	29	34	39	44	49	53	58										
400							26	28	31	36	41	46	51	56	61										
425							27	30	33	38	43	49	54	60	65										
450					26	29	32	34	40	46	52	57	63	69											
475					27	30	33	36	42	49	55	61	67	73											
500					26	29	32	35	38	45	51	57	64	70	77										
525					27	30	34	37	40	47	54	60	67	74	80										
550					28	32	35	39	42	49	56	63	70	77	84										
600				27	31	34	38	42	46	54	61	69	77	84	92										
650				29	33	37	41	46	50	58	66	75	83	91	100										
700			27	31	36	40	45	49	54	63	71	80	89	98	107										
750			29	34	38	43	48	53	57	67	77	86	96	105	115										
800	26		31	36	41	46	51	56	61	71	82	92	102	112	123										
850	27	33	38	43	49	54	60	65	76	87	98	108	119	130											
900	29	34	40	46	52	57	63	69	80	92	103	115	126	138											
950	30	36	42	49	55	61	67	73	85	97	109	121	133	146											
1000	26	32	38	45	51	57	64	70	89	102	115	128	140	153											

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.15												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate																									
100																									
110																									
120																									
130																									
140																									
150																									
160																									
170																									
180															26										
190															28										
200														26	29										
210														27	31										
220														27	32										
230														25	28										
240														26	29										
250														27	31										
260														25	28										
270														26	29										
280														27	31										
290														28	32										
300														26	29										
320														27	31										
340														29	33										
360														31	35										
380														32	37										
400														34	39										
425														36	42										
450														38	44										
475														41	46										
500														43	49										
525														45	51										
550														47	53										
600														51	57										
650														55	61										
700														58	64										
750														61	67										
800	26													64	70										
850	27	31	36	41	46	51	56	61	65	71	77	83	89	95	101										
900	29	33	38	43	49	54	60	65	70	76	82	88	94	100	106										
950	30	34	40	46	52	57	63	69	75	81	87	93	99	105	111										
1000	31	37	43	49	55	61	67	73	79	85	91	97	103	109	115										

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow	
Weight per litre		1.20												Figures in body of chart = mm of door opening	
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
200	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28
210	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29
220	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31
230	-	-	-	-	-	-	-	-	-	-	-	-	27	30	32
240	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
250	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35
260	-	-	-	-	-	-	-	-	-	-	-	27	30	33	37
270	-	-	-	-	-	-	-	-	-	25	28	32	35	38	
280	-	-	-	-	-	-	-	-	-	26	29	33	36	39	
290	-	-	-	-	-	-	-	-	-	27	31	34	37	41	
300	-	-	-	-	-	-	-	-	-	28	32	35	39	42	
320	-	-	-	-	-	-	-	-	26	30	34	37	41	45	
340	-	-	-	-	-	-	-	-	28	32	36	40	44	48	
360	-	-	-	-	-	-	-	-	25	29	34	38	42	46	51
380	-	-	-	-	-	-	-	-	27	31	36	40	44	49	53
400	-	-	-	-	-	-	26	28	33	37	42	47	51	56	
425	-	-	-	-	-	27	30	35	40	45	50	55	60		
450	-	-	-	-	26	29	32	37	42	47	53	58	63		
475	-	-	-	25	28	31	33	39	44	50	56	61	67		
500	-	-	-	26	29	32	35	41	47	53	59	64	70		
525	-	-	-	28	31	34	37	43	49	55	61	68	74		
550	-	-	-	26	29	32	35	39	45	51	58	64	71	77	
600	-	-	-	27	30	32	35	39	42	49	56	63	70	77	84
650	-	-	-	29	33	34	38	42	46	53	61	68	76	84	91
700	-	-	-	29	33	37	41	45	49	57	66	74	82	90	98
750	-	26	31	35	39	44	48	53	61	70	79	88	97	105	
800	-	28	33	37	42	47	51	56	66	75	84	94	103	112	
850	-	30	35	40	45	50	55	60	70	80	90	99	109	119	
900	26	32	37	42	47	53	58	63	74	84	95	105	116	126	
950	28	33	39	44	50	56	61	67	78	89	100	111	122	133	
1000	29	35	41	47	53	59	64	70	82	94	105	117	129	140	

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow	
Weight per litre		1.30												Figures in body of chart = mm of door opening	
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
220	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
230	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
240	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
250	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
260	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
270	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
280	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
290	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
300	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
320	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31
340	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
360	-	-	-	-	-	-	-	-	-	-	-	-	-	27	31
380	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33
400	-	-	-	-	-	-	-	-	-	-	-	-	-	30	35
425	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33
450	-	-	-	-	-	-	-	-	-	-	-	-	-	30	35
475	-	-	-	-	-	-	-	-	-	-	-	-	-	31	36
500	-	-	-	-	-	-	-	-	-	-	-	-	-	30	35
525	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
550	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
600	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28
650	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
700	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28
750	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28
800	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
850	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
900	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
950	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31
1000	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.40												Figures in body of chart = mm of door opening											
Width		2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12									
Rate																									
100																									
110																									
120																									
130																									
140																									
150																									
160																									
170																									
180																									
190																									
200																									
210																25									
220																26									
230																									
240																									
250														25	28	30									
260														26	29	31									
270														27	30	32									
280												25	28	31	34										
290												26	29	32	35										
300												27	30	33	36										
320												26	29	32	35	39									
340												27	31	34	38	41									
360												25	29	32	36	40									
380												27	30	34	38	42									
400												28	32	36	40	44									
425												26	30	34	38	43									
450												27	32	36	41	45									
475												26	30	34	38	43									
500								25	26	29	30	33	39	44	50	57									
525								26	29	30	32	37	42	47	53	60									
550								28	30	33	39	44	50	55	61	66									
600								27	30	33	36	42	48	54	60	66									
650						26	29	33	36	39	46	52	59	65	72	78									
700						28	32	35	39	42	49	56	63	70	77	84									
750						26	30	34	38	41	45	53	60	68	75	83									
800						28	32	36	40	44	48	56	64	72	80	88									
850						26	30	34	38	41	45	53	60	68	75	83									
900						27	32	36	41	45	50	54	60	68	77	85									
950						29	33	38	43	48	52	57	67	76	86	95									
1000						25	30	35	40	45	50	55	60	70	80	90									

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.50												Figures in body of chart = mm of door opening											
Width		2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12									
Rate																									
100																									
110																									
120																									
130																									
140																									
150																									
160																									
170																									
180																									
190																									
200																									
210																									
220																									
230																									
240																									
250																									
260																									
270																									
280																									
290																									
300																									
320																									
340																									
360																									
380																									
400																									
425																									
450																									
475																									
500																									
525																									
550																									
600																									
650																									
700																									
750																									
800																									
850																									
900																									
950																									
1000																									



For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.											gb006, 1000, Narrow																		
Weight per litre		0.70											Figures in body of chart = mm of door c																		
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
600	-	-	-	-	-	-	-	-	-	-	27	30	34	37	40	600	-	-	-	-	-	-	-	-	-	-	25	28	31	35	38
625	-	-	-	-	-	-	-	-	-	-	28	32	35	39	42	625	-	-	-	-	-	-	-	-	-	-	26	29	33	36	39
650	-	-	-	-	-	-	-	-	-	26	29	33	37	40	44	650	-	-	-	-	-	-	-	-	-	-	27	31	34	37	41
675	-	-	-	-	-	-	-	-	-	27	30	34	38	42	46	675	-	-	-	-	-	-	-	-	-	-	28	32	35	39	42
700	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47	700	-	-	-	-	-	-	-	-	-	-	26	29	33	37	40
750	-	-	-	-	-	-	-	-	25	29	34	38	42	46	51	750	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47
800	-	-	-	-	-	-	-	-	27	31	36	40	45	49	54	800	-	-	-	-	-	-	-	-	25	29	34	38	42	46	50
850	-	-	-	-	-	-	-	26	29	33	38	43	48	53	57	850	-	-	-	-	-	-	-	27	31	36	40	45	49	53	
900	-	-	-	-	-	-	25	28	30	35	40	46	51	56	61	900	-	-	-	-	-	-	26	28	33	38	42	47	52	57	
950	-	-	-	-	-	27	29	32	37	43	48	53	59	64	69	950	-	-	-	-	-	27	30	35	40	45	50	55	60	65	
1000	-	-	-	25	28	31	34	39	45	51	56	62	67	71	75	1000	-	-	-	-	26	29	31	37	42	47	52	58	63		
1050	-	-	-	27	29	32	35	41	47	53	59	65	71	77	81	1050	-	-	-	-	28	30	33	39	44	50	55	61	66		
1100	-	-	-	28	31	34	37	43	49	56	62	68	74	79	84	1100	-	-	-	-	26	29	32	35	40	46	52	58	63		
1150	-	-	-	26	29	32	36	39	45	52	58	65	71	78	83	1150	-	-	-	-	27	30	33	36	42	48	54	60	66		
1200	-	-	-	27	30	34	37	40	47	54	61	67	74	81	87	1200	-	-	-	-	25	28	31	35	38	44	50	57	63		
1250	-	-	-	28	32	35	39	42	49	56	63	70	77	84	90	1250	-	-	-	-	26	29	33	36	39	46	52	59	66		
1300	-	-	-	26	29	33	37	40	44	51	58	66	73	80	88	1300	-	-	-	-	27	31	34	37	41	48	55	61	68		
1350	-	-	-	27	30	34	38	42	46	53	61	68	76	83	91	1350	-	-	-	-	28	32	35	39	42	50	57	64	71		
1400	-	-	-	28	31	35	39	43	47	55	63	71	79	87	94	1400	-	-	-	-	26	29	33	37	40	44	51	59	66		
1450	-	-	-	29	33	37	41	45	49	57	65	73	81	90	98	1450	-	-	-	-	27	30	34	38	42	46	53	61	68		
1500	-	-	25	29	34	38	42	46	51	59	67	76	84	93	101	1500	-	-	-	-	28	31	35	39	43	47	55	63	71		
1550	-	-	26	30	35	39	44	48	52	61	70	78	87	96	104	1550	-	-	-	-	28	33	37	41	45	49	57	65	73		
1600	-	-	27	31	36	40	45	49	54	63	72	81	90	99	108	1600	-	-	25	29	34	38	42	46	50	59	67	76	84		
1650	-	-	28	32	37	42	46	51	56	65	74	83	93	102	111	1650	-	-	26	30	35	39	43	48	52	61	69	78	87		
1700	-	-	29	33	38	43	48	53	57	67	76	86	96	105	115	1700	-	-	27	31	36	40	45	49	53	62	71	80	89		
1750	-	-	29	34	39	44	49	54	59	69	79	88	98	108	118	1750	-	-	28	32	37	41	46	50	55	64	73	83	92		
1800	-	25	30	35	40	46	51	56	61	71	81	91	101	111	121	1800	-	-	28	33	38	42	47	52	57	66	76	85	94		
1900	-	27	32	37	43	48	53	59	64	75	85	96	107	117	128	1900	-	-	30	35	40	45	50	55	60	70	80	90	100		
2000	-	28	34	39	45	51	56	62	67	79	90	101	112	124	135	2000	-	26	31	37	42	47	52	58	63	73	84	94	105		
2500	28	35	42	49	56	63	70	77	84	98	112	126	140	154	169	2500	26	33	39	46	52	59	66	72	79	92	105	118	131		
3000	34	42	51	59	67	76	84	93	101	118	135	152	169	185	202	3000	31	39	47	55	63	71	79	87	94	110	126	142	157		
3500	39	49	59	69	79	88	98	108	118	138	157	177	197	216	236	3500	37	46	55	64	73	83	92	101	110	128	147	165	184		
4000	45	56	67	79	90	101	112	124	135	157	180	202	225	247	270	4000	42	52	63	73	84	94	105	115	126	147	168	189	210		
5000	56	70	84	98	112	126	140	154	169	197	225	253	281	309	337	5000	52	66	79	92	105	118	131	144	157	184	210	236	262		
6000	67	84	101	118	135	152	169	185	202	236	270	303	337	371	405	6000	63	79	94	110	126	142	157	173	189	220	252	283			
7000	79	98	118	138	157	177	197	216	236	275	315	354	393	432	471	7000	73	92	110	128	147	165	184	202	220	257	294	330			
8000	90	112	135	157	180	202	225	247	270	315	360	405	450	495	540	8000	84	105	126	147	168	189	210	231	252	294	336	378			
9000	101	126	152	177	202	228	253	278	303	354	405	456	507	558	609	9000	94	118	142	165	189	212	236	260	283	330	378				
10000	112	140	169	197	225	253	281	309	337	393	450	507	564	621	678	10000	105	131	157	184	210	236	262	288	315	367					

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.											gb006, 1000, Narrow																		
Weight per litre		0.80											Figures in body of chart = mm of door c																		
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	-	-	-	-	-	-	-	-	-	-	-	-	27	29	32	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
625	-	-	-	-	-	-	-	-	-	-	-	26	28	31	34	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650	-	-	-	-	-	-	-	-	-	-	27	29	30	32	35	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
675	-	-	-	-	-	-	-	-	-	-	28	31	33	36	40	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
700	-	-	-	-	-	-	-	-	-	-	26	29	33	37	41	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750	-	-	-	-	-	-	-	-	-	28	29	33	37	41	44	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
800	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
850	-	-	-	-	-	-	-	-	25	29	33	38	42	46	50	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
900	-	-	-	-	-	-	-	-	27	31	35	40	44	49	53	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
950	-	-	-	-	-	-	-	26	28	33	37	42	47	51	56	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1000	-	-	-	-	-	-	-	27	29	34	39	44	49	54	59	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1050	-	-	-	-	-	26	28	31	36	41	46	52	57	62	65	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1100	-	-	-	-	27	30	32	38	43	49	54	59	65	71	77	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1150	-	-	-	25	28	31	34	40	45	51	57	62	68	74	80	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1200	-	-	-	27	29	32	35	41	47	53	59	65	71	77	83	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1250	-	-	-	28	31	34	37	43	49	55	61	68	74	80	86	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1300	-	-	-	26	29	32	35	38	45	51	58	64	70	77	83	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1350	-	-	-	27	30	33	36	40	46	53	60	66	73	80	86	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1400	-	-	-	28	31	34	38	41	48	55	62	69	76	83	89	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1450	-	-	-	29	32	36	39	43	50	57	64	71	78	86	91	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1500	-	-	-	26	29	33	37	41	44	52	59	66	74	81	88	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1550	-	-	-	27	30	34	38	42	46	53	61	69	76	84	91	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1600	-	-	-	28	31	35	39	43	47	55	63	71	79	87	94	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1650	-	-	-	28	32	36	41	45	49	57	65	73	81	89	97	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1700	-	-	25	29	33	38	42	46	50	58	67	75	84	92	100	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1750	-	-	26	30	34	39	43	47	52	60	69	77	86	95	103	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1800	-	-	27	31	35	40	44	49	53	62	71	80	88	97	106	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1900	-	-	28	33	37	42	47	51	56	65	75	84	93	103	112	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2000	-	-	29	34	39	44	49	54	59	69	79	88	98	108	118	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2500	-	31	37	43	49	55	61	68	74	86	98	111	123	135	147	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3000	29	37	44	52	59	66	74	81	88	103	118	133	147	162	177	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3500	34	43	52	60	69	77	86	95	103	120	138	155	172	189	206	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4000	39	49	59	69	79	88	98	108	118	138	157	177	197	216	236	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5000	49	61	74	86	98	111	123	135	147	172	197	221	246	270	295	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6000	59	74	88	103	118	133	147	162	177	206	236	265	295	324	354	383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7000	69	86	103	120	138	155	172	189	206	241	275	310	344	379	413	447	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8000	79	98	118	138	157	177	197	216	236	275	315	354	393	432	471	510	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9000	88	111	133	155	177	199	221	243	265	310	354	398	442	486	530	574	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10000	98	123	147	172	197	221	246	270	295	344	393	442	491	540	589	638	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.												gb006, 1000, Narrow																				
Weight per litre		0.90												Figures in body of chart = mm of door c																				
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12			
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
600	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	31	600	-	-	-	-	-	-	-	-	-	-	-	-	27	30			
625	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	625	-	-	-	-	-	-	-	-	-	-	-	26	28	31			
650	-	-	-	-	-	-	-	-	-	-	-	-	-	27	28	31	650	-	-	-	-	-	-	-	-	-	-	-	27	30	32			
675	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	32	675	-	-	-	-	-	-	-	-	-	-	25	28	31	34			
700	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	34	700	-	-	-	-	-	-	-	-	-	-	26	29	32	35			
750	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	33	750	-	-	-	-	-	-	-	-	-	-	28	31	34	37			
800	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	35	800	-	-	-	-	-	-	-	-	-	-	26	30	33	36	40		
850	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	33	850	-	-	-	-	-	-	-	-	-	-	28	32	35	39	42		
900	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	35	900	-	-	-	-	-	-	-	-	-	-	26	30	34	37	41	45	
950	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33	37	950	-	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47	
1000	-	-	-	-	-	-	-	-	-	-	-	-	-	26	31	35	1000	-	-	-	-	-	-	-	-	-	-	29	33	37	41	46	50	
1050	-	-	-	-	-	-	-	25	28	32	37	41	46	50	55	1050	-	-	-	-	-	-	-	-	-	-	-	26	30	35	39	43	48	52
1100	-	-	-	-	-	-	-	26	29	34	38	43	48	53	58	1100	-	-	-	-	-	-	-	-	-	-	-	27	32	36	41	46	50	55
1150	-	-	-	-	-	-	25	28	30	35	40	45	50	55	60	1150	-	-	-	-	-	-	-	25	27	33	38	43	48	52	57	62	67	
1200	-	-	-	-	-	-	26	29	31	37	42	47	52	58	63	1200	-	-	-	-	-	-	-	26	27	30	35	40	45	50	55	60	65	
1250	-	-	-	-	-	-	27	30	33	38	44	49	55	60	66	1250	-	-	-	-	-	-	-	26	28	31	36	41	47	52	57	62	67	
1300	-	-	-	-	26	28	31	34	37	40	45	51	57	62	68	1300	-	-	-	-	-	-	27	30	32	38	43	48	54	59	65	70		
1350	-	-	-	-	27	29	32	35	38	41	47	53	59	65	71	1350	-	-	-	-	-	-	25	28	31	34	39	45	50	56	61	67		
1400	-	-	-	-	28	31	34	37	43	49	55	61	67	73	79	1400	-	-	-	-	-	-	26	29	32	35	41	46	52	58	64	70		
1450	-	-	-	-	25	29	32	35	38	44	51	57	63	70	76	1450	-	-	-	-	-	-	27	30	33	36	42	48	54	60	66	72		
1500	-	-	-	-	26	29	33	36	39	46	52	59	66	72	79	1500	-	-	-	-	-	-	28	31	34	37	43	50	56	62	68	75		
1550	-	-	-	-	27	30	34	37	41	47	54	61	68	74	81	1550	-	-	-	-	-	-	26	29	32	35	38	45	51	58	64	71	77	
1600	-	-	-	-	28	31	35	38	42	49	56	63	70	77	84	1600	-	-	-	-	-	-	26	30	33	36	40	46	53	60	66	73	79	
1650	-	-	-	25	29	32	36	40	43	50	58	65	72	79	87	1650	-	-	-	-	-	-	27	31	34	38	41	48	55	61	68	75	82	
1700	-	-	-	26	30	33	37	41	45	52	59	67	74	82	89	1700	-	-	-	-	-	-	28	32	35	39	42	49	56	63	70	77	84	
1750	-	-	-	27	31	34	38	42	46	54	61	69	76	84	92	1750	-	-	-	25	29	33	36	40	43	47	51	58	65	72	80	87		
1800	-	-	-	28	31	35	39	43	47	55	63	71	79	87	94	1800	-	-	-	26	30	34	37	41	45	52	60	67	75	82	89			
1900	-	-	-	29	33	37	42	46	50	58	66	75	83	91	100	1900	-	-	-	28	31	35	39	43	47	55	63	71	79	87	94			
2000	-	-	26	31	35	39	44	48	52	61	70	79	87	96	105	2000	-	-	-	29	33	37	41	46	50	58	66	75	83	91	99			
2500	-	27	33	38	44	49	55	60	66	76	87	98	109	120	131	2500	-	26	31	36	41	47	52	57	62	72	83	93	103	114	124			
3000	26	33	39	46	52	59	66	72	79	92	105	118	131	144	157	3000	-	31	37	43	50	56	62	68	75	87	99	112	124	137	149	174		
3500	31	38	46	54	61	69	76	84	92	107	122	138	153	168	184	3500	29	36	43	51	58	65	72	80	87	101	116	130	145	159	174			
4000	35	44	52	61	70	79	87	96	105	122	140	157	175	192	210	4000	33	41	50	58	66	75	83	91	99	116	132	149	166	182	199			
5000	44	55	66	76	87	98	109	120	131	153	175	197	218	240	262	5000	41	52	62	72	83	93	103	114	124	145	166	186	207	228	248			
6000	52	66	79	92	105	118	131	144	157	184	210	236	262	288	315	6000	50	62	75	87	99	112	124	137	149	174	199	224	248	273	298			
7000	61	76	92	107	122	138	153	168	184	214	245	275	306	336	367	7000	58	72	87	101	116	130	145	159	174	203	232	261	290	319	348			
8000	70	87	105	122	140	157	175	192	210	245	280	315	350	385		8000	66	83	99	116	132	149	166	182	199	232	265	298	331	364	397			
9000	79	98	118	138	157	177	197	216	236	275	315	354	393			9000	75	93	112	130	149	168	186	205	224	261	298	335	373					
10000	87	109	131	153	175	197	218	240	262	306	350	393				10000	83	103	124	145	166	186	207	228	248	290	331	373						

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.												gb006, 1000, Narrow																											
Weight per litre		1.00												Figures in body of chart = mm of door c																											
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	600	-	-	-	-	-	-	-	-	-	-	-	-	-	27										
625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	625	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28									
650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	650	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29									
675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	675	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	30								
700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	30	700	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	31								
750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	750	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34							
800	-	-	-	-	-	-	-	-	-	-	25	28	31	35	38	800	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36								
850	-	-	-	-	-	-	-	-	-	-	27	30	33	37	40	850	-	-	-	-	-	-	-	-	-	-	-	-	-	25	29	32	35	38							
900	-	-	-	-	-	-	-	-	-	-	28	32	35	39	42	900	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	34	37	40							
950	-	-	-	-	-	-	-	-	-	-	26	30	34	37	41	950	-	-	-	-	-	-	-	-	-	-	-	-	-	28	32	36	39	43							
1000	-	-	-	-	-	-	-	-	-	-	28	31	35	39	43	1000	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	34	37	41	45						
1050	-	-	-	-	-	-	-	-	-	-	29	33	37	41	45	1050	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47						
1100	-	-	-	-	-	-	-	-	-	-	26	30	35	39	43	1100	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33	37	41	45	49						
1150	-	-	-	-	-	-	-	-	-	-	27	32	36	41	45	1150	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	34	39	43	47	52					
1200	-	-	-	-	-	-	-	-	-	-	27	32	36	41	45	1200	-	-	-	-	-	-	-	-	-	-	-	-	-	26	31	36	40	45	49	54					
1250	-	-	-	-	-	-	-	-	-	-	26	29	34	39	44	1250	-	-	-	-	-	-	-	-	-	-	-	-	-	27	32	37	42	47	51	56					
1300	-	-	-	-	-	-	26	28	31	36	41	46	51	56	61	1300	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	34	39	44	49	54	58				
1350	-	-	-	-	-	-	27	29	32	37	42	48	53	58	64	1350	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	30	35	40	46	51	56	61			
1400	-	-	-	-	-	-	28	30	33	39	44	50	55	61	66	1400	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	31	37	42	47	52	58	63			
1450	-	-	-	-	-	26	29	31	34	40	46	51	57	63	68	1450	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	38	43	49	54	60	65			
1500	-	-	-	-	-	27	29	32	35	41	47	53	59	65	71	1500	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34	39	45	51	56	62	67		
1550	-	-	-	-	-	27	30	34	37	43	49	55	61	67	73	1550	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35	41	46	52	58	64	70		
1600	-	-	-	-	25	28	31	35	38	44	50	57	63	69	76	1600	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36	42	48	54	60	66	72		
1650	-	-	-	-	26	29	32	36	39	45	52	58	65	71	78	1650	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37	43	49	56	62	68	74		
1700	-	-	-	-	27	30	33	37	40	47	53	60	67	74	80	1700	-	-	-	-	-	-	-	-	-	-	-	-	-	25	29	32	35	38	45	51	57	64	70	76	
1750	-	-	-	-	28	31	34	38	41	48	55	62	69	76	83	1750	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	33	36	39	46	52	59	66	72	79	
1800	-	-	-	-	28	32	35	39	42	50	57	64	71	78	85	1800	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	34	37	40	47	54	61	67	74	81	
1900	-	-	-	-	26	30	34	37	41	45	52	60	67	75	82	1900	-	-	-	-	-	-	-	-	-	-	-	-	-	28	32	36	39	43	50	57	64	71	78	85	
2000	-	-	-	-	28	31	35	39	43	47	55	63	71	79	87	94	2000	-	-	-	-	-	-	-	-	-	-	-	-	26	30	34	37	41	45	52	60	67	75	82	90
2500	-	-	29	34	39	44	49	54	59	69	79	88	98	108	118	2500	-	-	28	33	37	42	47	51	56	61	66	71	76	81	86	91	96	101	106	111	116	121	126		
3000	-	29	35	41	47	53	59	65	71	83	94	106	118	130	142	3000	-	28	34	39	45	51	56	62	67	72	77	82	87	92	97	102	107	112	117	122	127	132	137	142	
3500	28	34	41	48	55	62	69	76	83	96	110	124	138	151	165	3500	26	33	39	46	52	59	66	72	79	85	92	99	106	113	120	127	134	141	148	155	162	169	176	183	
4000	31	39	47	55	63	71	79	87	94	110	126	142	157	173	189	4000	30	37	45	52	60	67	75	82	90	98	106	114	122	130	138	146	154	162	170	178	186	194	202	210	218
5000	39	49	59	69	79	88	98	108	118	138	157	177	197	216	236	5000	37	47	56	66	75	84	94	103	112	121	131	140	150	160	169	179	188	197	207	216	225	234	243	252	261
6000	47	59	71	83	94	106	118	130	142	165	189	212	236	260	283	6000	45	56	67	79	90	101	112	124	135	147	158	169	180	191	202	213	224	235	246	257	267	277	287	297	
7000	55	69	83	96	110	124	138	151	165	193	220	248	275	303	330	7000	52	66	79	92	105	118	131	144	157	170	182	194	206	218	230	242	254	266	277	288	299	310	321	331	
8000	63	79	94	110	126	142	157	173	189	220	252	283	315	346	378	8000	60	75	90	105	120	135	150	165	180	195	210	224	238	252	266	280	294	308	321	334	347	360	373	386	399
9000	71	88	106	124	142	159	177	195	212	248	283	319	354	389		9000	67	84	101	118	135	152	169	185	202	219	235	251	267	282	297	312	327	341	355	369	383	397	411	425	
10000	79	98	118	138	157	177	197	216	236	275	315	354	393		10000	75	94	112	131	150	169	187	206	225	243	261	279	297	315	333	351	369	387	405	423	441	459	477	495	513	531

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.												gb006, 1000, Narrow																			
Weight per litre		1.10												Figures in body of chart = mm of door c																			
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12		
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26		
625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26		
650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27		
675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	675	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28		
700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	700	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29		
750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	750	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31	
800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	800	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	
850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	850	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35
900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	900	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	950	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	36
1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	1000	-	-	-	-	-	-	-	-	-	-	-	-	-	27	31	34	38
1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1050	-	-	-	-	-	-	-	-	-	-	-	-	-	25	29	32	36
1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	1100	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	34	38
1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	1150	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	35	39
1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1200	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33	37	41
1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1250	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	34	38
1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1300	-	-	-	-	-	-	-	-	-	-	-	-	-	27	31	36	40
1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1350	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	32	37
1400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	1400	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	34	38
1450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1450	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	35	40
1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1500	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31	36
1550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	1550	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	32	37
1600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1600	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	38
1650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1650	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
1700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1700	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35
1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	1750	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36
1800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1800	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
1900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1900	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	36
2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	2000	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36
2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	2500	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35
3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	3000	-	-	-	-	-	-	-	-	-	-	-	-	-	30	34	38	41
3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	3500	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	34	38
4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	4000	-	-	-	-	-	-	-	-	-	-	-	-	-	27	31	35	39
5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	5000	-	-	-	-	-	-	-	-	-	-	-	-	-	34	38	42	46
6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43	6000	-	-	-	-	-	-	-	-	-	-	-	-	-	41	45	49	53
7000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	7000	-	-	-	-	-	-	-	-	-	-	-	-	-	48	52	56	60
8000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57	8000	-	-	-	-	-	-	-	-	-	-	-	-	-	55	59	63	67
9000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	9000	-	-	-	-	-	-	-	-	-	-	-	-	-	62	66	70	74
10000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72	10000	-	-	-	-	-	-	-	-	-	-	-	-	-	68	72	76	80



For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.												gb006, 1000, Narrow																						
Weight per litre		1.20												Figures in body of chart = mm of door c																						
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12					
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25				
750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27				
800	-	-	-	-	-	-	-	-	-	-	-	-	26	29	31	800	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29					
850	-	-	-	-	-	-	-	-	-	-	-	25	28	31	33	850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31			
900	-	-	-	-	-	-	-	-	-	-	-	27	29	32	35	900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33		
950	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37	950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	34	
1000	-	-	-	-	-	-	-	-	-	-	-	26	29	33	36	1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36	
1050	-	-	-	-	-	-	-	-	-	-	-	28	31	34	38	1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	29	32	35	38
1100	-	-	-	-	-	-	-	-	-	25	29	32	36	40	43	1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	37	40
1150	-	-	-	-	-	-	-	-	-	26	30	34	38	41	45	1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	35	38	42
1200	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47	1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	29	33	36	40	44
1250	-	-	-	-	-	-	-	-	-	29	33	37	41	45	49	1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	34	38	42	45
1300	-	-	-	-	-	-	-	-	26	30	34	38	43	47	51	1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47
1350	-	-	-	-	-	-	-	-	27	31	35	40	44	49	53	1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33	37	41	45	49
1400	-	-	-	-	-	-	-	25	28	32	37	41	46	50	55	1400	-	-	-	-	-	-	-	-	25	30	34	38	42	47	51	55	59	63	67	
1450	-	-	-	-	-	-	-	26	29	33	38	43	48	52	57	1450	-	-	-	-	-	-	-	-	26	31	35	39	44	48	53	57	61	65	69	
1500	-	-	-	-	-	-	-	27	29	34	39	44	49	54	59	1500	-	-	-	-	-	-	-	-	27	32	36	41	45	50	54	59	63	67	71	
1550	-	-	-	-	-	-	25	28	30	36	41	46	51	56	61	1550	-	-	-	-	-	-	-	26	28	33	38	42	47	52	56	60	64	68	72	
1600	-	-	-	-	-	-	26	29	31	37	42	47	52	58	63	1600	-	-	-	-	-	-	-	27	29	34	39	44	48	53	58	62	66	70	74	
1650	-	-	-	-	-	-	27	30	32	38	43	49	54	59	65	1650	-	-	-	-	-	-	-	27	30	35	40	45	50	55	60	64	68	72		
1700	-	-	-	-	-	25	28	31	33	39	45	50	56	61	67	1700	-	-	-	-	-	-	-	26	28	31	36	41	46	51	56	61	66	71		
1750	-	-	-	-	-	26	29	32	34	40	46	52	57	63	69	1750	-	-	-	-	-	-	-	26	29	32	37	42	47	52	57	62	67	72		
1800	-	-	-	-	-	27	29	32	35	41	47	53	59	65	71	1800	-	-	-	-	-	-	-	27	30	33	38	44	49	54	60	65	70			
1900	-	-	-	-	-	28	31	34	37	44	50	56	62	68	75	1900	-	-	-	-	-	-	-	26	29	32	36	40	46	52	57	63	69			
2000	-	-	-	-	26	29	33	36	39	46	52	59	66	72	79	2000	-	-	-	-	-	-	-	27	30	33	37	42	48	54	61	67	73			
2500	-	-	-	29	33	37	41	45	49	57	66	74	82	90	98	2500	-	-	-	26	30	34	38	42	45	53	61	68	76	83	91					
3000	-	-	29	34	39	44	49	54	59	69	79	88	98	108	118	3000	-	-	27	32	36	41	45	50	54	64	73	82	91	100	109					
3500	-	29	34	40	46	52	57	63	69	80	92	103	115	126	138	3500	-	26	32	37	42	48	53	58	64	74	85	95	106	116	127					
4000	26	33	39	46	52	59	66	72	79	92	105	118	131	144	157	4000	30	38	45	53	61	67	73	81	89	97	109	121	133	145	157					
5000	33	41	49	57	66	74	82	90	98	115	131	147	164	180	197	5000	30	38	45	53	61	68	76	83	91	100	109	121	136	151	166	182				
6000	39	49	59	69	79	88	98	108	118	138	157	177	197	216	236	6000	36	45	54	64	73	82	91	100	109	127	145	163	182	200	218					
7000	46	57	69	80	92	103	115	126	138	161	184	206	229	252	275	7000	42	53	64	74	85	95	106	116	127	148	169	191	212	233	254					
8000	52	66	79	92	105	118	131	144	157	184	210	236	262	288	315	8000	48	61	73	85	97	109	121	133	145	169	194	218	242	266	290					
9000	59	74	88	103	118	133	147	162	177	206	236	265	295	324	354	9000	54	68	82	95	109	123	136	150	163	191	218	245	272	299	327					
10000	66	82	98	115	131	147	164	180	197	229	262	295	328	360	393	10000	61	76	91	106	121	136	151	166	182	212	242	272	303	333	363					



For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.												gb006, 1000, Narrow																						
Weight per litre		1.40												Figures in body of chart = mm of door c																						
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12					
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25					
800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29					
900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	30			
950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	32			
1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34	
1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	32	35
1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	36
1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	39
1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	32	35	42
1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	33	40
1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	34	42
1400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	35	43
1450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33	37	45
1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	29	34	42
1550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	35	44
1600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	31	36	45
1650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	32	46
1700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	33	47
1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	34	48
1800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	30	35	51
1900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	32	52
2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	33	54
2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	34	56
3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	33	57
3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	34	58
4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	34	59
5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	60
6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	61
7000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	33	62
8000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	63
9000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	64
10000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	33	65
	28	35	42	49	56	63	70	77	84	93	101	118	135	152	169		26	33	39	46	52	59	66	72	79	87	94	110	126	142	157	173	189			
	39	49	59	69	79	88	98	108	118	138	157	177	197	216	236		37	46	55	64	73	83	92	101	110	128	147	165	184	202	220	238				
	45	56	67	79	90	101	112	124	135	157	180	202	225	247	270		42	52	63	73	84	94	105	115	126	147	168	189	210	231	252	273				
	51	63	76	88	101	114	126	139	152	177	202	228	253	278	303		47	59	71	83	94	106	118	130	142	165	189	212	236	260	283	306				
	56	70	84	98	112	126	140	154	169	197	225	253	281	309	337		52	66	79	92	105	118	131	144	157	184	210	236	262	288	315	342				

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006,..1000, Narrow. Accuracy of final settings operators responsibility on use  
Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.