

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box | | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | |
|------------------|---|---|---|-----|---|-----|---|-----|---|---|----|----|----|----|-----|
| Low | | 0.70 | | | | | | | | | | | | | |
| Weight per litre | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | 27 |
| 60 | | | | | | | | | | | | | | 30 | 32 |
| 70 | | | | | | | | | | | | 25 | 28 | 31 | 35 |
| 80 | | | | | | | | | | | 25 | 29 | 32 | 36 | 40 |
| 90 | | | | | | | | | | | 28 | 32 | 36 | 40 | 45 |
| 100 | | | | | | | | | | | 27 | 31 | 36 | 40 | 45 |
| 110 | | | | | | | | | | | 27 | 30 | 35 | 40 | 45 |
| 120 | | | | | | | | | | | 27 | 30 | 32 | 38 | 43 |
| 130 | | | | | | | | | | | 26 | 29 | 32 | 35 | 41 |
| 140 | | | | | | | | | | | 25 | 28 | 31 | 35 | 38 |
| 150 | | | | | | | | | | | 27 | 30 | 34 | 37 | 40 |
| 160 | | | | | | | | | | | 25 | 29 | 32 | 36 | 40 |
| 170 | | | | | | | | | | | 27 | 31 | 34 | 38 | 42 |
| 180 | | | | | | | | | | | 28 | 32 | 36 | 40 | 45 |
| 190 | | | | | | | | | | | 26 | 30 | 34 | 38 | 43 |
| 200 | | | | | | | | | | | 27 | 31 | 36 | 40 | 45 |
| 210 | | | | | | | | | | | 28 | 33 | 38 | 43 | 47 |
| 220 | | | | | | | | | | | 30 | 35 | 40 | 45 | 49 |
| 230 | | | | | | | | | | | 26 | 31 | 36 | 41 | 47 |
| 240 | | | | | | | | | | | 27 | 32 | 37 | 42 | 48 |
| 250 | | | | | | | | | | | 28 | 34 | 39 | 45 | 51 |
| 260 | | | | | | | | | | | 29 | 35 | 41 | 47 | 53 |
| 270 | | | | | | | | | | | 30 | 36 | 43 | 49 | 55 |
| 280 | | | | | | | | | | | 25 | 31 | 38 | 44 | 50 |
| 290 | | | | | | | | | | | 26 | 33 | 40 | 46 | 52 |
| 300 | | | | | | | | | | | 27 | 34 | 41 | 48 | 54 |
| 320 | | | | | | | | | | | 29 | 36 | 43 | 50 | 58 |
| 340 | | | | | | | | | | | 31 | 38 | 46 | 54 | 62 |
| 360 | | | | | | | | | | | 32 | 40 | 49 | 57 | 65 |
| 380 | | | | | | | | | | | 34 | 43 | 51 | 60 | 68 |
| 400 | | | | | | | | | | | 36 | 45 | 54 | 63 | 72 |
| 425 | | | | | | | | | | | 38 | 48 | 57 | 66 | 75 |
| 450 | | | | | | | | | | | 40 | 51 | 61 | 71 | 81 |
| 475 | | | | | | | | | | | 43 | 53 | 64 | 75 | 86 |
| 500 | | | | | | | | | | | 45 | 56 | 67 | 79 | 91 |
| 525 | | | | | | | | | | | 47 | 59 | 71 | 83 | 95 |
| 550 | | | | | | | | | | | 49 | 62 | 74 | 87 | 100 |
| 575 | | | | | | | | | | | 52 | 65 | 78 | 91 | 104 |
| 600 | | | | | | | | | | | 54 | 67 | 81 | 94 | 108 |

| Gear Box | | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | |
|------------------|---|---|---|-----|---|-----|---|-----|---|---|---|---|----|----|----|
| Low | | 0.75 | | | | | | | | | | | | | |
| Weight per litre | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | 25 |
| 60 | | | | | | | | | | | | | | 25 | 28 |
| 70 | | | | | | | | | | | | | | 26 | 29 |
| 80 | | | | | | | | | | | | | | 27 | 30 |
| 90 | | | | | | | | | | | | | | 26 | 30 |
| 100 | | | | | | | | | | | | | | 26 | 30 |
| 110 | | | | | | | | | | | | | | 25 | 28 |
| 120 | | | | | | | | | | | | | | 25 | 28 |
| 130 | | | | | | | | | | | | | | 25 | 28 |
| 140 | | | | | | | | | | | | | | 25 | 28 |
| 150 | | | | | | | | | | | | | | 25 | 28 |
| 160 | | | | | | | | | | | | | | 25 | 28 |
| 170 | | | | | | | | | | | | | | 25 | 28 |
| 180 | | | | | | | | | | | | | | 25 | 28 |
| 190 | | | | | | | | | | | | | | 25 | 28 |
| 200 | | | | | | | | | | | | | | 25 | 28 |
| 210 | | | | | | | | | | | | | | 25 | 28 |
| 220 | | | | | | | | | | | | | | 25 | 28 |
| 230 | | | | | | | | | | | | | | 25 | 28 |
| 240 | | | | | | | | | | | | | | 25 | 28 |
| 250 | | | | | | | | | | | | | | 25 | 28 |
| 260 | | | | | | | | | | | | | | 25 | 28 |
| 270 | | | | | | | | | | | | | | 25 | 28 |
| 280 | | | | | | | | | | | | | | 25 | 28 |
| 290 | | | | | | | | | | | | | | 25 | 28 |
| 300 | | | | | | | | | | | | | | 25 | 28 |
| 320 | | | | | | | | | | | | | | 25 | 28 |
| 340 | | | | | | | | | | | | | | 25 | 28 |
| 360 | | | | | | | | | | | | | | 25 | 28 |
| 380 | | | | | | | | | | | | | | 25 | 28 |
| 400 | | | | | | | | | | | | | | 25 | 28 |
| 425 | | | | | | | | | | | | | | 25 | 28 |
| 450 | | | | | | | | | | | | | | 25 | 28 |
| 475 | | | | | | | | | | | | | | 25 | 28 |
| 500 | | | | | | | | | | | | | | 25 | 28 |
| 525 | | | | | | | | | | | | | | 25 | 28 |
| 550 | | | | | | | | | | | | | | 25 | 28 |
| 575 | | | | | | | | | | | | | | 25 | 28 |
| 600 | | | | | | | | | | | | | | 25 | 28 |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box | Low | | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | |
|----------|------------------|-----|--|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | Weight per litre | | 0.80 Figures in body of chart = mm of door opening | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 30 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 40 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 50 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 28 |
| 60 | - | - | - | - | - | - | - | - | - | - | - | - | 28 | 30 | 33 |
| 70 | - | - | - | - | - | - | - | - | - | - | - | 25 | 28 | 31 | 35 |
| 80 | - | - | - | - | - | - | - | - | - | - | 28 | 31 | 35 | 38 | 43 |
| 90 | - | - | - | - | - | - | - | - | - | - | 28 | 32 | 35 | 39 | 43 |
| 100 | - | - | - | - | - | - | - | - | 28 | 31 | 35 | 39 | 43 | 47 | 52 |
| 110 | - | - | - | - | - | - | - | 26 | 30 | 35 | 39 | 43 | 48 | 52 | 57 |
| 120 | - | - | - | - | - | - | 26 | 31 | 36 | 41 | 46 | 51 | 56 | 61 | 66 |
| 130 | - | - | - | - | - | 27 | 30 | 33 | 37 | 40 | 44 | 47 | 50 | 55 | 61 |
| 140 | - | - | - | - | 25 | 28 | 31 | 35 | 38 | 44 | 50 | 57 | 63 | 69 | 76 |
| 150 | - | - | - | 26 | 28 | 31 | 35 | 39 | 43 | 47 | 53 | 59 | 65 | 71 | 77 |
| 160 | - | - | 26 | 30 | 34 | 37 | 41 | 45 | 50 | 57 | 64 | 71 | 78 | 85 | 90 |
| 170 | - | - | 27 | 31 | 35 | 39 | 43 | 48 | 54 | 61 | 68 | 75 | 82 | 89 | 94 |
| 180 | - | - | 28 | 32 | 36 | 40 | 45 | 50 | 56 | 63 | 70 | 77 | 84 | 91 | 97 |
| 190 | - | - | 29 | 33 | 37 | 41 | 46 | 51 | 57 | 64 | 71 | 78 | 85 | 92 | 99 |
| 200 | - | - | 29 | 33 | 37 | 41 | 45 | 50 | 56 | 63 | 70 | 77 | 84 | 91 | 97 |
| 210 | - | - | 26 | 30 | 34 | 38 | 42 | 47 | 53 | 60 | 67 | 74 | 81 | 88 | 94 |
| 220 | - | - | 27 | 31 | 35 | 39 | 43 | 48 | 54 | 61 | 68 | 75 | 82 | 89 | 95 |
| 230 | - | - | 28 | 32 | 36 | 40 | 44 | 49 | 55 | 62 | 69 | 76 | 83 | 90 | 96 |
| 240 | - | - | 28 | 32 | 36 | 40 | 44 | 49 | 55 | 62 | 69 | 76 | 83 | 90 | 96 |
| 250 | - | 26 | 30 | 34 | 38 | 42 | 46 | 50 | 56 | 63 | 70 | 77 | 84 | 91 | 97 |
| 260 | 26 | 31 | 36 | 41 | 46 | 51 | 56 | 61 | 67 | 74 | 81 | 88 | 95 | 102 | 109 |
| 270 | 27 | 32 | 37 | 43 | 48 | 53 | 58 | 64 | 71 | 78 | 85 | 92 | 100 | 107 | 114 |
| 280 | 28 | 33 | 39 | 44 | 50 | 55 | 61 | 66 | 73 | 80 | 87 | 94 | 101 | 108 | 115 |
| 290 | 29 | 34 | 40 | 46 | 51 | 57 | 63 | 69 | 76 | 83 | 90 | 97 | 104 | 111 | 118 |
| 300 | 30 | 35 | 41 | 47 | 53 | 59 | 65 | 71 | 78 | 85 | 92 | 99 | 106 | 113 | 120 |
| 320 | 25 | 31 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 83 | 90 | 97 | 104 | 111 | 118 |
| 340 | 27 | 33 | 40 | 47 | 54 | 60 | 67 | 74 | 80 | 87 | 94 | 101 | 108 | 115 | 122 |
| 360 | 28 | 35 | 43 | 50 | 57 | 64 | 71 | 78 | 85 | 92 | 99 | 106 | 113 | 120 | 127 |
| 380 | 30 | 37 | 45 | 52 | 60 | 67 | 75 | 82 | 90 | 97 | 105 | 112 | 120 | 127 | 134 |
| 400 | 31 | 39 | 47 | 55 | 63 | 71 | 79 | 87 | 94 | 101 | 110 | 118 | 126 | 134 | 142 |
| 425 | 33 | 42 | 50 | 59 | 67 | 75 | 84 | 92 | 100 | 108 | 117 | 126 | 135 | 144 | 153 |
| 450 | 35 | 44 | 53 | 62 | 71 | 80 | 89 | 97 | 106 | 115 | 124 | 133 | 142 | 151 | 160 |
| 475 | 37 | 47 | 56 | 65 | 75 | 84 | 94 | 103 | 112 | 121 | 131 | 141 | 150 | 160 | 170 |
| 500 | 39 | 49 | 59 | 69 | 79 | 89 | 98 | 108 | 118 | 128 | 138 | 148 | 157 | 167 | 177 |
| 525 | 41 | 52 | 62 | 72 | 83 | 93 | 103 | 114 | 124 | 135 | 145 | 155 | 165 | 176 | 186 |
| 550 | 43 | 54 | 65 | 76 | 87 | 97 | 108 | 119 | 130 | 141 | 152 | 163 | 173 | 184 | 195 |
| 575 | 45 | 57 | 68 | 79 | 91 | 102 | 113 | 125 | 136 | 148 | 159 | 170 | 181 | 192 | 203 |
| 600 | 47 | 59 | 71 | 83 | 94 | 106 | 118 | 130 | 142 | 154 | 166 | 178 | 190 | 201 | 213 |

| Gear Box | Low | | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | |
|----------|------------------|-----|--|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | Weight per litre | | 0.85 Figures in body of chart = mm of door opening | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 30 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 40 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 50 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 27 |
| 60 | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 29 | 31 |
| 70 | - | - | - | - | - | - | - | - | - | - | - | 27 | 30 | 33 | 36 |
| 80 | - | - | - | - | - | - | - | - | - | - | 27 | 30 | 33 | 37 | 40 |
| 90 | - | - | - | - | - | - | - | - | - | 26 | 29 | 32 | 35 | 37 | 40 |
| 100 | - | - | - | - | - | - | - | - | 26 | 30 | 33 | 37 | 41 | 45 | 49 |
| 110 | - | - | - | - | - | - | - | 26 | 30 | 33 | 37 | 41 | 45 | 49 | 53 |
| 120 | - | - | - | - | - | - | 26 | 30 | 33 | 37 | 41 | 45 | 49 | 53 | 58 |
| 130 | - | - | - | - | - | 26 | 30 | 33 | 37 | 41 | 45 | 49 | 53 | 58 | 62 |
| 140 | - | - | - | - | 25 | 28 | 31 | 35 | 38 | 42 | 47 | 51 | 56 | 61 | 67 |
| 150 | - | - | - | 25 | 28 | 31 | 35 | 39 | 43 | 47 | 53 | 57 | 63 | 69 | 76 |
| 160 | - | - | 25 | 28 | 31 | 35 | 39 | 43 | 47 | 53 | 57 | 63 | 69 | 76 | 83 |
| 170 | - | - | 27 | 30 | 33 | 37 | 40 | 44 | 49 | 53 | 59 | 65 | 71 | 78 | 85 |
| 180 | - | - | 28 | 32 | 35 | 39 | 43 | 47 | 51 | 57 | 63 | 69 | 75 | 82 | 89 |
| 190 | - | - | 28 | 32 | 36 | 40 | 44 | 49 | 53 | 59 | 65 | 71 | 77 | 84 | 91 |
| 200 | - | - | 28 | 32 | 36 | 40 | 44 | 49 | 53 | 59 | 65 | 71 | 77 | 84 | 91 |
| 210 | - | - | 26 | 30 | 34 | 38 | 42 | 47 | 51 | 57 | 63 | 69 | 75 | 82 | 89 |
| 220 | - | - | 27 | 31 | 35 | 39 | 43 | 47 | 51 | 57 | 63 | 69 | 75 | 82 | 89 |
| 230 | - | - | 29 | 33 | 37 | 41 | 45 | 49 | 53 | 59 | 65 | 71 | 77 | 84 | 91 |
| 240 | - | - | 26 | 30 | 34 | 38 | 42 | 47 | 51 | 57 | 63 | 69 | 75 | 82 | 89 |
| 250 | - | - | 27 | 31 | 35 | 39 | 43 | 47 | 51 | 57 | 63 | 69 | 75 | 82 | 89 |
| 260 | - | 26 | 30 | 34 | 38 | 42 | 46 | 51 | 56 | 62 | 68 | 74 | 80 | 86 | 93 |
| 270 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 71 | 76 | 81 | 87 | 92 | 98 |
| 280 | 26 | 31 | 36 | 42 | 47 | 52 | 57 | 62 | 67 | 73 | 78 | 83 | 89 | 94 | 100 |
| 290 | 27 | 32 | 38 | 43 | 48 | 54 | 59 | 64 | 70 | 75 | 80 | 86 | 91 | 97 | 103 |
| 300 | 28 | 33 | 39 | 44 | 49 | 55 | 61 | 67 | 72 | 78 | 83 | 89 | 94 | 100 | 106 |
| 320 | 25 | 30 | 36 | 42 | 47 | 53 | 59 | 65 | 71 | 77 | 83 | 89 | 95 | 101 | 107 |
| 340 | 27 | 32 | 38 | 44 | 50 | 56 | 62 | 68 | 74 | 80 | 86 | 92 | 98 | 104 | 110 |
| 360 | 28 | 33 | 40 | 47 | 53 | 60 | 66 | 72 | 78 | 84 | 90 | 96 | 102 | 108 | 114 |
| 380 | 28 | 35 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 91 | 98 | 105 | 112 | 119 | 126 |
| 400 | 30 | 37 | 44 | 52 | 59 | 67 | 74 | 82 | 89 | 97 | 104 | 111 | 119 | 126 | 133 |
| 425 | 32 | 39 | 47 | 55 | 63 | 71 | 79 | 87 | 95 | 103 | 111 | 119 | 127 | 135 | 143 |
| 450 | 33 | 42 | 50 | 58 | 67 | 75 | 83 | 92 | 100 | 108 | 117 | 126 | 135 | 144 | 153 |
| 475 | 35 | 44 | 53 | 62 | 70 | 79 | 88 | 97 | 106 | 115 | 124 | 133 | 142 | 151 | 160 |
| 500 | 37 | 46 | 56 | 65 | 74 | 83 | 93 | 102 | 111 | 120 | 129 | 138 | 147 | 156 | 165 |
| 525 | 39 | 49 | 58 | 68 | 78 | 88 | 97 | 107 | 117 | 126 | 135 | 144 | 153 | 162 | 171 |
| 550 | 41 | 51 | 61 | 71 | 82 | 92 | 102 | 112 | 122 | 132 | 142 | 151 | 160 | 169 | 178 |
| 575 | 43 | 53 | 64 | 75 | 85 | 96 | 107 | 117 | 128 | 138 | 148 | 157 | 167 | 176 | 185 |
| 600 | 44 | 56 | 67 | 78 | 89 | 100 | 111 | 122 | 133 | 143 | 153 | 163 | 173 | 183 | 193 |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | | |
|------------------|---|-----|----|------|----|-----|-----|-----|-----|-----|-----|-----|---|-----|-----|
| | Low | | | 0.90 | | | | | | | | | Figures in body of chart = mm of door opening | | |
| Weight per litre | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 30 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 40 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 50 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 60 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 25 |
| 70 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 29 |
| 80 | - | - | - | - | - | - | - | - | - | - | - | 25 | 28 | 31 | 34 |
| 90 | - | - | - | - | - | - | - | - | - | - | 25 | 28 | 31 | 35 | 38 |
| 100 | - | - | - | - | - | - | - | - | - | 28 | 31 | 35 | 38 | 42 | 46 |
| 110 | - | - | - | - | - | - | - | - | 27 | 31 | 35 | 39 | 42 | 46 | 46 |
| 120 | - | - | - | - | - | - | - | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 50 |
| 130 | - | - | - | - | - | - | 25 | 27 | 32 | 36 | 41 | 46 | 50 | 55 | 55 |
| 140 | - | - | - | - | - | - | 27 | 29 | 34 | 39 | 44 | 49 | 54 | 59 | 59 |
| 150 | - | - | - | - | - | - | 26 | 29 | 31 | 37 | 42 | 47 | 53 | 58 | 63 |
| 160 | - | - | - | - | 25 | 28 | 31 | 34 | 39 | 45 | 50 | 56 | 62 | 67 | 67 |
| 170 | - | - | - | - | 27 | 30 | 33 | 36 | 42 | 48 | 54 | 59 | 65 | 71 | 71 |
| 180 | - | - | - | 25 | 28 | 31 | 35 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 76 |
| 190 | - | - | - | 27 | 30 | 33 | 37 | 40 | 47 | 53 | 60 | 67 | 73 | 80 | 80 |
| 200 | - | - | - | 28 | 31 | 35 | 38 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 84 |
| 210 | - | - | - | 26 | 29 | 33 | 37 | 40 | 44 | 51 | 59 | 66 | 74 | 81 | 88 |
| 220 | - | - | - | 27 | 31 | 35 | 39 | 42 | 46 | 54 | 62 | 69 | 77 | 85 | 92 |
| 230 | - | - | - | 28 | 32 | 36 | 40 | 44 | 48 | 56 | 64 | 72 | 81 | 89 | 97 |
| 240 | - | - | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 59 | 67 | 76 | 84 | 92 | 101 |
| 250 | - | - | 26 | 31 | 35 | 39 | 44 | 48 | 52 | 61 | 70 | 79 | 88 | 96 | 105 |
| 260 | - | - | 27 | 32 | 36 | 41 | 46 | 50 | 55 | 64 | 73 | 82 | 91 | 100 | 109 |
| 270 | - | - | 28 | 33 | 38 | 43 | 47 | 52 | 57 | 66 | 76 | 85 | 95 | 104 | 113 |
| 280 | - | - | 29 | 34 | 39 | 44 | 49 | 54 | 59 | 69 | 78 | 88 | 98 | 108 | 118 |
| 290 | - | 25 | 30 | 36 | 41 | 46 | 51 | 56 | 61 | 71 | 81 | 91 | 102 | 112 | 122 |
| 300 | - | 26 | 31 | 37 | 42 | 47 | 53 | 58 | 63 | 73 | 84 | 94 | 105 | 115 | 126 |
| 320 | - | 28 | 34 | 39 | 45 | 50 | 56 | 62 | 67 | 78 | 90 | 101 | 112 | 123 | 134 |
| 340 | - | 30 | 36 | 42 | 48 | 54 | 59 | 65 | 71 | 83 | 95 | 107 | 119 | 131 | 143 |
| 360 | 25 | 31 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 88 | 101 | 113 | 126 | 139 | 151 |
| 380 | 27 | 33 | 40 | 47 | 53 | 60 | 67 | 73 | 80 | 93 | 106 | 120 | 133 | 146 | 160 |
| 400 | 28 | 35 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 98 | 112 | 126 | 140 | 154 | 168 |
| 425 | 30 | 37 | 45 | 52 | 59 | 67 | 74 | 82 | 89 | 104 | 119 | 134 | 149 | 164 | 178 |
| 450 | 31 | 39 | 47 | 55 | 63 | 71 | 79 | 87 | 94 | 110 | 126 | 142 | 158 | 173 | 189 |
| 475 | 33 | 42 | 50 | 58 | 67 | 75 | 83 | 91 | 100 | 116 | 133 | 150 | 166 | 183 | 199 |
| 500 | 35 | 44 | 52 | 61 | 70 | 79 | 88 | 96 | 105 | 122 | 140 | 157 | 175 | 192 | 210 |
| 525 | 37 | 46 | 55 | 64 | 73 | 83 | 92 | 101 | 110 | 129 | 147 | 165 | 184 | 202 | 220 |
| 550 | 38 | 48 | 58 | 67 | 77 | 87 | 96 | 106 | 115 | 135 | 154 | 173 | 193 | 212 | 231 |
| 575 | 40 | 50 | 60 | 70 | 80 | 91 | 101 | 111 | 121 | 141 | 161 | 181 | 201 | 221 | 241 |
| 600 | 42 | 53 | 63 | 73 | 84 | 94 | 105 | 115 | 126 | 147 | 168 | 189 | 210 | 231 | 252 |

| Gear Box | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | | |
|------------------|---|-----|----|------|----|-----|-----|-----|-----|-----|-----|-----|---|-----|-----|
| | Low | | | 0.95 | | | | | | | | | Figures in body of chart = mm of door opening | | |
| Weight per litre | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 30 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 40 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 50 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 60 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 70 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 |
| 80 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 29 |
| 90 | - | - | - | - | - | - | - | - | - | - | - | 25 | 28 | 31 | 32 |
| 100 | - | - | - | - | - | - | - | - | - | 28 | 31 | 35 | 38 | 42 | 40 |
| 110 | - | - | - | - | - | - | - | - | 27 | 31 | 35 | 39 | 42 | 46 | 44 |
| 120 | - | - | - | - | - | - | - | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 48 |
| 130 | - | - | - | - | - | - | 25 | 27 | 32 | 36 | 41 | 46 | 50 | 55 | 52 |
| 140 | - | - | - | - | - | - | 27 | 29 | 34 | 39 | 44 | 49 | 54 | 59 | 56 |
| 150 | - | - | - | - | - | - | 26 | 29 | 31 | 37 | 42 | 47 | 53 | 58 | 60 |
| 160 | - | - | - | - | 25 | 28 | 31 | 34 | 39 | 45 | 50 | 56 | 62 | 67 | 64 |
| 170 | - | - | - | - | 27 | 30 | 33 | 36 | 42 | 48 | 54 | 59 | 65 | 71 | 68 |
| 180 | - | - | - | 25 | 28 | 31 | 35 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 72 |
| 190 | - | - | - | 27 | 30 | 33 | 37 | 40 | 47 | 53 | 60 | 67 | 73 | 80 | 76 |
| 200 | - | - | - | 28 | 31 | 35 | 38 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 80 |
| 210 | - | - | - | 26 | 29 | 33 | 37 | 40 | 44 | 51 | 59 | 66 | 74 | 81 | 84 |
| 220 | - | - | - | 27 | 31 | 35 | 39 | 42 | 46 | 54 | 62 | 69 | 77 | 85 | 88 |
| 230 | - | - | - | 28 | 32 | 36 | 40 | 44 | 48 | 56 | 64 | 72 | 81 | 89 | 92 |
| 240 | - | - | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 59 | 67 | 76 | 84 | 92 | 95 |
| 250 | - | - | 26 | 31 | 35 | 39 | 44 | 48 | 52 | 61 | 70 | 79 | 88 | 96 | 99 |
| 260 | - | - | 27 | 32 | 36 | 41 | 46 | 50 | 55 | 64 | 73 | 82 | 91 | 100 | 103 |
| 270 | - | - | 28 | 33 | 38 | 43 | 47 | 52 | 57 | 66 | 76 | 85 | 95 | 104 | 107 |
| 280 | - | - | 29 | 34 | 39 | 44 | 49 | 54 | 59 | 69 | 78 | 88 | 98 | 108 | 111 |
| 290 | - | 25 | 30 | 36 | 41 | 46 | 51 | 56 | 61 | 71 | 81 | 91 | 102 | 112 | 115 |
| 300 | - | 26 | 31 | 37 | 42 | 47 | 53 | 58 | 63 | 73 | 84 | 94 | 105 | 115 | 119 |
| 320 | - | 28 | 34 | 39 | 45 | 50 | 56 | 62 | 67 | 78 | 90 | 101 | 112 | 123 | 127 |
| 340 | - | 30 | 36 | 42 | 48 | 54 | 59 | 65 | 71 | 83 | 95 | 107 | 119 | 131 | 135 |
| 360 | 25 | 31 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 88 | 101 | 113 | 126 | 139 | 143 |
| 380 | 27 | 33 | 40 | 47 | 53 | 60 | 67 | 73 | 80 | 93 | 106 | 120 | 133 | 146 | 151 |
| 400 | 28 | 35 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 98 | 112 | 126 | 140 | 154 | 159 |
| 425 | 30 | 37 | 45 | 52 | 59 | 67 | 74 | 82 | 89 | 104 | 119 | 134 | 149 | 164 | 169 |
| 450 | 31 | 39 | 47 | 55 | 63 | 71 | 79 | 87 | 94 | 110 | 126 | 142 | 158 | 173 | 179 |
| 475 | 33 | 42 | 50 | 58 | 67 | 75 | 83 | 91 | 100 | 116 | 133 | 150 | 166 | 183 | 189 |
| 500 | 35 | 44 | 52 | 61 | 70 | 79 | 88 | 96 | 105 | 122 | 140 | 157 | 175 | 192 | 199 |
| 525 | 37 | 46 | 55 | 64 | 73 | 83 | 92 | 101 | 110 | 129 | 147 | 165 | 184 | 202 | 209 |
| 550 | 38 | 48 | 58 | 67 | 77 | 87 | 96 | 106 | 115 | 135 | 154 | 173 | 193 | 212 | 219 |
| 575 | 40 | 50 | 60 | 70 | 80 | 91 | 101 | 111 | 121 | 141 | 161 | 181 | 201 | 221 | 229 |
| 600 | 42 | 53 | 63 | 73 | 84 | 94 | 105 | 115 | 126 | 147 | 168 | 189 | 210 | 231 | 239 |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box | | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | |
|------------------|----|---|----|-----|----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|
| Low | | 1.00 | | | | | | | | | | | | | |
| Weight per litre | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | 26 |
| 80 | | | | | | | | | | | | | 25 | 28 | 30 |
| 90 | | | | | | | | | | | | 26 | 28 | 31 | 34 |
| 100 | | | | | | | | | | | 25 | 28 | 32 | 35 | 38 |
| 110 | | | | | | | | | | | 28 | 31 | 35 | 38 | 42 |
| 120 | | | | | | | | | | 26 | 30 | 34 | 38 | 42 | 45 |
| 130 | | | | | | | | | | 29 | 33 | 37 | 41 | 45 | 49 |
| 140 | | | | | | | | | 26 | 31 | 35 | 40 | 44 | 49 | 53 |
| 150 | | | | | | | | 26 | 28 | 33 | 38 | 43 | 47 | 52 | 57 |
| 160 | | | | | | 25 | 28 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 64 |
| 170 | | | | | 27 | 29 | 32 | 37 | 43 | 48 | 54 | 59 | 64 | 69 | 74 |
| 180 | | | | | 28 | 31 | 34 | 40 | 45 | 51 | 57 | 62 | 68 | 73 | 78 |
| 190 | | | | | 27 | 30 | 33 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | 77 |
| 200 | | | | 25 | 28 | 32 | 35 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 82 |
| 210 | | | | 26 | 30 | 33 | 36 | 40 | 46 | 53 | 60 | 66 | 73 | 79 | 85 |
| 220 | | | | 28 | 31 | 35 | 38 | 42 | 49 | 55 | 62 | 69 | 76 | 83 | 89 |
| 230 | | | 25 | 29 | 33 | 36 | 40 | 43 | 51 | 58 | 65 | 72 | 80 | 87 | 93 |
| 240 | | | 26 | 30 | 34 | 38 | 42 | 45 | 53 | 60 | 68 | 76 | 83 | 91 | 98 |
| 250 | | | 28 | 32 | 35 | 39 | 43 | 47 | 55 | 63 | 71 | 79 | 87 | 95 | 102 |
| 260 | | | 29 | 33 | 37 | 41 | 45 | 49 | 57 | 66 | 74 | 82 | 90 | 98 | 106 |
| 270 | | 26 | 30 | 34 | 38 | 43 | 47 | 51 | 60 | 68 | 77 | 85 | 94 | 102 | 110 |
| 280 | | 26 | 31 | 35 | 40 | 44 | 49 | 53 | 62 | 71 | 79 | 88 | 97 | 106 | 114 |
| 290 | | 27 | 32 | 37 | 41 | 46 | 50 | 55 | 64 | 73 | 82 | 91 | 100 | 110 | 118 |
| 300 | | 28 | 33 | 38 | 43 | 47 | 52 | 57 | 66 | 76 | 85 | 95 | 104 | 113 | 122 |
| 320 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 71 | 81 | 91 | 101 | 111 | 121 | 131 |
| 340 | 27 | 32 | 37 | 43 | 48 | 54 | 59 | 64 | 75 | 86 | 96 | 107 | 118 | 129 | 139 |
| 360 | 28 | 34 | 40 | 45 | 51 | 57 | 62 | 68 | 79 | 91 | 102 | 113 | 125 | 136 | 147 |
| 380 | 30 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | 84 | 96 | 108 | 120 | 132 | 144 | 156 |
| 400 | 25 | 32 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 88 | 101 | 113 | 126 | 139 | 151 |
| 425 | 27 | 33 | 40 | 47 | 54 | 60 | 67 | 74 | 80 | 94 | 107 | 120 | 134 | 147 | 161 |
| 450 | 28 | 35 | 43 | 50 | 57 | 64 | 71 | 78 | 85 | 99 | 113 | 128 | 142 | 156 | 170 |
| 475 | 30 | 37 | 45 | 52 | 60 | 67 | 75 | 82 | 90 | 105 | 120 | 135 | 150 | 165 | 180 |
| 500 | 32 | 39 | 47 | 55 | 63 | 71 | 79 | 87 | 95 | 110 | 126 | 142 | 158 | 173 | 189 |
| 525 | 33 | 41 | 50 | 58 | 66 | 74 | 83 | 91 | 99 | 116 | 132 | 149 | 165 | 182 | 198 |
| 550 | 35 | 43 | 52 | 61 | 69 | 78 | 87 | 95 | 104 | 121 | 139 | 156 | 173 | 191 | 208 |
| 575 | 36 | 45 | 54 | 63 | 72 | 82 | 91 | 100 | 109 | 127 | 145 | 163 | 181 | 199 | 217 |
| 600 | 38 | 47 | 57 | 66 | 76 | 85 | 95 | 104 | 113 | 132 | 151 | 170 | 189 | 208 | 227 |

| Gear Box | | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | |
|------------------|----|---|----|-----|----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|
| Low | | 1.05 | | | | | | | | | | | | | |
| Weight per litre | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | 25 |
| 80 | | | | | | | | | | | | | | 26 | 29 |
| 90 | | | | | | | | | | | | | | 27 | 30 |
| 100 | | | | | | | | | | | | | | 27 | 30 |
| 110 | | | | | | | | | | | | | | 30 | 33 |
| 120 | | | | | | | | | | | | | | 30 | 33 |
| 130 | | | | | | | | | | | | | | 32 | 36 |
| 140 | | | | | | | | | | | | | | 32 | 36 |
| 150 | | | | | | | | | 26 | 29 | 34 | 38 | 42 | 46 | 50 |
| 160 | | | | | | | | | 27 | 31 | 35 | 39 | 43 | 47 | 51 |
| 170 | | | | | | | | | 27 | 31 | 35 | 39 | 43 | 47 | 51 |
| 180 | | | | | | | | | 27 | 31 | 35 | 39 | 43 | 47 | 51 |
| 190 | | | | | | | | | 26 | 28 | 31 | 34 | 38 | 41 | 45 |
| 200 | | | | | | | | | 26 | 28 | 30 | 32 | 34 | 36 | 38 |
| 210 | | | | | | | | | 25 | 28 | 30 | 32 | 35 | 38 | 40 |
| 220 | | | | | | | | | 26 | 30 | 33 | 36 | 40 | 46 | 53 |
| 230 | | | | | | | | | 28 | 31 | 35 | 38 | 41 | 48 | 55 |
| 240 | | | | | | | | | 25 | 29 | 32 | 36 | 40 | 43 | 48 |
| 250 | | | | | | | | | 26 | 30 | 34 | 38 | 41 | 45 | 53 |
| 260 | | | | | | | | | 27 | 31 | 35 | 39 | 43 | 47 | 55 |
| 270 | | | | | | | | | 28 | 32 | 36 | 41 | 45 | 49 | 57 |
| 280 | | | | | | | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 |
| 290 | | | | | | | | | 26 | 30 | 35 | 39 | 44 | 48 | 52 |
| 300 | | | | | | | | | 27 | 32 | 36 | 41 | 45 | 49 | 54 |
| 320 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 71 | 81 | 91 | 101 | 111 | 121 | 131 |
| 340 | 27 | 32 | 37 | 43 | 48 | 54 | 59 | 64 | 75 | 86 | 96 | 107 | 118 | 129 | 139 |
| 360 | 28 | 34 | 40 | 45 | 51 | 57 | 62 | 68 | 79 | 91 | 102 | 113 | 125 | 136 | 147 |
| 380 | 30 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | 84 | 96 | 108 | 120 | 132 | 144 | 156 |
| 400 | 25 | 32 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 88 | 101 | 113 | 126 | 139 | 151 |
| 425 | 27 | 33 | 40 | 47 | 54 | 60 | 67 | 74 | 80 | 94 | 107 | 120 | 134 | 147 | 161 |
| 450 | 28 | 35 | 43 | 50 | 57 | 64 | 71 | 78 | 85 | 99 | 113 | 128 | 142 | 156 | 170 |
| 475 | 30 | 37 | 45 | 52 | 60 | 67 | 75 | 82 | 90 | 105 | 120 | 135 | 150 | 165 | 180 |
| 500 | 32 | 39 | 47 | 55 | 63 | 71 | 79 | 87 | 95 | 110 | 126 | 142 | 158 | 173 | 189 |
| 525 | 33 | 41 | 50 | 58 | 66 | 74 | 83 | 91 | 99 | 116 | 132 | 149 | 165 | 182 | 198 |
| 550 | 35 | 43 | 52 | 61 | 69 | 78 | 87 | 95 | 104 | 121 | 139 | 156 | 173 | 191 | 208 |
| 575 | 36 | 45 | 54 | 63 | 72 | 82 | 91 | 100 | 109 | 127 | 145 | 163 | 181 | 199 | 217 |
| 600 | 38 | 47 | 57 | 66 | 76 | 85 | 95 | 104 | 113 | 132 | 151 | 170 | 189 | 208 | 227 |

For Use with [TRANSPREAD](#) Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box | | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | | |
|------------------|----|--|-----|----|-----|----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|
| Low | | 1.10 Figures in body of chart = mm of door opening | | | | | | | | | | | | | | |
| Weight per litre | | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | 25 | 27 |
| 90 | | | | | | | | | | | | | | 26 | 28 | 31 |
| 100 | | | | | | | | | | | | | 26 | 29 | 31 | 34 |
| 110 | | | | | | | | | | | | 25 | 28 | 31 | 35 | 38 |
| 120 | | | | | | | | | | | | 27 | 31 | 34 | 38 | 41 |
| 130 | | | | | | | | | | | 26 | 30 | 34 | 37 | 41 | 45 |
| 140 | | | | | | | | | | | 28 | 32 | 36 | 40 | 44 | 48 |
| 150 | | | | | | | | | | 26 | 30 | 34 | 39 | 43 | 47 | 52 |
| 160 | | | | | | | | 25 | | 27 | 32 | 37 | 41 | 46 | 50 | 55 |
| 170 | | | | | | | | 27 | | 29 | 34 | 39 | 44 | 49 | 54 | 58 |
| 180 | | | | | | | 26 | 28 | | 31 | 36 | 41 | 46 | 52 | 57 | 62 |
| 190 | | | | | | | 27 | 30 | | 33 | 38 | 44 | 49 | 54 | 60 | 65 |
| 200 | | | | | | 26 | 29 | 31 | | 34 | 40 | 46 | 52 | 57 | 63 | 69 |
| 210 | | | | | | 27 | 30 | 33 | | 36 | 42 | 48 | 54 | 60 | 66 | 72 |
| 220 | | | | | 25 | 28 | 31 | 35 | | 38 | 44 | 50 | 57 | 63 | 69 | 76 |
| 230 | | | | | 26 | 30 | 33 | 36 | | 40 | 46 | 53 | 59 | 66 | 72 | 79 |
| 240 | | | | | 27 | 31 | 34 | 38 | | 41 | 48 | 55 | 62 | 69 | 76 | 82 |
| 250 | | | | 25 | 29 | 32 | 36 | 39 | | 43 | 50 | 57 | 64 | 72 | 79 | 86 |
| 260 | | | | 26 | 30 | 34 | 37 | 41 | | 45 | 52 | 60 | 67 | 74 | 82 | 89 |
| 270 | | | | 27 | 31 | 35 | 39 | 43 | | 46 | 54 | 62 | 70 | 77 | 85 | 93 |
| 280 | | | | 28 | 32 | 36 | 40 | 44 | | 48 | 56 | 64 | 72 | 80 | 88 | 96 |
| 290 | | | | 29 | 33 | 37 | 42 | 46 | | 50 | 58 | 66 | 75 | 83 | 91 | 100 |
| 300 | | | 26 | 30 | 34 | 39 | 43 | 47 | | 52 | 60 | 69 | 77 | 86 | 94 | 103 |
| 320 | | | 27 | 32 | 37 | 41 | 46 | 50 | | 55 | 64 | 73 | 82 | 92 | 101 | 110 |
| 340 | | | 29 | 34 | 39 | 44 | 49 | 54 | | 58 | 68 | 78 | 88 | 97 | 107 | 117 |
| 360 | | 26 | 31 | 36 | 41 | 46 | 52 | 57 | | 62 | 72 | 82 | 93 | 103 | 113 | 124 |
| 380 | | 27 | 33 | 38 | 44 | 49 | 54 | 60 | | 65 | 76 | 87 | 98 | 109 | 120 | 131 |
| 400 | | 29 | 34 | 40 | 46 | 52 | 57 | 63 | | 69 | 80 | 92 | 103 | 115 | 126 | 137 |
| 425 | | 30 | 37 | 43 | 49 | 55 | 61 | 67 | | 73 | 85 | 97 | 110 | 122 | 134 | 146 |
| 450 | 26 | 32 | 39 | 45 | 52 | 58 | 64 | 71 | | 77 | 90 | 103 | 116 | 129 | 142 | 155 |
| 475 | 27 | 34 | 41 | 48 | 54 | 61 | 68 | 75 | | 82 | 95 | 109 | 122 | 136 | 150 | 163 |
| 500 | 29 | 36 | 43 | 50 | 57 | 64 | 72 | 79 | | 86 | 100 | 115 | 129 | 143 | 157 | 172 |
| 525 | 30 | 38 | 45 | 53 | 60 | 68 | 75 | 83 | | 90 | 105 | 120 | 135 | 150 | 165 | 180 |
| 550 | 31 | 39 | 47 | 55 | 63 | 71 | 79 | 87 | | 95 | 110 | 126 | 142 | 157 | 173 | 189 |
| 575 | 33 | 41 | 49 | 58 | 66 | 74 | 82 | 91 | | 99 | 115 | 132 | 148 | 165 | 181 | 198 |
| 600 | 34 | 43 | 52 | 60 | 69 | 77 | 86 | 94 | | 103 | 120 | 137 | 155 | 172 | 189 | 206 |

| Gear Box | | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | | |
|------------------|----|--|-----|---|-----|---|-----|---|-----|----|---|----|----|----|----|----|
| Low | | 1.15 Figures in body of chart = mm of door opening | | | | | | | | | | | | | | |
| Weight per litre | | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | | 26 |
| 90 | | | | | | | | | | | | | | | 27 | 30 |
| 100 | | | | | | | | | | | | | | | 30 | 33 |
| 110 | | | | | | | | | | | | | 27 | | 30 | 33 |
| 120 | | | | | | | | | | | | 26 | 30 | 33 | 36 | 39 |
| 130 | | | | | | | | | | | | 28 | 32 | 36 | 39 | 43 |
| 140 | | | | | | | | | | | | 27 | 31 | 35 | 38 | 42 |
| 150 | | | | | | | | | | | | 29 | 33 | 37 | 41 | 45 |
| 160 | | | | | | | | | | | | 31 | 35 | 39 | 44 | 48 |
| 170 | | | | | | | | | | 26 | | 28 | 33 | 37 | 42 | 47 |
| 180 | | | | | | | | | | 27 | | 30 | 35 | 39 | 44 | 49 |
| 190 | | | | | | | | | | 29 | | 31 | 36 | 42 | 47 | 52 |
| 200 | | | | | | | | | | 26 | | 29 | 30 | 33 | 38 | 44 |
| 210 | | | | | | | | | | 27 | | 30 | 32 | 35 | 40 | 46 |
| 220 | | | | | | | | | | 28 | | 31 | 33 | 36 | 42 | 48 |
| 230 | | | | | | | | | | 25 | | 28 | 31 | 35 | 38 | 44 |
| 240 | | | | | | | | | | 26 | | 30 | 33 | 36 | 39 | 46 |
| 250 | | | | | | | | | | 27 | | 31 | 34 | 38 | 41 | 48 |
| 260 | | | | | | | | | | 28 | | 32 | 36 | 39 | 43 | 50 |
| 270 | | | | | | | | | | 26 | | 30 | 33 | 37 | 41 | 44 |
| 280 | | | | | | | | | | 27 | | 31 | 35 | 38 | 42 | 46 |
| 290 | | | | | | | | | | 28 | | 32 | 36 | 40 | 44 | 48 |
| 300 | | | | | | | | | | 29 | | 33 | 37 | 41 | 45 | 49 |
| 320 | | | | | | | | | | 26 | | 31 | 35 | 39 | 44 | 48 |
| 340 | | | | | | | | | | 28 | | 33 | 37 | 42 | 47 | 51 |
| 360 | | | | | | | | | | 30 | | 35 | 39 | 44 | 49 | 54 |
| 380 | | | | | | | | | | 26 | | 31 | 36 | 42 | 47 | 52 |
| 400 | | | | | | | | | | 27 | | 33 | 38 | 44 | 49 | 55 |
| 425 | | | | | | | | | | 29 | | 35 | 41 | 47 | 52 | 58 |
| 450 | 26 | | | | | | | | | 31 | | 37 | 43 | 49 | 55 | 62 |
| 475 | 27 | | | | | | | | | 33 | | 39 | 46 | 52 | 59 | 65 |
| 500 | 29 | | | | | | | | | 34 | | 41 | 48 | 55 | 62 | 68 |
| 525 | 30 | | | | | | | | | 36 | | 43 | 50 | 58 | 65 | 72 |
| 550 | 31 | | | | | | | | | 38 | | 45 | 53 | 60 | 68 | 75 |
| 575 | 33 | | | | | | | | | 41 | | 49 | 57 | 65 | 73 | 81 |
| 600 | 34 | | | | | | | | | 43 | | 51 | 60 | 68 | 77 | 86 |

For Use with [TRANSPREAD](#) Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box | Low | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | |
|------------------|------|---|----|-----|----|-----|----|-----|----|-----|-----|-----|-----|-----|-----|
| Weight per litre | 1.20 | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | 25 |
| 90 | | | | | | | | | | | | | | 26 | 28 |
| 100 | | | | | | | | | | | | | 26 | 29 | 31 |
| 110 | | | | | | | | | | | | 26 | 29 | 31 | 35 |
| 120 | | | | | | | | | | 25 | 28 | 31 | 35 | 38 | |
| 130 | | | | | | | | | | 27 | 31 | 34 | 38 | 41 | |
| 140 | | | | | | | | | | 26 | 29 | 33 | 37 | 40 | 44 |
| 150 | | | | | | | | | | 28 | 31 | 35 | 39 | 43 | 47 |
| 160 | | | | | | | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 |
| 170 | | | | | | | | | 27 | 31 | 36 | 40 | 45 | 49 | 54 |
| 180 | | | | | | | | 26 | 28 | 33 | 38 | 43 | 47 | 52 | 57 |
| 190 | | | | | | | | 27 | 30 | 35 | 40 | 45 | 50 | 55 | 60 |
| 200 | | | | | | 26 | 29 | 31 | 37 | 42 | 47 | 52 | 58 | 63 | |
| 210 | | | | | | 28 | 30 | 33 | 39 | 44 | 50 | 55 | 61 | 66 | |
| 220 | | | | | 26 | 29 | 32 | 35 | 40 | 46 | 52 | 58 | 64 | 69 | |
| 230 | | | | | 27 | 30 | 33 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | |
| 240 | | | | | 25 | 28 | 31 | 35 | 38 | 44 | 50 | 57 | 63 | 69 | 76 |
| 250 | | | | | 26 | 30 | 33 | 36 | 39 | 46 | 52 | 59 | 66 | 72 | 79 |
| 260 | | | | | 27 | 31 | 34 | 38 | 41 | 48 | 55 | 61 | 68 | 75 | 82 |
| 270 | | | | | 28 | 32 | 35 | 39 | 43 | 50 | 57 | 64 | 71 | 78 | 85 |
| 280 | | | 26 | 29 | 33 | 37 | 40 | 44 | 51 | 59 | 66 | 73 | 81 | 88 | |
| 290 | | | 27 | 30 | 34 | 38 | 42 | 46 | 53 | 61 | 69 | 76 | 84 | 91 | |
| 300 | | | 28 | 31 | 35 | 39 | 43 | 47 | 55 | 63 | 71 | 79 | 87 | 94 | |
| 320 | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 59 | 67 | 76 | 84 | 92 | 101 |
| 340 | | | 27 | 31 | 36 | 40 | 45 | 49 | 54 | 62 | 71 | 80 | 89 | 98 | 107 |
| 360 | | | 28 | 33 | 38 | 43 | 47 | 52 | 57 | 66 | 76 | 85 | 94 | 104 | 113 |
| 380 | | | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 70 | 80 | 90 | 100 | 110 | 120 |
| 400 | | 26 | 31 | 37 | 42 | 47 | 52 | 58 | 63 | 73 | 84 | 94 | 105 | 115 | 126 |
| 425 | | 28 | 33 | 39 | 45 | 50 | 56 | 61 | 67 | 78 | 89 | 100 | 112 | 123 | 134 |
| 450 | | 30 | 35 | 41 | 47 | 53 | 59 | 65 | 71 | 83 | 94 | 106 | 118 | 130 | 142 |
| 475 | | 31 | 37 | 44 | 50 | 56 | 62 | 69 | 75 | 87 | 100 | 112 | 125 | 137 | 150 |
| 500 | 26 | 33 | 39 | 46 | 52 | 59 | 66 | 72 | 79 | 92 | 105 | 118 | 131 | 144 | 157 |
| 525 | 28 | 34 | 41 | 48 | 55 | 62 | 69 | 76 | 83 | 96 | 110 | 124 | 138 | 152 | 165 |
| 550 | 29 | 36 | 43 | 51 | 58 | 65 | 72 | 79 | 87 | 101 | 115 | 130 | 144 | 159 | 173 |
| 575 | 30 | 38 | 45 | 53 | 60 | 68 | 75 | 83 | 91 | 106 | 121 | 136 | 151 | 166 | 181 |
| 600 | 31 | 39 | 47 | 55 | 63 | 71 | 79 | 87 | 94 | 110 | 126 | 142 | 157 | 173 | 189 |

| Gear Box | Low | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | |
|------------------|------|---|----|-----|----|-----|----|-----|----|-----|-----|-----|-----|-----|-----|
| Weight per litre | 1.30 | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | 26 |
| 100 | | | | | | | | | | | | | | 27 | 29 |
| 110 | | | | | | | | | | | | | | 27 | 29 |
| 120 | | | | | | | | | | | | | 26 | 29 | 32 |
| 130 | | | | | | | | | | | | 25 | 28 | 31 | 35 |
| 140 | | | | | | | | | | | | 25 | 29 | 31 | 37 |
| 150 | | | | | | | | | | | | 25 | 29 | 33 | 40 |
| 160 | | | | | | | | | | | | 27 | 31 | 35 | 43 |
| 170 | | | | | | | | | | | | 29 | 33 | 37 | 45 |
| 180 | | | | | | | | | | | | 31 | 35 | 39 | 48 |
| 190 | | | | | | | | | | | | 31 | 37 | 41 | 51 |
| 200 | | | | | | | | | | | | 25 | 28 | 32 | 37 |
| 210 | | | | | | | | | | | | 25 | 28 | 31 | 36 |
| 220 | | | | | | | | | | | | 27 | 29 | 32 | 37 |
| 230 | | | | | | | | | | | | 27 | 29 | 33 | 43 |
| 240 | | | | | | | | | | | | 26 | 29 | 32 | 41 |
| 250 | | | | | | | | | | | | 27 | 30 | 33 | 42 |
| 260 | | | | | | | | | | | | 27 | 30 | 33 | 42 |
| 270 | | | | | | | | | | | | 25 | 28 | 31 | 35 |
| 280 | | | | | | | | | | | | 26 | 29 | 33 | 36 |
| 290 | | | | | | | | | | | | 27 | 31 | 34 | 37 |
| 300 | | | | | | | | | | | | 28 | 32 | 35 | 39 |
| 320 | | | | | | | | | | | | 25 | 29 | 33 | 36 |
| 340 | | | | | | | | | | | | 27 | 31 | 35 | 39 |
| 360 | | | | | | | | | | | | 29 | 33 | 37 | 41 |
| 380 | | | | | | | | | | | | 26 | 31 | 35 | 39 |
| 400 | | | | | | | | | | | | 28 | 32 | 37 | 41 |
| 425 | | | | | | | | | | | | 29 | 34 | 39 | 44 |
| 450 | | | | | | | | | | | | 31 | 36 | 41 | 46 |
| 475 | | | | | | | | | | | | 33 | 38 | 44 | 49 |
| 500 | 26 | 30 | 36 | 42 | 48 | 55 | 61 | 67 | 73 | 85 | 92 | 104 | 115 | 127 | 138 |
| 525 | 28 | 32 | 38 | 45 | 51 | 57 | 64 | 70 | 76 | 89 | 97 | 109 | 121 | 133 | 145 |
| 550 | 27 | 33 | 40 | 47 | 53 | 60 | 67 | 73 | 80 | 93 | 107 | 120 | 133 | 147 | 160 |
| 575 | 28 | 35 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 98 | 111 | 125 | 139 | 153 | 167 |
| 600 | 29 | 36 | 44 | 51 | 58 | 65 | 73 | 80 | 87 | 102 | 116 | 131 | 145 | 160 | 174 |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box | Low | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | |
|------------------|------|---|----|-----|----|-----|----|-----|----|-----|-----|-----|-----|-----|-----|
| | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Weight per litre | 1.40 | | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | 27 |
| 110 | | | | | | | | | | | | | | 27 | 30 |
| 120 | | | | | | | | | | | | | 27 | 30 | 32 |
| 130 | | | | | | | | | | | | 26 | 29 | 32 | 35 |
| 140 | | | | | | | | | | | 25 | 28 | 31 | 35 | 38 |
| 150 | | | | | | | | | | | 27 | 30 | 34 | 37 | 40 |
| 160 | | | | | | | | | | 25 | 29 | 32 | 36 | 40 | 43 |
| 170 | | | | | | | | | | 27 | 31 | 34 | 38 | 42 | 46 |
| 180 | | | | | | | | | | 28 | 32 | 36 | 40 | 45 | 49 |
| 190 | | | | | | | | | 26 | 30 | 34 | 38 | 43 | 47 | 51 |
| 200 | | | | | | | | | 27 | 31 | 36 | 40 | 45 | 49 | 54 |
| 210 | | | | | | | | 26 | 28 | 33 | 38 | 43 | 47 | 52 | 57 |
| 220 | | | | | | | | 27 | 30 | 35 | 40 | 45 | 49 | 54 | 59 |
| 230 | | | | | | | 26 | 28 | 31 | 36 | 41 | 47 | 52 | 57 | 62 |
| 240 | | | | | | 27 | 30 | 32 | 38 | 43 | 49 | 54 | 59 | 65 | 67 |
| 250 | | | | | 25 | 28 | 31 | 34 | 39 | 45 | 51 | 56 | 62 | 67 | 71 |
| 260 | | | | | 26 | 29 | 32 | 35 | 41 | 47 | 53 | 58 | 64 | 70 | 74 |
| 270 | | | | | 27 | 30 | 33 | 36 | 43 | 49 | 55 | 61 | 67 | 73 | 77 |
| 280 | | | | 25 | 28 | 31 | 35 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 80 |
| 290 | | | | 26 | 29 | 33 | 36 | 39 | 46 | 52 | 59 | 65 | 72 | 78 | 82 |
| 300 | | | | 27 | 30 | 34 | 37 | 40 | 47 | 54 | 61 | 67 | 74 | 81 | 85 |
| 320 | | | 25 | 29 | 32 | 36 | 40 | 43 | 50 | 58 | 65 | 72 | 79 | 86 | 90 |
| 340 | | | 27 | 31 | 34 | 38 | 42 | 46 | 54 | 61 | 69 | 76 | 84 | 92 | 96 |
| 360 | | | 28 | 32 | 36 | 40 | 45 | 49 | 57 | 65 | 73 | 81 | 89 | 97 | 101 |
| 380 | | 26 | 30 | 34 | 38 | 43 | 47 | 51 | 60 | 68 | 77 | 85 | 94 | 103 | 107 |
| 400 | | 27 | 31 | 36 | 40 | 45 | 49 | 54 | 63 | 72 | 81 | 90 | 99 | 108 | 112 |
| 425 | | 29 | 33 | 38 | 43 | 48 | 53 | 57 | 67 | 76 | 86 | 96 | 105 | 115 | 119 |
| 450 | 25 | 30 | 35 | 40 | 46 | 51 | 56 | 61 | 71 | 81 | 91 | 101 | 111 | 121 | 125 |
| 475 | 27 | 32 | 37 | 43 | 48 | 53 | 59 | 64 | 75 | 85 | 96 | 107 | 118 | 128 | 132 |
| 500 | 28 | 34 | 39 | 45 | 51 | 56 | 62 | 67 | 79 | 90 | 101 | 112 | 124 | 135 | 139 |
| 525 | 30 | 35 | 41 | 47 | 53 | 59 | 65 | 71 | 83 | 94 | 106 | 118 | 130 | 142 | 146 |
| 550 | 31 | 37 | 43 | 49 | 56 | 62 | 68 | 74 | 87 | 99 | 111 | 124 | 136 | 148 | 152 |
| 575 | 26 | 32 | 39 | 45 | 52 | 58 | 65 | 71 | 84 | 96 | 109 | 122 | 135 | 147 | 151 |
| 600 | 27 | 34 | 40 | 47 | 54 | 61 | 67 | 74 | 88 | 100 | 113 | 126 | 139 | 151 | 155 |

| Gear Box | Low | RATE CHART KG. PER HA. gb005, 730, Narrow | | | | | | | | | | | | | |
|------------------|------|---|---|-----|---|-----|---|-----|---|---|---|---|----|----|----|
| | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Weight per litre | 1.50 | | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | 25 |
| 110 | | | | | | | | | | | | | | 25 | 28 |
| 120 | | | | | | | | | | | | | | 25 | 28 |
| 130 | | | | | | | | | | | | | | 27 | 30 |
| 140 | | | | | | | | | | | | | | 26 | 29 |
| 150 | | | | | | | | | | | | | | 26 | 29 |
| 160 | | | | | | | | | | | | | | 27 | 30 |
| 170 | | | | | | | | | | | | | | 29 | 32 |
| 180 | | | | | | | | | | | | | | 26 | 29 |
| 190 | | | | | | | | | | | | | | 28 | 32 |
| 200 | | | | | | | | | | | | | | 25 | 29 |
| 210 | | | | | | | | | | | | | | 26 | 31 |
| 220 | | | | | | | | | | | | | | 27 | 32 |
| 230 | | | | | | | | | | | | | | 27 | 32 |
| 240 | | | | | | | | | | | | | | 25 | 30 |
| 250 | | | | | | | | | | | | | | 26 | 30 |
| 260 | | | | | | | | | | | | | | 27 | 30 |
| 270 | | | | | | | | | | | | | | 28 | 31 |
| 280 | | | | | | | | | | | | | | 26 | 29 |
| 290 | | | | | | | | | | | | | | 27 | 30 |
| 300 | | | | | | | | | | | | | | 25 | 28 |
| 320 | | | | | | | | | | | | | | 27 | 30 |
| 340 | | | | | | | | | | | | | | 29 | 32 |
| 360 | | | | | | | | | | | | | | 26 | 30 |
| 380 | | | | | | | | | | | | | | 28 | 32 |
| 400 | | | | | | | | | | | | | | 25 | 29 |
| 425 | | | | | | | | | | | | | | 27 | 31 |
| 450 | 25 | | | | | | | | | | | | | 28 | 33 |
| 475 | 27 | | | | | | | | | | | | | 30 | 35 |
| 500 | 28 | | | | | | | | | | | | | 26 | 30 |
| 525 | 30 | | | | | | | | | | | | | 27 | 32 |
| 550 | 31 | | | | | | | | | | | | | 29 | 34 |
| 575 | 26 | | | | | | | | | | | | | 28 | 33 |
| 600 | 27 | | | | | | | | | | | | | 30 | 35 |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | gb005, 730, Narrow | |
|-------------------|----|----------------------|----|---|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------|----|
| Weight per litre | | 0.70 | | Figures in body of chart = mm of door opening | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | 26 | 29 |
| 110 | | | | | | | | | | | | | | 26 | 32 |
| 120 | | | | | | | | | | | | 26 | 29 | 32 | 35 |
| 130 | | | | | | | | | | | | 28 | 31 | 34 | 37 |
| 140 | | | | | | | | | | | | 27 | 30 | 34 | 40 |
| 150 | | | | | | | | | | 25 | 29 | 32 | 36 | 40 | 43 |
| 160 | | | | | | | | | | 27 | 31 | 35 | 38 | 42 | 46 |
| 170 | | | | | | | | | | 29 | 33 | 37 | 41 | 45 | 49 |
| 180 | | | | | | | | | 26 | 30 | 35 | 39 | 43 | 48 | 52 |
| 190 | | | | | | | | 25 | 29 | 32 | 36 | 41 | 46 | 50 | 55 |
| 200 | | | | | | | | 26 | 29 | 34 | 38 | 43 | 48 | 53 | 58 |
| 210 | | | | | | | 25 | 28 | 30 | 35 | 40 | 45 | 50 | 55 | 60 |
| 220 | | | | | | 26 | 29 | 32 | 37 | 42 | 48 | 53 | 58 | 63 | |
| 230 | | | | | | 28 | 30 | 33 | 39 | 44 | 50 | 55 | 61 | 66 | |
| 240 | | | | | 26 | 29 | 32 | 35 | 40 | 46 | 52 | 58 | 63 | 69 | |
| 250 | | | | | 27 | 30 | 33 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | |
| 260 | | | | | 28 | 31 | 34 | 37 | 44 | 50 | 56 | 62 | 69 | 75 | |
| 270 | | | | | 26 | 29 | 32 | 36 | 43 | 49 | 56 | 63 | 70 | 77 | 84 |
| 280 | | | | | 27 | 30 | 34 | 37 | 45 | 52 | 59 | 66 | 74 | 81 | |
| 290 | | | | | 28 | 31 | 35 | 38 | 47 | 54 | 62 | 70 | 77 | 84 | |
| 300 | | | | 25 | 29 | 32 | 36 | 40 | 49 | 56 | 64 | 72 | 79 | 86 | |
| 320 | | | | 27 | 31 | 35 | 38 | 42 | 51 | 59 | 67 | 75 | 83 | 91 | |
| 340 | | | | 29 | 33 | 37 | 41 | 45 | 55 | 63 | 72 | 81 | 90 | 98 | |
| 360 | | | 26 | 30 | 35 | 39 | 43 | 48 | 58 | 67 | 77 | 86 | 95 | 104 | |
| 380 | | | 27 | 32 | 36 | 41 | 46 | 50 | 61 | 71 | 81 | 91 | 100 | 109 | |
| 400 | | | 29 | 34 | 38 | 43 | 48 | 53 | 64 | 75 | 85 | 95 | 106 | 115 | |
| 425 | | 25 | 31 | 36 | 41 | 46 | 51 | 56 | 67 | 78 | 89 | 100 | 111 | 122 | |
| 450 | | 27 | 32 | 38 | 43 | 49 | 54 | 59 | 71 | 82 | 93 | 104 | 115 | 126 | |
| 475 | | 28 | 34 | 40 | 46 | 51 | 57 | 63 | 75 | 86 | 97 | 108 | 119 | 130 | |
| 500 | | 30 | 36 | 42 | 48 | 54 | 60 | 66 | 79 | 90 | 101 | 112 | 123 | 134 | |
| 525 | 25 | 31 | 38 | 44 | 50 | 57 | 63 | 69 | 82 | 93 | 104 | 115 | 126 | 137 | |
| 550 | 26 | 33 | 40 | 46 | 53 | 59 | 66 | 73 | 86 | 97 | 108 | 119 | 130 | 141 | |
| 600 | 29 | 36 | 43 | 50 | 58 | 65 | 72 | 79 | 93 | 104 | 115 | 126 | 137 | 148 | |
| 650 | 31 | 39 | 47 | 55 | 62 | 70 | 78 | 86 | 100 | 111 | 122 | 133 | 144 | 155 | |
| 700 | 34 | 42 | 50 | 59 | 67 | 76 | 84 | 92 | 106 | 117 | 128 | 139 | 150 | 161 | |
| 750 | 36 | 45 | 54 | 63 | 72 | 81 | 90 | 99 | 114 | 125 | 136 | 147 | 158 | 169 | |
| 800 | 38 | 48 | 58 | 67 | 77 | 86 | 96 | 106 | 121 | 132 | 143 | 154 | 165 | 176 | |
| 850 | 41 | 51 | 61 | 71 | 82 | 92 | 102 | 112 | 127 | 138 | 149 | 160 | 171 | 182 | |
| 900 | 43 | 54 | 65 | 76 | 86 | 97 | 108 | 119 | 134 | 145 | 156 | 167 | 178 | 189 | |
| 950 | 46 | 57 | 68 | 80 | 91 | 103 | 114 | 125 | 140 | 151 | 162 | 173 | 184 | 195 | |
| 1000 | 48 | 60 | 72 | 84 | 96 | 108 | 120 | 132 | 147 | 158 | 169 | 180 | 191 | 202 | |

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | gb005, 730, Narrow | |
|-------------------|----|----------------------|---|---|---|-----|---|-----|---|---|---|---|----|--------------------|-----|
| Weight per litre | | 0.75 | | Figures in body of chart = mm of door opening | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | 27 |
| 110 | | | | | | | | | | | | | | | 27 |
| 120 | | | | | | | | | | | | | | 27 | 30 |
| 130 | | | | | | | | | | | | | | 27 | 32 |
| 140 | | | | | | | | | | | | | | 27 | 34 |
| 150 | | | | | | | | | | | | | | 27 | 36 |
| 160 | | | | | | | | | | | | | | 27 | 38 |
| 170 | | | | | | | | | | | | | | 27 | 40 |
| 180 | | | | | | | | | | | | | | 27 | 42 |
| 190 | | | | | | | | | | | | | | 27 | 44 |
| 200 | | | | | | | | | | | | | | 27 | 46 |
| 210 | | | | | | | | | | | | | | 27 | 48 |
| 220 | | | | | | | | | | | | | | 27 | 50 |
| 230 | | | | | | | | | | | | | | 27 | 52 |
| 240 | | | | | | | | | | | | | | 27 | 54 |
| 250 | | | | | | | | | | | | | | 27 | 56 |
| 260 | | | | | | | | | | | | | | 27 | 58 |
| 270 | | | | | | | | | | | | | | 27 | 60 |
| 280 | | | | | | | | | | | | | | 27 | 62 |
| 290 | | | | | | | | | | | | | | 27 | 64 |
| 300 | | | | | | | | | | | | | | 27 | 66 |
| 320 | | | | | | | | | | | | | | 27 | 68 |
| 340 | | | | | | | | | | | | | | 27 | 70 |
| 360 | | | | | | | | | | | | | | 27 | 72 |
| 380 | | | | | | | | | | | | | | 27 | 74 |
| 400 | | | | | | | | | | | | | | 27 | 76 |
| 425 | | 25 | | | | | | | | | | | | 27 | 78 |
| 450 | | 27 | | | | | | | | | | | | 27 | 80 |
| 475 | | 28 | | | | | | | | | | | | 27 | 82 |
| 500 | | 30 | | | | | | | | | | | | 27 | 84 |
| 525 | 25 | 31 | | | | | | | | | | | | 27 | 86 |
| 550 | 26 | 33 | | | | | | | | | | | | 27 | 88 |
| 600 | 29 | 36 | | | | | | | | | | | | 27 | 90 |
| 650 | 31 | 39 | | | | | | | | | | | | 27 | 92 |
| 700 | 34 | 42 | | | | | | | | | | | | 27 | 94 |
| 750 | 36 | 45 | | | | | | | | | | | | 27 | 96 |
| 800 | 38 | 48 | | | | | | | | | | | | 27 | 98 |
| 850 | 41 | 51 | | | | | | | | | | | | 27 | 100 |
| 900 | 43 | 54 | | | | | | | | | | | | 27 | 102 |
| 950 | 46 | 57 | | | | | | | | | | | | 27 | 104 |
| 1000 | 48 | 60 | | | | | | | | | | | | 27 | 106 |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | |
|-------------------|---|----------------------|---|-----|---|-----|---|-----|---|---|---|---|----|---|----|------|--|--|--|--|--|--|--|--|--|
| Weight per litre | | 0.80 | | | | | | | | | | | | Figures in body of chart = mm of door opening | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Rate | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | 25 | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | | |
| 120 | | | | | | | | | | | | | | 25 | 28 | 30 | | | | | | | | | |
| 130 | | | | | | | | | | | | | | 27 | 30 | 33 | | | | | | | | | |
| 140 | | | | | | | | | | | | | | 29 | 32 | 35 | | | | | | | | | |
| 150 | | | | | | | | | | | | | | 25 | 28 | 31 | | | | | | | | | |
| 160 | | | | | | | | | | | | | | 27 | 30 | 34 | | | | | | | | | |
| 170 | | | | | | | | | | | | | | 29 | 32 | 36 | | | | | | | | | |
| 180 | | | | | | | | | | | | | | 26 | 30 | 34 | | | | | | | | | |
| 190 | | | | | | | | | | | | | | 28 | 32 | 36 | | | | | | | | | |
| 200 | | | | | | | | | | | | | | 25 | 29 | 34 | | | | | | | | | |
| 210 | | | | | | | | | | | | | | 26 | 31 | 35 | | | | | | | | | |
| 220 | | | | | | | | | | | | | | 25 | 28 | 32 | | | | | | | | | |
| 230 | | | | | | | | | | | | | | 27 | 30 | 34 | | | | | | | | | |
| 240 | | | | | | | | | | | | | | 25 | 28 | 31 | | | | | | | | | |
| 250 | | | | | | | | | | | | | | 26 | 29 | 32 | | | | | | | | | |
| 260 | | | | | | | | | | | | | | 27 | 30 | 33 | | | | | | | | | |
| 270 | | | | | | | | | | | | | | 26 | 28 | 31 | | | | | | | | | |
| 280 | | | | | | | | | | | | | | 27 | 29 | 32 | | | | | | | | | |
| 290 | | | | | | | | | | | | | | 28 | 30 | 33 | | | | | | | | | |
| 300 | | | | | | | | | | | | | | 25 | 28 | 31 | | | | | | | | | |
| 320 | | | | | | | | | | | | | | 27 | 30 | 34 | | | | | | | | | |
| 340 | | | | | | | | | | | | | | 29 | 32 | 36 | | | | | | | | | |
| 360 | | | | | | | | | | | | | | 26 | 29 | 32 | | | | | | | | | |
| 380 | | | | | | | | | | | | | | 28 | 31 | 34 | | | | | | | | | |
| 400 | | | | | | | | | | | | | | 25 | 28 | 31 | | | | | | | | | |
| 425 | | | | | | | | | | | | | | 27 | 30 | 34 | | | | | | | | | |
| 450 | | | | | | | | | | | | | | 28 | 31 | 35 | | | | | | | | | |
| 475 | | | | | | | | | | | | | | 30 | 33 | 37 | | | | | | | | | |
| 500 | | | | | | | | | | | | | | 26 | 29 | 32 | | | | | | | | | |
| 525 | | | | | | | | | | | | | | 28 | 31 | 35 | | | | | | | | | |
| 550 | | | | | | | | | | | | | | 29 | 32 | 36 | | | | | | | | | |
| 600 | | | | | | | | | | | | | | 25 | 28 | 31 | | | | | | | | | |
| 650 | | | | | | | | | | | | | | 27 | 30 | 34 | | | | | | | | | |
| 700 | | | | | | | | | | | | | | 29 | 32 | 36 | | | | | | | | | |
| 750 | | | | | | | | | | | | | | 31 | 34 | 38 | | | | | | | | | |
| 800 | | | | | | | | | | | | | | 34 | 37 | 41 | | | | | | | | | |
| 850 | | | | | | | | | | | | | | 36 | 39 | 43 | | | | | | | | | |
| 900 | | | | | | | | | | | | | | 40 | 43 | 47 | | | | | | | | | |
| 950 | | | | | | | | | | | | | | 42 | 45 | 49 | | | | | | | | | |
| 1000 | | | | | | | | | | | | | | 44 | 47 | 51 | | | | | | | | | |

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | |
|-------------------|---|----------------------|---|-----|---|-----|---|-----|---|---|---|---|----|---|----|------|--|--|--|--|--|--|--|--|--|
| Weight per litre | | 0.85 | | | | | | | | | | | | Figures in body of chart = mm of door opening | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Rate | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 180 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 190 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 210 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 220 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 230 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 240 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 250 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 260 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 270 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 290 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 320 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 340 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 360 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 400 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 425 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 450 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 475 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 950 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1000 | | | | | | | | | | | | | | | | | | | | | | | | | |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | |
|-------------------|----|----------------------|-----|----|-----|----|-----|---|-----|-----|-----|-----|-----|---|-----|-----|--|--|--|--|--|--|--|--|--|
| Weight per litre | | 0.90 | | | | | | | | | | | | Figures in body of chart = mm of door opening | | | | | | | | | | | |
| Width | | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | |
| Rate | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | | 27 | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | 27 | 29 | | | | | | | | | |
| 140 | | | | | | | | | | | | | | 26 | 29 | 31 | | | | | | | | | |
| 150 | | | | | | | | | | | | | 25 | 28 | 31 | 34 | | | | | | | | | |
| 160 | | | | | | | | | | | | | 27 | 30 | 33 | 36 | | | | | | | | | |
| 170 | | | | | | | | | | | | 25 | 29 | 32 | 35 | 38 | | | | | | | | | |
| 180 | | | | | | | | | | | | 27 | 30 | 34 | 37 | 40 | | | | | | | | | |
| 190 | | | | | | | | | | | | 28 | 32 | 35 | 39 | 43 | | | | | | | | | |
| 200 | | | | | | | | | | | 26 | 30 | 34 | 37 | 41 | 45 | | | | | | | | | |
| 210 | | | | | | | | | | | 27 | 31 | 35 | 39 | 43 | 47 | | | | | | | | | |
| 220 | | | | | | | | | | | 29 | 33 | 37 | 41 | 45 | 49 | | | | | | | | | |
| 230 | | | | | | | | | | 26 | 30 | 34 | 39 | 43 | 47 | 52 | | | | | | | | | |
| 240 | | | | | | | | | | 27 | 31 | 36 | 40 | 45 | 49 | 54 | | | | | | | | | |
| 250 | | | | | | | | | 26 | 28 | 33 | 37 | 42 | 47 | 51 | 56 | | | | | | | | | |
| 260 | | | | | | | | | 27 | 29 | 34 | 39 | 44 | 49 | 53 | 58 | | | | | | | | | |
| 270 | | | | | | | 25 | | 28 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | | | | | | | | | |
| 280 | | | | | | | 26 | | 29 | 31 | 37 | 42 | 47 | 52 | 57 | 63 | | | | | | | | | |
| 290 | | | | | | | 27 | | 30 | 32 | 38 | 43 | 49 | 54 | 60 | 65 | | | | | | | | | |
| 300 | | | | | | 25 | 28 | | 31 | 34 | 39 | 45 | 50 | 56 | 62 | 67 | | | | | | | | | |
| 320 | | | | | | 27 | 30 | | 33 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | | | | | | | | | |
| 340 | | | | | 25 | 29 | 32 | | 35 | 38 | 44 | 51 | 57 | 63 | 70 | 76 | | | | | | | | | |
| 360 | | | | | 27 | 30 | 34 | | 37 | 40 | 47 | 54 | 60 | 67 | 74 | 81 | | | | | | | | | |
| 380 | | | | | 28 | 32 | 35 | | 39 | 43 | 50 | 57 | 64 | 71 | 78 | 85 | | | | | | | | | |
| 400 | | | | | 26 | 30 | 34 | | 37 | 41 | 45 | 52 | 60 | 67 | 75 | 82 | | | | | | | | | |
| 425 | | | | | 28 | 32 | 36 | | 40 | 44 | 48 | 56 | 63 | 71 | 79 | 87 | | | | | | | | | |
| 450 | | | | 25 | 29 | 34 | 38 | | 42 | 46 | 50 | 59 | 67 | 76 | 84 | 92 | | | | | | | | | |
| 475 | | | | 27 | 31 | 35 | 40 | | 44 | 49 | 53 | 62 | 71 | 80 | 89 | 98 | | | | | | | | | |
| 500 | | | | 28 | 33 | 37 | 42 | | 47 | 51 | 56 | 65 | 75 | 84 | 93 | 103 | | | | | | | | | |
| 525 | | | | 29 | 34 | 39 | 44 | | 49 | 54 | 59 | 69 | 78 | 88 | 98 | 108 | | | | | | | | | |
| 550 | | 26 | 31 | 36 | 41 | 46 | 51 | | 56 | 62 | 72 | 82 | 92 | 103 | 113 | 123 | | | | | | | | | |
| 600 | | 28 | 34 | 39 | 45 | 50 | 56 | | 62 | 67 | 78 | 90 | 101 | 112 | 123 | 134 | | | | | | | | | |
| 650 | | 30 | 36 | 42 | 49 | 55 | 61 | | 67 | 73 | 85 | 97 | 109 | 121 | 133 | 146 | | | | | | | | | |
| 700 | 26 | 33 | 39 | 46 | 52 | 59 | 65 | | 72 | 78 | 91 | 105 | 118 | 131 | 144 | 157 | | | | | | | | | |
| 750 | 28 | 35 | 42 | 49 | 56 | 63 | 70 | | 77 | 84 | 98 | 112 | 126 | 140 | 154 | 168 | | | | | | | | | |
| 800 | 30 | 37 | 45 | 52 | 60 | 67 | 75 | | 82 | 90 | 105 | 119 | 134 | 149 | 164 | 179 | | | | | | | | | |
| 850 | 32 | 40 | 48 | 56 | 63 | 71 | 79 | | 87 | 95 | 111 | 127 | 143 | 159 | 175 | 190 | | | | | | | | | |
| 900 | 34 | 42 | 50 | 59 | 67 | 76 | 84 | | 92 | 101 | 118 | 134 | 151 | 168 | 185 | 202 | | | | | | | | | |
| 950 | 35 | 44 | 53 | 62 | 71 | 80 | 89 | | 98 | 106 | 124 | 142 | 160 | 177 | 195 | 213 | | | | | | | | | |
| 1000 | 37 | 47 | 56 | 65 | 75 | 84 | 93 | | 103 | 112 | 131 | 149 | 168 | 187 | 205 | 224 | | | | | | | | | |

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | |
|-------------------|----|----------------------|-----|---|-----|---|-----|---|-----|---|---|---|---|---|----|----|----|--|--|--|--|--|--|--|--|
| Weight per litre | | 0.95 | | | | | | | | | | | | Figures in body of chart = mm of door opening | | | | | | | | | | | |
| Width | | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | |
| Rate | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | | 25 | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 140 | | | | | | | | | | | | | | | | 27 | 30 | | | | | | | | |
| 150 | | | | | | | | | | | | | | | | 27 | 29 | | | | | | | | |
| 160 | | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 170 | | | | | | | | | | | | | | | | 27 | 30 | | | | | | | | |
| 180 | | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 190 | | | | | | | | | | | | | | | | 27 | 30 | | | | | | | | |
| 200 | | | | | | | | | | | | | | | | 28 | 32 | | | | | | | | |
| 210 | | | | | | | | | | | | | | | | 26 | 30 | | | | | | | | |
| 220 | | | | | | | | | | | | | | | | 27 | 31 | | | | | | | | |
| 230 | | | | | | | | | | | | | | | | 28 | 33 | | | | | | | | |
| 240 | | | | | | | | | | | | | | | | 25 | 30 | | | | | | | | |
| 250 | | | | | | | | | | | | | | | | 27 | 31 | | | | | | | | |
| 260 | | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 270 | | | | | | | | | | | | | | | | 26 | 29 | | | | | | | | |
| 280 | | | | | | | | | | | | | | | | 27 | 30 | | | | | | | | |
| 290 | | | | | | | | | | | | | | | | 26 | 28 | | | | | | | | |
| 300 | | | | | | | | | | | | | | | | 27 | 29 | | | | | | | | |
| 320 | | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 340 | | | | | | | | | | | | | | | | 27 | 29 | | | | | | | | |
| 360 | | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 380 | | | | | | | | | | | | | | | | 27 | 29 | | | | | | | | |
| 400 | | | | | | | | | | | | | | | | 28 | 31 | | | | | | | | |
| 425 | | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 450 | | | | | | | | | | | | | | | | 26 | 29 | | | | | | | | |
| 475 | | | | | | | | | | | | | | | | 27 | 30 | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | 28 | 31 | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | 27 | 29 | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | 27 | 29 | | | | | | | | |
| 700 | 26 | | | | | | | | | | | | | | | 28 | 31 | | | | | | | | |
| 750 | 28 | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 800 | 30 | | | | | | | | | | | | | | | 27 | 29 | | | | | | | | |
| 850 | 32 | | | | | | | | | | | | | | | 28 | 31 | | | | | | | | |
| 900 | 34 | | | | | | | | | | | | | | | 25 | 28 | | | | | | | | |
| 950 | 35 | | | | | | | | | | | | | | | 27 | 29 | | | | | | | | |
| 1000 | 37 | | | | | | | | | | | | | | | 28 | 31 | | | | | | | | |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | |
|-------------------|----|----------------------|-----|----|-----|----|-----|----|-----|-----|-----|-----|-----|---|-----|----|--|--|--|--|--|--|--|--|--|
| Weight per litre | | 1.00 | | | | | | | | | | | | Figures in body of chart = mm of door opening | | | | | | | | | | | |
| Width | | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | |
| Rate | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | | 26 | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | 26 | 28 | | | | | | | | | |
| 150 | | | | | | | | | | | | | | 25 | 28 | 30 | | | | | | | | | |
| 160 | | | | | | | | | | | | | | 27 | 30 | 32 | | | | | | | | | |
| 170 | | | | | | | | | | | | | 26 | 29 | 31 | 34 | | | | | | | | | |
| 180 | | | | | | | | | | | | | 27 | 30 | 33 | 36 | | | | | | | | | |
| 190 | | | | | | | | | | | 26 | | 29 | 32 | 35 | 38 | | | | | | | | | |
| 200 | | | | | | | | | | | 27 | | 30 | 34 | 37 | 40 | | | | | | | | | |
| 210 | | | | | | | | | | | 28 | | 32 | 35 | 39 | 42 | | | | | | | | | |
| 220 | | | | | | | | | | | 26 | 30 | 33 | 37 | 41 | 44 | | | | | | | | | |
| 230 | | | | | | | | | | | 27 | 31 | 35 | 39 | 43 | 46 | | | | | | | | | |
| 240 | | | | | | | | | | | 28 | 32 | 36 | 40 | 44 | 48 | | | | | | | | | |
| 250 | | | | | | | | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 | | | | | | | | | |
| 260 | | | | | | | | | | 26 | 31 | 35 | 39 | 44 | 48 | 52 | | | | | | | | | |
| 270 | | | | | | | | | | 27 | 32 | 36 | 41 | 45 | 50 | 54 | | | | | | | | | |
| 280 | | | | | | | | 26 | | 28 | 33 | 38 | 42 | 47 | 52 | 56 | | | | | | | | | |
| 290 | | | | | | | | 27 | | 29 | 34 | 39 | 44 | 49 | 54 | 58 | | | | | | | | | |
| 300 | | | | | | | 25 | 28 | | 30 | 35 | 40 | 45 | 50 | 55 | 60 | | | | | | | | | |
| 320 | | | | | | | 27 | 30 | | 32 | 38 | 43 | 48 | 54 | 59 | 65 | | | | | | | | | |
| 340 | | | | | 26 | 29 | 31 | 34 | 40 | 46 | 51 | 57 | 63 | 69 | | | | | | | | | | | |
| 360 | | | | | 27 | 30 | 33 | 36 | 42 | 48 | 54 | 60 | 67 | 73 | | | | | | | | | | | |
| 380 | | | | 26 | 29 | 32 | 35 | 38 | 45 | 51 | 57 | 64 | 70 | 77 | | | | | | | | | | | |
| 400 | | | | 27 | 30 | 34 | 37 | 40 | 47 | 54 | 60 | 67 | 74 | 81 | | | | | | | | | | | |
| 425 | | | | 29 | 32 | 36 | 39 | 43 | 50 | 57 | 64 | 71 | 79 | 86 | | | | | | | | | | | |
| 450 | | | 26 | 30 | 34 | 38 | 42 | 45 | 53 | 60 | 68 | 76 | 83 | 91 | | | | | | | | | | | |
| 475 | | | 28 | 32 | 36 | 40 | 44 | 48 | 56 | 64 | 72 | 80 | 88 | 96 | | | | | | | | | | | |
| 500 | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 59 | 67 | 76 | 84 | 92 | 101 | | | | | | | | | | |
| 525 | | | 26 | 31 | 35 | 40 | 44 | 49 | 53 | 62 | 71 | 79 | 88 | 97 | 106 | | | | | | | | | | |
| 550 | | | 28 | 32 | 37 | 42 | 46 | 51 | 55 | 65 | 74 | 83 | 92 | 102 | 111 | | | | | | | | | | |
| 600 | | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 71 | 81 | 91 | 101 | 111 | 121 | | | | | | | | | | |
| 650 | | 27 | 33 | 38 | 44 | 49 | 55 | 60 | 66 | 76 | 87 | 98 | 109 | 120 | 131 | | | | | | | | | | |
| 700 | | 29 | 35 | 41 | 47 | 53 | 59 | 65 | 71 | 82 | 94 | 106 | 118 | 129 | 141 | | | | | | | | | | |
| 750 | 25 | 31 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 88 | 101 | 113 | 126 | 139 | 151 | | | | | | | | | | |
| 800 | 27 | 34 | 40 | 47 | 54 | 60 | 67 | 74 | 81 | 94 | 108 | 121 | 134 | 148 | 161 | | | | | | | | | | |
| 850 | 29 | 36 | 43 | 50 | 57 | 64 | 71 | 79 | 86 | 100 | 114 | 129 | 143 | 157 | 171 | | | | | | | | | | |
| 900 | 30 | 38 | 45 | 53 | 60 | 68 | 76 | 83 | 91 | 106 | 121 | 136 | 151 | 166 | 181 | | | | | | | | | | |
| 950 | 32 | 40 | 48 | 56 | 64 | 72 | 80 | 88 | 96 | 112 | 128 | 144 | 160 | 176 | 192 | | | | | | | | | | |
| 1000 | 34 | 42 | 50 | 59 | 67 | 76 | 84 | 92 | 101 | 118 | 134 | 151 | 168 | 185 | 202 | | | | | | | | | | |

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | |
|-------------------|----|----------------------|-----|----|-----|----|-----|----|-----|-----|-----|-----|-----|---|-----|----|--|--|--|--|--|--|--|--|--|
| Weight per litre | | 1.05 | | | | | | | | | | | | Figures in body of chart = mm of door opening | | | | | | | | | | | |
| Width | | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | |
| Rate | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | | 27 | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | 26 | 29 | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | 28 | 31 | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | 27 | 30 | | | | | | | | | |
| 180 | | | | | | | | | | | | | | | 26 | 29 | | | | | | | | | |
| 190 | | | | | | | | | | | | | | | 27 | 30 | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | 26 | 29 | | | | | | | | | |
| 210 | | | | | | | | | | | | | | | 27 | 30 | | | | | | | | | |
| 220 | | | | | | | | | | | | | | | 28 | 32 | | | | | | | | | |
| 230 | | | | | | | | | | | | | | | 29 | 33 | | | | | | | | | |
| 240 | | | | | | | | | | | | | | | 27 | 31 | | | | | | | | | |
| 250 | | | | | | | | | | | | | | | 28 | 32 | | | | | | | | | |
| 260 | | | | | | | | | | | | | | | 29 | 33 | | | | | | | | | |
| 270 | | | | | | | | | | | | | | | 30 | 35 | | | | | | | | | |
| 280 | | | | | | | | | | | | | | | 26 | 29 | | | | | | | | | |
| 290 | | | | | | | | | | | | | | | 28 | 32 | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | 29 | 34 | | | | | | | | | |
| 320 | | | | | | | | | | | | | | | 31 | 36 | | | | | | | | | |
| 340 | | | | | | | | | | | | | | | 27 | 31 | | | | | | | | | |
| 360 | | | | | | | | | | | | | | | 26 | 29 | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | 27 | 30 | | | | | | | | | |
| 400 | | | | | | | | | | | | | | | 28 | 32 | | | | | | | | | |
| 425 | | | | | | | | | | | | | | | 29 | 33 | | | | | | | | | |
| 450 | | | | | | | | | | | | | | | 30 | 35 | | | | | | | | | |
| 475 | | | | | | | | | | | | | | | 26 | 29 | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | 28 | 32 | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | 29 | 33 | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | 31 | 36 | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | 27 | 31 | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | 28 | 32 | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | 29 | 33 | | | | | | | | | |
| 750 | 25 | 31 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 88 | 101 | 113 | 126 | 139 | 151 | | | | | | | | | | |
| 800 | 27 | 34 | 40 | 47 | 54 | 60 | 67 | 74 | 81 | 94 | 108 | 121 | 134 | 148 | 161 | | | | | | | | | | |
| 850 | 29 | 36 | 43 | 50 | 57 | 64 | 71 | 79 | 86 | 100 | 114 | 129 | 143 | 157 | 171 | | | | | | | | | | |
| 900 | 30 | 38 | 45 | 53 | 60 | 68 | 76 | 83 | 91 | 106 | 121 | 136 | 151 | 166 | 181 | | | | | | | | | | |
| 950 | 32 | 40 | 48 | 56 | 64 | 72 | 80 | 88 | 96 | 112 | 128 | 144 | 160 | 176 | 192 | | | | | | | | | | |
| 1000 | 34 | 42 | 50 | 59 | 67 | 76 | 84 | 92 | 101 | 118 | 134 | 151 | 168 | 185 | 202 | | | | | | | | | | |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | gb005, 730, Narrow | | | |
|-------------------|----|--|----|-----|----|-----|----|-----|----|----|-----|--------------------|-----|-----|-----|
| Weight per litre | | 1.20 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | 25 |
| 160 | | | | | | | | | | | | | | | 27 |
| 170 | | | | | | | | | | | | | | | 26 |
| 180 | | | | | | | | | | | | | 25 | 28 | 30 |
| 190 | | | | | | | | | | | | | 27 | 29 | 32 |
| 200 | | | | | | | | | | | | 25 | 28 | 31 | 34 |
| 210 | | | | | | | | | | | | 26 | 29 | 32 | 35 |
| 220 | | | | | | | | | | | | 28 | 31 | 34 | 37 |
| 230 | | | | | | | | | | | 26 | 29 | 32 | 35 | 39 |
| 240 | | | | | | | | | | | 27 | 30 | 34 | 37 | 40 |
| 250 | | | | | | | | | | | 28 | 32 | 35 | 38 | 42 |
| 260 | | | | | | | | | | 25 | 29 | 33 | 36 | 40 | 44 |
| 270 | | | | | | | | | | 26 | 30 | 34 | 38 | 42 | 45 |
| 280 | | | | | | | | | | 27 | 31 | 35 | 39 | 43 | 47 |
| 290 | | | | | | | | | | 28 | 32 | 37 | 41 | 45 | 49 |
| 300 | | | | | | | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 |
| 320 | | | | | | | | | 27 | 31 | 36 | 40 | 45 | 49 | 54 |
| 340 | | | | | | | | 26 | 29 | 33 | 38 | 43 | 48 | 52 | 57 |
| 360 | | | | | | | 25 | 28 | 30 | 35 | 40 | 45 | 50 | 55 | 60 |
| 380 | | | | | | | 27 | 29 | 32 | 37 | 43 | 48 | 53 | 59 | 64 |
| 400 | | | | | | | 28 | 31 | 34 | 39 | 45 | 50 | 56 | 62 | 67 |
| 425 | | | | | | 25 | 30 | 33 | 36 | 42 | 48 | 54 | 59 | 65 | 71 |
| 450 | | | | | 25 | 28 | 31 | 35 | 38 | 44 | 50 | 57 | 63 | 69 | 76 |
| 475 | | | | | 27 | 30 | 33 | 37 | 40 | 47 | 53 | 60 | 67 | 73 | 80 |
| 500 | | | | | 28 | 32 | 35 | 38 | 42 | 49 | 56 | 63 | 70 | 77 | 84 |
| 525 | | | | 26 | 29 | 33 | 37 | 40 | 44 | 51 | 59 | 66 | 73 | 81 | 88 |
| 550 | | | | 27 | 31 | 35 | 38 | 42 | 46 | 54 | 62 | 69 | 77 | 85 | 92 |
| 600 | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 59 | 67 | 76 | 84 | 92 | 101 |
| 650 | | | 27 | 32 | 36 | 41 | 45 | 50 | 55 | 64 | 73 | 82 | 91 | 100 | 109 |
| 700 | | | 29 | 34 | 39 | 44 | 49 | 54 | 59 | 69 | 78 | 88 | 98 | 108 | 118 |
| 750 | | 26 | 31 | 37 | 42 | 47 | 52 | 58 | 63 | 73 | 84 | 95 | 105 | 115 | 126 |
| 800 | | 28 | 34 | 39 | 45 | 50 | 56 | 62 | 67 | 78 | 90 | 101 | 112 | 123 | 134 |
| 850 | | 30 | 36 | 42 | 48 | 54 | 59 | 65 | 71 | 83 | 95 | 107 | 119 | 131 | 143 |
| 900 | 25 | 31 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 88 | 101 | 113 | 126 | 139 | 151 |
| 950 | 27 | 33 | 40 | 47 | 53 | 60 | 67 | 73 | 80 | 93 | 106 | 120 | 133 | 146 | 160 |
| 1000 | 28 | 35 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 98 | 112 | 126 | 140 | 154 | 168 |

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | gb005, 730, Narrow | | | |
|-------------------|---|--|---|-----|---|-----|---|-----|---|---|---|--------------------|----|----|----|
| Weight per litre | | 1.30 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | |
| 180 | | | | | | | | | | | | | | | 26 |
| 190 | | | | | | | | | | | | | | | 27 |
| 200 | | | | | | | | | | | | | | | 28 |
| 210 | | | | | | | | | | | | | | | 26 |
| 220 | | | | | | | | | | | | | | 26 | 28 |
| 230 | | | | | | | | | | | | | | 27 | 30 |
| 240 | | | | | | | | | | | | | | 28 | 31 |
| 250 | | | | | | | | | | | | | | 29 | 32 |
| 260 | | | | | | | | | | | | | | 26 | 29 |
| 270 | | | | | | | | | | | | | | 27 | 30 |
| 280 | | | | | | | | | | | | | | 28 | 31 |
| 290 | | | | | | | | | | | | | | 29 | 32 |
| 300 | | | | | | | | | | | | | | 27 | 31 |
| 320 | | | | | | | | | | | | | | 29 | 33 |
| 340 | | | | | | | | | | | | | | 26 | 28 |
| 360 | | | | | | | | | | | | | | 27 | 29 |
| 380 | | | | | | | | | | | | | | 28 | 31 |
| 400 | | | | | | | | | | | | | | 26 | 28 |
| 425 | | | | | | | | | | | | | | 27 | 30 |
| 450 | | | | | | | | | | | | | | 28 | 31 |
| 475 | | | | | | | | | | | | | | 26 | 29 |
| 500 | | | | | | | | | | | | | | 28 | 31 |
| 525 | | | | | | | | | | | | | | 27 | 30 |
| 550 | | | | | | | | | | | | | | 28 | 31 |
| 600 | | | | | | | | | | | | | | 26 | 28 |
| 650 | | | | | | | | | | | | | | 27 | 29 |
| 700 | | | | | | | | | | | | | | 28 | 31 |
| 750 | | | | | | | | | | | | | | 26 | 28 |
| 800 | | | | | | | | | | | | | | 27 | 29 |
| 850 | | | | | | | | | | | | | | 28 | 31 |
| 900 | | | | | | | | | | | | | | 26 | 28 |
| 950 | | | | | | | | | | | | | | 27 | 29 |
| 1000 | | | | | | | | | | | | | | 28 | 31 |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | | |
|-------------------|---|----------------------|---|-----|---|-----|---|-----|---|---|----|----|----|----|---|--|--|--|--|--|--|--|--|--|--|--|--|
| Weight per litre | | 1.40 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | | | | |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 180 | | | | | | | | | | | | | | | 26 | | | | | | | | | | | | |
| 190 | | | | | | | | | | | | | | 25 | 27 | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | 26 | 29 | | | | | | | | | | | | |
| 210 | | | | | | | | | | | | | 25 | 28 | 30 | | | | | | | | | | | | |
| 220 | | | | | | | | | | | | | 26 | 29 | 32 | | | | | | | | | | | | |
| 230 | | | | | | | | | | | | | 28 | 30 | 33 | | | | | | | | | | | | |
| 240 | | | | | | | | | | | | 26 | 29 | 32 | 35 | | | | | | | | | | | | |
| 250 | | | | | | | | | | | | 27 | 30 | 33 | 36 | | | | | | | | | | | | |
| 260 | | | | | | | | | | | | 28 | 31 | 34 | 37 | | | | | | | | | | | | |
| 270 | | | | | | | | | | | 26 | 29 | 32 | 36 | 39 | | | | | | | | | | | | |
| 280 | | | | | | | | | | | 27 | 30 | 34 | 37 | 40 | | | | | | | | | | | | |
| 290 | | | | | | | | | | | 28 | 31 | 35 | 38 | 42 | | | | | | | | | | | | |
| 300 | | | | | | | | | | | 25 | 29 | 32 | 36 | 40 | | | | | | | | | | | | |
| 320 | | | | | | | | | | | 27 | 31 | 35 | 38 | 42 | | | | | | | | | | | | |
| 340 | | | | | | | | | | | 29 | 33 | 37 | 41 | 45 | | | | | | | | | | | | |
| 360 | | | | | | | | | | | 30 | 35 | 39 | 43 | 48 | | | | | | | | | | | | |
| 380 | | | | | | | | | | | 25 | 29 | 32 | 36 | 41 | | | | | | | | | | | | |
| 400 | | | | | | | | | | | 26 | 29 | 34 | 38 | 43 | | | | | | | | | | | | |
| 425 | | | | | | | | | | | 25 | 28 | 31 | 36 | 41 | | | | | | | | | | | | |
| 450 | | | | | | | | | | | 27 | 30 | 33 | 36 | 40 | | | | | | | | | | | | |
| 475 | | | | | | | | | | | 26 | 28 | 31 | 34 | 40 | | | | | | | | | | | | |
| 500 | | | | | | | | | | | 27 | 30 | 33 | 36 | 42 | | | | | | | | | | | | |
| 525 | | | | | | | | | | | 25 | 28 | 31 | 35 | 44 | | | | | | | | | | | | |
| 550 | | | | | | | | | | | 26 | 30 | 33 | 36 | 40 | | | | | | | | | | | | |
| 600 | | | | | | | | | | | 25 | 29 | 32 | 36 | 40 | | | | | | | | | | | | |
| 650 | | | | | | | | | | | 27 | 31 | 35 | 39 | 43 | | | | | | | | | | | | |
| 700 | | | | | | | | | | | 25 | 29 | 34 | 38 | 42 | | | | | | | | | | | | |
| 750 | | | | | | | | | | | 27 | 31 | 36 | 40 | 45 | | | | | | | | | | | | |
| 800 | | | | | | | | | | | 29 | 34 | 38 | 43 | 48 | | | | | | | | | | | | |
| 850 | | | | | | | | | | | 25 | 29 | 34 | 38 | 43 | | | | | | | | | | | | |
| 900 | | | | | | | | | | | 27 | 31 | 36 | 40 | 45 | | | | | | | | | | | | |
| 950 | | | | | | | | | | | 28 | 34 | 40 | 46 | 51 | | | | | | | | | | | | |
| 1000 | | | | | | | | | | | 30 | 36 | 42 | 48 | 54 | | | | | | | | | | | | |

| Gear Box...Medium | | RATE CHART KG. PER H | | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | | |
|-------------------|---|----------------------|---|-----|---|-----|---|-----|---|---|---|---|----|----|---|--|--|--|--|--|--|--|--|--|--|--|--|
| Weight per litre | | 1.50 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | | | | | | | | | | | | |
| Width | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | | | | |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 180 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 190 | | | | | | | | | | | | | | | 26 | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 210 | | | | | | | | | | | | | | | 26 | | | | | | | | | | | | |
| 220 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 230 | | | | | | | | | | | | | | | 28 | | | | | | | | | | | | |
| 240 | | | | | | | | | | | | | | | 26 | | | | | | | | | | | | |
| 250 | | | | | | | | | | | | | | | 25 | | | | | | | | | | | | |
| 260 | | | | | | | | | | | | | | | 26 | | | | | | | | | | | | |
| 270 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 280 | | | | | | | | | | | | | | | 25 | | | | | | | | | | | | |
| 290 | | | | | | | | | | | | | | | 26 | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 320 | | | | | | | | | | | | | | | 25 | | | | | | | | | | | | |
| 340 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 360 | | | | | | | | | | | | | | | 28 | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | 26 | | | | | | | | | | | | |
| 400 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 425 | | | | | | | | | | | | | | | 26 | | | | | | | | | | | | |
| 450 | | | | | | | | | | | | | | | 25 | | | | | | | | | | | | |
| 475 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | 28 | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | 26 | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | 28 | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | 25 | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | 29 | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | 25 | | | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | | 29 | | | | | | | | | | | | |
| 950 | | | | | | | | | | | | | | | 27 | | | | | | | | | | | | |
| 1000 | | | | | | | | | | | | | | | 28 | | | | | | | | | | | | |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730, Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box...High | | RATE CHART KG. PER HA. | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | |
|------------------|---|------------------------|---|-----|---|-----|---|-----|---|---|---|---|---|----|----|------|--|--|--|--|--|--|--|
| Weight per litre | | 0.70 | | | | | | | | | | | Figures in body of chart = mm of door c | | | | | | | | | | |
| Width. | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Rate | | | | | | | |
| 600 | | | | | | | | | | | | | | | | 28 | | | | | | | |
| 625 | | | | | | | | | | | | | | | | 32 | | | | | | | |
| 650 | | | | | | | | | | | | | | | | 36 | | | | | | | |
| 675 | | | | | | | | | | | | | | | | 40 | | | | | | | |
| 700 | | | | | | | | | | | | | | | | 44 | | | | | | | |
| 750 | | | | | | | | | | | | | | | | 48 | | | | | | | |
| 800 | | | | | | | | | | | | | | | | 52 | | | | | | | |
| 850 | | | | | | | | | | | | | | | | 54 | | | | | | | |
| 900 | | | | | | | | | | | | | | | | 56 | | | | | | | |
| 950 | | | | | | | | | | | | | | | | 60 | | | | | | | |
| 1000 | | | | | | | | | | | | | | | | 26 | | | | | | | |
| 1050 | | | | | | | | | | | | | | | | 27 | | | | | | | |
| 1100 | | | | | | | | | | | | | | | | 28 | | | | | | | |
| 1150 | | | | | | | | | | | | | | | | 29 | | | | | | | |
| 1200 | | | | | | | | | | | | | | | | 30 | | | | | | | |
| 1250 | | | | | | | | | | | | | | | | 31 | | | | | | | |
| 1300 | | | | | | | | | | | | | | | | 32 | | | | | | | |
| 1350 | | | | | | | | | | | | | | | | 33 | | | | | | | |
| 1400 | | | | | | | | | | | | | | | | 34 | | | | | | | |
| 1450 | | | | | | | | | | | | | | | | 35 | | | | | | | |
| 1500 | | | | | | | | | | | | | | | | 36 | | | | | | | |
| 1550 | | | | | | | | | | | | | | | | 37 | | | | | | | |
| 1600 | | | | | | | | | | | | | | | | 38 | | | | | | | |
| 1650 | | | | | | | | | | | | | | | | 39 | | | | | | | |
| 1700 | | | | | | | | | | | | | | | | 40 | | | | | | | |
| 1750 | | | | | | | | | | | | | | | | 41 | | | | | | | |
| 1800 | | | | | | | | | | | | | | | | 42 | | | | | | | |
| 1900 | | | | | | | | | | | | | | | | 43 | | | | | | | |
| 2000 | | | | | | | | | | | | | | | | 44 | | | | | | | |
| 2500 | | | | | | | | | | | | | | | | 45 | | | | | | | |
| 3000 | | | | | | | | | | | | | | | | 46 | | | | | | | |
| 3500 | | | | | | | | | | | | | | | | 47 | | | | | | | |
| 4000 | | | | | | | | | | | | | | | | 48 | | | | | | | |
| 5000 | | | | | | | | | | | | | | | | 49 | | | | | | | |
| 6000 | | | | | | | | | | | | | | | | 50 | | | | | | | |
| 7000 | | | | | | | | | | | | | | | | 51 | | | | | | | |
| 8000 | | | | | | | | | | | | | | | | 52 | | | | | | | |
| 9000 | | | | | | | | | | | | | | | | 53 | | | | | | | |
| 10000 | | | | | | | | | | | | | | | | 54 | | | | | | | |

| Gear Box...High | | RATE CHART KG. PER HA. | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | |
|------------------|---|------------------------|---|-----|---|-----|---|-----|---|---|---|---|---|----|----|------|--|--|--|--|--|--|--|
| Weight per litre | | 0.75 | | | | | | | | | | | Figures in body of chart = mm of door c | | | | | | | | | | |
| Width. | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Rate | | | | | | | |
| 600 | | | | | | | | | | | | | | | | 26 | | | | | | | |
| 625 | | | | | | | | | | | | | | | | 30 | | | | | | | |
| 650 | | | | | | | | | | | | | | | | 34 | | | | | | | |
| 675 | | | | | | | | | | | | | | | | 38 | | | | | | | |
| 700 | | | | | | | | | | | | | | | | 41 | | | | | | | |
| 750 | | | | | | | | | | | | | | | | 45 | | | | | | | |
| 800 | | | | | | | | | | | | | | | | 49 | | | | | | | |
| 850 | | | | | | | | | | | | | | | | 51 | | | | | | | |
| 900 | | | | | | | | | | | | | | | | 53 | | | | | | | |
| 950 | | | | | | | | | | | | | | | | 55 | | | | | | | |
| 1000 | | | | | | | | | | | | | | | | 56 | | | | | | | |
| 1050 | | | | | | | | | | | | | | | | 25 | | | | | | | |
| 1100 | | | | | | | | | | | | | | | | 26 | | | | | | | |
| 1150 | | | | | | | | | | | | | | | | 27 | | | | | | | |
| 1200 | | | | | | | | | | | | | | | | 28 | | | | | | | |
| 1250 | | | | | | | | | | | | | | | | 29 | | | | | | | |
| 1300 | | | | | | | | | | | | | | | | 30 | | | | | | | |
| 1350 | | | | | | | | | | | | | | | | 31 | | | | | | | |
| 1400 | | | | | | | | | | | | | | | | 32 | | | | | | | |
| 1450 | | | | | | | | | | | | | | | | 33 | | | | | | | |
| 1500 | | | | | | | | | | | | | | | | 34 | | | | | | | |
| 1550 | | | | | | | | | | | | | | | | 35 | | | | | | | |
| 1600 | | | | | | | | | | | | | | | | 36 | | | | | | | |
| 1650 | | | | | | | | | | | | | | | | 37 | | | | | | | |
| 1700 | | | | | | | | | | | | | | | | 38 | | | | | | | |
| 1750 | | | | | | | | | | | | | | | | 39 | | | | | | | |
| 1800 | | | | | | | | | | | | | | | | 40 | | | | | | | |
| 1900 | | | | | | | | | | | | | | | | 41 | | | | | | | |
| 2000 | | | | | | | | | | | | | | | | 42 | | | | | | | |
| 2500 | | | | | | | | | | | | | | | | 43 | | | | | | | |
| 3000 | | | | | | | | | | | | | | | | 44 | | | | | | | |
| 3500 | | | | | | | | | | | | | | | | 45 | | | | | | | |
| 4000 | | | | | | | | | | | | | | | | 46 | | | | | | | |
| 5000 | | | | | | | | | | | | | | | | 47 | | | | | | | |
| 6000 | | | | | | | | | | | | | | | | 48 | | | | | | | |
| 7000 | | | | | | | | | | | | | | | | 49 | | | | | | | |
| 8000 | | | | | | | | | | | | | | | | 50 | | | | | | | |
| 9000 | | | | | | | | | | | | | | | | 51 | | | | | | | |
| 10000 | | | | | | | | | | | | | | | | 52 | | | | | | | |

For Use with [TRANSPREAD](#) Density Meter, Transpread Gear Box, gb006, Narrow..730, Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box...High | | RATE CHART KG. PER HA. | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | | | | | | | | | |
|------------------|----|------------------------|-----|-----|---|-----|-----|-----|-----|---|---|---|----|---|-----|--------|---|-----|---|-----|---|-----|---|-----|---|---|---|---|----|----|----|--|--|
| Weight per litre | | 1.00 | | | | | | | | | | | | Figures in body of chart = mm of door c | | | | | | | | | | | | | | | | | | | |
| Width. | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Width. | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| Rate | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | 25 | 28 | 31 | | | | | | | | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | 26 | 29 | 32 | | | | | | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | 28 | 31 | 34 | | | | | | | | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | 25 | 29 | 32 | | | | | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | 26 | 30 | 33 | | | | | | | | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | 28 | 32 | 35 | | | | | | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | 26 | 30 | 34 | | | | | | | | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | 28 | 32 | 36 | | | | | | | | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | 25 | 30 | 34 | | | | | | | | | | | | | | | | | |
| 950 | | | | | | | | | | | | | | 27 | 31 | 36 | | | | | | | | | | | | | | | | | |
| 1000 | | | | | | | | | 26 | | | | | 28 | 33 | 38 | | | | | | | | | | | | | | | | | |
| 1050 | | | | | | | | | 27 | | | | | 30 | 35 | 40 | | | | | | | | | | | | | | | | | |
| 1100 | | | | | | | | | 28 | | | | | 31 | 36 | 41 | | | | | | | | | | | | | | | | | |
| 1150 | | | | | | | | | 26 | | | | | 32 | 38 | 43 | | | | | | | | | | | | | | | | | |
| 1200 | | | | | | 25 | | | 28 | | | | | 31 | 34 | 40 | | | | | | | | | | | | | | | | | |
| 1250 | | | | | | 26 | 29 | | 32 | | | | | 35 | 41 | 47 | | | | | | | | | | | | | | | | | |
| 1300 | | | | | | 28 | 31 | | 34 | | | | | 37 | 43 | 49 | | | | | | | | | | | | | | | | | |
| 1350 | | | | | | 25 | 29 | | 32 | | | | | 35 | 42 | 48 | | | | | | | | | | | | | | | | | |
| 1400 | | | | | | 26 | 30 | | 33 | | | | | 36 | 43 | 50 | | | | | | | | | | | | | | | | | |
| 1450 | | | | | | 27 | 31 | | 34 | | | | | 38 | 45 | 52 | | | | | | | | | | | | | | | | | |
| 1500 | | | | | | 28 | 32 | | 35 | | | | | 40 | 48 | 56 | | | | | | | | | | | | | | | | | |
| 1550 | | | | | | 26 | 29 | | 33 | | | | | 36 | 44 | 52 | | | | | | | | | | | | | | | | | |
| 1600 | | | | | | 26 | 30 | | 34 | | | | | 38 | 46 | 54 | | | | | | | | | | | | | | | | | |
| 1650 | | | | | | 27 | 31 | | 35 | | | | | 40 | 48 | 56 | | | | | | | | | | | | | | | | | |
| 1700 | | | | | | 28 | 32 | | 36 | | | | | 42 | 50 | 58 | | | | | | | | | | | | | | | | | |
| 1750 | | | | | | 29 | 33 | | 37 | | | | | 44 | 52 | 60 | | | | | | | | | | | | | | | | | |
| 1800 | | | | | | 25 | 30 | | 34 | | | | | 41 | 49 | 57 | | | | | | | | | | | | | | | | | |
| 1900 | | | | | | 27 | 31 | | 36 | | | | | 43 | 51 | 59 | | | | | | | | | | | | | | | | | |
| 2000 | | | | | | 28 | 33 | | 38 | | | | | 44 | 53 | 61 | | | | | | | | | | | | | | | | | |
| 2500 | | | | | | 35 | 41 | | 47 | | | | | 51 | 58 | 66 | | | | | | | | | | | | | | | | | |
| 3000 | 28 | 35 | 42 | | | 49 | 56 | | 64 | | | | | 71 | 78 | 85 | | | | | | | | | | | | | | | | | |
| 3500 | 33 | 41 | 49 | | | 58 | 66 | | 74 | | | | | 82 | 91 | 99 | | | | | | | | | | | | | | | | | |
| 4000 | 38 | 47 | 56 | | | 66 | 75 | | 85 | | | | | 94 | 103 | 113 | | | | | | | | | | | | | | | | | |
| 5000 | 47 | 59 | 71 | | | 82 | 94 | | 106 | | | | | 118 | 129 | 141 | | | | | | | | | | | | | | | | | |
| 6000 | 56 | 71 | 85 | | | 99 | 113 | | 127 | | | | | 141 | 155 | 169 | | | | | | | | | | | | | | | | | |
| 7000 | 66 | 82 | 99 | | | 115 | 132 | | 148 | | | | | 165 | 181 | 198 | | | | | | | | | | | | | | | | | |
| 8000 | 75 | 94 | 113 | | | 132 | 151 | | 169 | | | | | 188 | 207 | 226 | | | | | | | | | | | | | | | | | |
| 9000 | 85 | 106 | 127 | | | 148 | 169 | | 191 | | | | | 212 | 233 | 254 | | | | | | | | | | | | | | | | | |
| 10000 | 94 | 118 | 141 | | | 165 | 188 | | 212 | | | | | 235 | 259 | 282 | | | | | | | | | | | | | | | | | |

| Gear Box...High | | RATE CHART KG. PER HA. | | | | | | | | | | | | gb005, 730, Narrow | | | | | | | | | | | | | | | | | | | |
|------------------|----|------------------------|----|-----|---|-----|----|-----|----|---|---|---|----|---|----|--------|---|-----|---|-----|---|-----|---|-----|---|---|---|---|----|----|----|--|--|
| Weight per litre | | 1.05 | | | | | | | | | | | | Figures in body of chart = mm of door c | | | | | | | | | | | | | | | | | | | |
| Width. | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Width. | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| Rate | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1150 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1250 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1300 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1350 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1400 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1450 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1550 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1600 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1650 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1700 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1750 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1900 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3000 | 27 | 34 | 40 | | | 47 | 54 | | 60 | | | | | 67 | 74 | 81 | | | | | | | | | | | | | | | | | |
| 3500 | 31 | 39 | 47 | | | 55 | 63 | | 71 | | | | | 78 | 86 | 94 | | | | | | | | | | | | | | | | | |
| 4000 | 36 | 45 | 54 | | | 63 | 72 | | | | | | | | | | | | | | | | | | | | | | | | | | |

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb006, Narrow..730, Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

| Gear Box...High | | RATE CHART KG. PER HA. | | | | | | | | | | | gb005, 730, Narrow | | |
|------------------|----|------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|-----|-----|
| Weight per litre | | 1.20 | | | | | | | | | | | Figures in body of chart = mm of door c | | |
| Width. | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 600 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 28 |
| 625 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 29 |
| 650 | - | - | - | - | - | - | - | - | - | - | - | - | - | 28 | 31 |
| 675 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 29 |
| 700 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 30 |
| 750 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 29 |
| 800 | - | - | - | - | - | - | - | - | - | - | - | - | - | 25 | 28 |
| 850 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 30 |
| 900 | - | - | - | - | - | - | - | - | - | - | - | - | - | 28 | 32 |
| 950 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 30 |
| 1000 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 31 |
| 1050 | - | - | - | - | - | - | - | - | - | - | - | - | - | 29 | 33 |
| 1100 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 30 |
| 1150 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 31 |
| 1200 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 30 |
| 1250 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 31 |
| 1300 | - | - | - | - | - | - | - | - | - | - | - | - | - | 25 | 28 |
| 1350 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 29 |
| 1400 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 30 |
| 1450 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 29 |
| 1500 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 30 |
| 1550 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 30 |
| 1600 | - | - | - | - | - | - | - | - | - | - | - | - | - | 25 | 28 |
| 1650 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 29 |
| 1700 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 30 |
| 1750 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 30 |
| 1800 | - | - | - | - | - | - | - | - | - | - | - | - | - | 28 | 32 |
| 1900 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26 | 30 |
| 2000 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27 | 31 |
| 2500 | - | - | - | - | - | - | - | - | - | - | - | - | - | 29 | 33 |
| 3000 | - | - | - | - | - | - | - | - | - | - | - | - | - | 29 | 33 |
| 3500 | 27 | 34 | 41 | 48 | 55 | 62 | 69 | 75 | 82 | 96 | 110 | 123 | 137 | 151 | 165 |
| 4000 | 31 | 39 | 47 | 55 | 63 | 71 | 78 | 86 | 94 | 110 | 125 | 141 | 157 | 172 | 188 |
| 5000 | 39 | 49 | 59 | 69 | 78 | 88 | 98 | 108 | 118 | 137 | 157 | 176 | 196 | 216 | 235 |
| 6000 | 47 | 59 | 71 | 82 | 94 | 106 | 118 | 129 | 141 | 165 | 188 | 212 | 235 | 259 | 282 |
| 7000 | 55 | 69 | 82 | 96 | 110 | 123 | 137 | 151 | 165 | 192 | 220 | 247 | 274 | 302 | |
| 8000 | 63 | 78 | 94 | 110 | 125 | 141 | 157 | 172 | 188 | 220 | 251 | 282 | 314 | | |
| 9000 | 71 | 88 | 106 | 123 | 141 | 159 | 176 | 194 | 212 | 247 | 282 | 318 | | | |
| 10000 | 78 | 98 | 118 | 137 | 157 | 176 | 196 | 216 | 235 | 274 | 314 | | | | |

| Gear Box...High | | RATE CHART KG. PER HA. | | | | | | | | | | | gb005, 730, Narrow | | |
|------------------|----|------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|-----|-----|
| Weight per litre | | 1.30 | | | | | | | | | | | Figures in body of chart = mm of door c | | |
| Width. | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Rate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 600 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 625 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 650 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 675 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 700 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 750 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 800 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 850 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 900 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 950 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1050 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1100 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1150 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1200 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1250 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1300 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1350 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1400 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1450 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1500 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1550 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1600 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1650 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1700 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1750 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1800 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1900 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2500 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3500 | 25 | 32 | 38 | 44 | 51 | 57 | 63 | 70 | 76 | 89 | 101 | 114 | 127 | 139 | 152 |
| 4000 | 29 | 36 | 43 | 51 | 58 | 65 | 72 | 80 | 87 | 101 | 116 | 130 | 145 | 159 | 174 |
| 5000 | 36 | 45 | 54 | 63 | 72 | 81 | 90 | 100 | 109 | 127 | 145 | 163 | 181 | 199 | 217 |
| 6000 | 43 | 54 | 65 | 76 | 87 | 98 | 109 | 119 | 130 | 152 | 174 | 195 | 217 | 239 | 261 |
| 7000 | 51 | 63 | 76 | 89 | 101 | 114 | 127 | 139 | 152 | 177 | 203 | 228 | 253 | 279 | 304 |
| 8000 | 58 | 72 | 87 | 101 | 116 | 130 | 145 | 159 | 174 | 203 | 232 | 261 | 289 | 318 | |
| 9000 | 65 | 81 | 98 | 114 | 130 | 147 | 163 | 179 | 195 | 228 | 261 | 293 | | | |
| 10000 | 72 | 90 | 109 | 127 | 145 | 163 | 181 | 199 | 217 | 253 | 289 | | | | |

