

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		RATE CHART KG. PER HA. gb007, 1000, Narrow													
Low		0.70													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate															
20															
30															
40															
50														27	30
60													27	30	33
70												28	31	35	38
80										28	32	36	39	43	47
90									27	31	36	40	44	49	53
100								27	30	35	39	44	49	54	59
110							27	30	33	38	43	49	54	60	65
120						27	30	33	36	41	47	53	59	65	71
130				26	29	32	35	39	45	51	58	64	71	77	
140				28	31	35	38	41	48	55	62	69	76	83	
150			26	30	33	37	41	44	52	59	67	74	81	89	
160			28	32	36	39	43	47	55	63	71	79	87	95	
170		25	29	34	38	42	46	50	59	67	76	84	92	101	
180		27	31	36	40	44	49	53	62	71	80	89	98	107	
190		28	33	38	42	47	52	56	66	75	84	94	103	113	
200		30	35	39	44	49	54	59	69	79	89	99	109	118	
210	26	31	36	41	47	52	57	62	73	83	93	104	114	124	
220	27	33	38	43	49	54	60	65	76	87	98	109	119	130	
230	28	34	40	45	51	57	62	68	79	91	102	114	125	136	
240	30	36	41	47	53	59	65	71	83	95	107	118	130	142	
250	31	37	43	49	56	62	68	74	86	99	111	123	136	148	
260	26	32	39	45	51	58	64	71	83	96	109	122	135	148	154
270	27	33	40	47	53	60	67	73	86	99	112	125	138	151	160
280	28	35	41	48	55	62	69	76	89	102	115	128	141	154	166
290	29	36	43	50	57	64	72	79	92	105	118	131	144	157	172
300	30	37	44	52	59	67	74	81	95	108	121	134	147	163	178
320	32	39	47	55	63	71	79	87	101	114	127	140	153	174	190
340	34	42	50	59	67	76	84	92	107	120	133	146	159	185	201
360	36	44	53	62	71	80	89	98	113	126	139	152	165	196	213
380	38	47	56	66	75	84	94	103	119	132	145	158	171	206	225
400	39	49	59	69	79	89	99	109	126	139	152	165	178	217	237
425	42	52	63	73	84	94	105	115	132	145	158	171	184	231	252
450	44	56	67	78	89	100	111	122	139	152	165	178	191	244	267
475	47	59	70	82	94	106	117	129	147	160	173	186	199	258	281
500	49	62	74	86	99	111	123	136	154	167	180	193	206	272	296
525	52	65	78	91	104	117	130	143	162	175	188	201	214	285	311
550	54	68	81	95	109	122	136	149	168	181	194	207	220	299	326
575	57	71	85	99	114	128	142	156	176	189	202	215	228	312	341
600	59	74	89	104	118	133	148	163	183	196	209	222	235	326	355

Gear Box		RATE CHART KG. PER HA. gb007, 1000, Narrow													
Low		0.75													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate															
20															
30															
40															
50														25	28
60														28	30
70												26	29	33	35
80												29	33	37	41
90												29	33	37	41
100												25	28	32	37
110												25	28	30	35
120												28	30	33	39
130												28	30	33	36
140												26	29	32	35
150												28	31	35	38
160												29	33	37	41
170												27	31	35	39
180												29	33	37	41
190												26	31	35	39
200												28	32	37	41
210												29	34	39	44
220												30	35	41	46
230												26	32	37	42
240												28	33	39	44
250												29	35	40	46
260												30	36	42	48
270												31	37	44	50
280												26	32	39	45
290												27	33	40	47
300												29	35	41	48
320												29	34	41	48
340												31	39	47	55
360												33	41	50	58
380												35	44	53	61
400												37	46	55	65
425												39	49	59	69
450												41	52	62	73
475												44	55	66	77
500												46	58	69	81
525												48	60	73	85
550												51	63	76	89
575												53	66	79	93
600												55	69	83	97

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box	RATE CHART KG. PER HA. gb007, 1000, Narrow														
	Low			0.80									Figures in body of chart = mm of door opening		
Weight per litre	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20															
30															
40															
50															26
60														29	31
70												27	30	33	36
80											28	31	35	38	41
90										27	31	35	39	43	47
100									26	30	35	39	43	48	52
110								26	29	33	38	43	48	52	57
120						26	29	31	36	41	47	52	57	62	67
130					25	28	31	34	39	45	51	56	62	67	73
140					27	30	33	36	42	48	54	60	67	73	79
150					26	29	32	36	39	45	52	58	65	71	78
160					28	31	35	38	41	48	55	62	69	76	83
170				26	29	33	37	40	44	51	59	66	73	81	88
180				27	31	35	39	43	47	54	62	70	78	86	93
190				29	33	37	41	45	49	57	66	74	82	90	98
200			26	30	35	39	43	48	52	60	69	78	86	95	104
210			27	32	36	41	45	50	54	64	73	82	91	100	109
220			29	33	38	43	48	52	57	67	76	86	95	105	114
230			30	35	40	45	50	55	60	70	79	89	99	109	119
240		26	31	36	41	47	52	57	62	73	83	93	104	114	124
250		27	32	38	43	49	54	59	65	76	86	97	108	119	130
260		28	34	39	45	51	56	62	67	79	90	101	112	124	135
270		29	35	41	47	52	58	64	70	82	93	105	117	128	140
280		30	36	42	48	54	60	67	73	85	97	109	121	133	145
290	25	31	38	44	50	56	63	69	75	88	100	113	125	138	150
300	26	32	39	45	52	58	65	71	78	91	104	117	130	143	156
320	28	35	41	48	55	62	69	76	83	97	111	124	138	152	166
340	29	37	44	51	59	66	73	81	88	103	118	132	147	162	176
360	31	39	47	54	62	70	78	86	93	109	124	140	156	171	187
380	33	41	49	57	66	74	82	90	98	115	131	148	164	181	197
400	35	43	52	60	69	78	86	95	104	121	138	156	173	190	207
425	37	46	55	64	73	83	92	101	110	129	147	165	184	202	220
450	39	49	58	68	78	87	97	107	117	136	156	175	194	214	233
475	41	51	62	72	82	92	103	113	123	144	164	185	205	226	246
500	43	54	65	76	86	97	108	119	130	151	173	194	216	238	259
525	45	57	68	79	91	102	113	125	136	159	181	204	227	249	272
550	48	59	71	83	95	107	119	131	143	166	190	214	238	261	285
575	50	62	75	87	99	112	124	137	149	174	199	224	248	273	298
600	52	65	78	91	104	117	130	143	156	181	207	233	259	285	311

Gear Box	RATE CHART KG. PER HA. gb007, 1000, Narrow														
	Low			0.85									Figures in body of chart = mm of door opening		
Weight per litre	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20															
30															
40															
50															26
60														27	29
70														26	28
80														26	29
90														26	29
100														26	29
110														27	30
120														27	30
130														27	30
140														27	30
150														27	30
160														27	30
170														27	30
180														27	30
190														27	30
200														27	30
210														27	30
220														27	30
230														27	30
240														27	30
250														27	30
260														27	30
270														27	30
280														27	30
290														27	30
300														27	30
320														27	30
340														27	30
360														27	30
380														27	30
400														27	30
425														27	30
450														27	30
475														27	30
500														27	30
525														27	30
550														27	30
575														27	30
600														27	30

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		RATE CHART KG. PER HA. gb007, 1000, Narrow													
Low		0.90													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
70	-	-	-	-	-	-	-	-	-	-	-	-	27	30	32
80	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
90	-	-	-	-	-	-	-	-	-	-	28	31	35	38	41
100	-	-	-	-	-	-	-	-	-	27	31	35	38	42	46
110	-	-	-	-	-	-	-	-	25	30	34	38	42	46	51
120	-	-	-	-	-	-	-	25	28	32	37	41	46	51	55
130	-	-	-	-	-	-	-	27	30	35	40	45	50	55	60
140	-	-	-	-	-	-	-	27	30	38	43	48	54	59	65
150	-	-	-	-	-	26	29	32	35	40	46	52	58	63	69
160	-	-	-	-	26	28	31	34	37	43	49	55	61	68	74
170	-	-	-	26	29	33	36	39	46	52	59	65	72	78	84
180	-	-	-	28	31	35	38	41	48	55	62	69	76	83	89
190	-	-	26	29	33	36	40	44	51	58	66	73	80	88	94
200	-	-	27	31	35	38	42	46	54	61	69	77	84	92	99
210	-	-	28	32	36	40	44	48	56	65	73	81	89	97	104
220	-	25	30	34	38	42	46	51	59	68	76	84	93	101	108
230	-	26	31	35	40	44	49	53	62	71	79	88	97	106	114
240	-	28	32	37	41	46	51	55	65	74	83	92	101	111	120
250	-	29	34	38	43	48	53	58	67	77	86	96	106	115	125
260	-	30	35	40	45	50	55	60	70	80	90	100	110	120	130
270	26	31	36	41	47	52	57	62	73	83	93	104	114	124	134
280	27	32	38	43	48	54	59	65	75	86	97	108	118	129	139
290	28	33	39	45	50	56	61	67	78	89	100	111	122	134	144
300	29	35	40	46	52	58	63	69	81	92	104	115	127	138	149
320	31	37	43	49	55	61	68	74	86	98	111	123	135	147	159
340	26	33	39	46	52	59	65	72	84	91	104	118	131	144	157
360	28	35	41	48	55	62	69	76	88	97	111	124	138	152	166
380	29	36	44	51	58	66	73	80	88	102	117	131	146	161	175
400	31	38	46	54	61	69	77	84	92	108	123	138	154	169	184
425	33	41	49	57	65	73	82	90	98	114	131	147	163	180	196
450	35	43	52	60	69	78	86	95	104	121	138	156	173	190	207
475	36	46	55	64	73	82	91	100	109	128	146	164	182	201	219
500	38	48	58	67	77	86	96	106	115	134	154	173	192	211	230
525	40	50	60	71	81	91	101	111	121	141	161	181	202	222	242
550	42	53	63	74	84	95	106	116	127	148	169	190	211	232	253
575	44	55	66	77	88	99	110	121	132	155	177	199	221	243	265
600	46	58	69	81	92	104	115	127	138	161	184	207	230	253	276

Gear Box		RATE CHART KG. PER HA. gb007, 1000, Narrow													
Low		0.95													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
70	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
80	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32
90	-	-	-	-	-	-	-	-	-	-	-	26	29	33	36
100	-	-	-	-	-	-	-	-	-	-	25	29	33	36	39
110	-	-	-	-	-	-	-	-	25	30	34	38	42	46	48
120	-	-	-	-	-	-	-	-	26	31	35	39	44	48	52
130	-	-	-	-	-	-	-	-	26	31	35	39	44	48	52
140	-	-	-	-	-	-	-	-	25	28	31	35	39	44	48
150	-	-	-	-	-	-	-	-	27	30	33	38	41	49	55
160	-	-	-	-	-	-	-	-	26	29	32	35	41	47	52
170	-	-	-	-	-	-	-	-	28	31	34	37	43	49	56
180	-	-	-	-	-	-	-	-	26	29	33	36	39	46	52
190	-	-	-	-	-	-	-	-	28	31	35	38	41	48	55
200	-	-	-	-	-	-	-	-	25	29	33	36	40	44	51
210	-	-	-	-	-	-	-	-	27	31	34	38	42	46	53
220	-	-	-	-	-	-	-	-	28	32	36	40	44	48	56
230	-	-	-	-	-	-	-	-	25	29	33	38	42	46	50
240	-	-	-	-	-	-	-	-	26	31	35	39	44	48	52
250	-	-	-	-	-	-	-	-	27	32	36	41	45	50	55
260	-	-	-	-	-	-	-	-	28	33	38	43	47	52	57
270	-	-	-	-	-	-	-	-	29	34	39	44	49	54	59
280	25	31	36	41	46	51	56	61	67	71	76	81	86	91	96
290	26	32	37	42	47	53	58	63	69	74	79	84	89	95	100
300	27	33	38	44	49	55	60	65	70	76	81	87	92	98	103
320	29	35	41	47	52	58	64	70	76	81	87	93	100	106	112
340	31	37	43	49	56	62	68	74	80	87	93	100	107	114	120
360	26	33	39	46	52	59	65	72	79	86	92	100	107	114	120
380	28	35	41	48	55	62	69	76	83	90	97	105	112	119	126
400	29	36	44	51	58	65	73	80	87	94	102	110	118	126	134
425	31	39	46	54	62	70	77	85	93	101	109	117	125	133	141
450	33	41	49	57	65	74	82	90	98	107	115	124	132	141	149
475	35	43	52	60	69	78	86	95	104	113	122	131	140	149	158
500	36	45	55	64	73	82	91	100	109	119	128	138	147	156	165
525	38	48	57	67	76	86	95	105	115	125	134	144	153	162	171
550	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
575	42	52	63	73	84	94	105	115	126	136	146	156	167	177	187
600	44	55	65	76	87	98	109	120	131	141	151	161	171	181	191

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box	Low		RATE CHART KG. PER HA. gb007, 1000, Narrow												
	Weight per litre		1.00 Figures in body of chart = mm of door opening												
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29
80	-	-	-	-	-	-	-	-	-	-	-	-	28	30	33
90	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
100	-	-	-	-	-	-	-	-	-	-	28	31	35	38	41
110	-	-	-	-	-	-	-	-	-	27	30	34	38	42	46
120	-	-	-	-	-	-	-	-	-	29	33	37	41	46	50
130	-	-	-	-	-	-	-	-	27	31	36	40	45	49	54
140	-	-	-	-	-	-	-	27	29	34	39	44	48	53	58
150	-	-	-	-	-	26	29	31	36	41	47	52	57	62	67
160	-	-	-	-	28	30	33	39	44	50	55	61	66	71	76
170	-	-	-	26	29	32	35	41	47	53	59	65	71	77	83
180	-	-	-	28	31	34	37	44	50	56	62	68	75	81	87
190	-	-	26	30	33	36	39	46	53	59	66	72	79	85	91
200	-	-	-	28	31	35	38	41	48	55	62	69	76	83	89
210	-	-	25	29	33	36	40	44	51	58	65	73	80	87	94
220	-	-	27	30	34	38	42	46	53	61	68	76	84	91	98
230	-	-	28	32	36	40	44	48	56	64	72	79	87	95	102
240	-	-	29	33	37	41	46	50	58	66	75	83	91	100	108
250	-	-	26	30	35	39	43	48	52	60	69	78	86	95	104
260	-	-	27	31	36	40	45	49	54	63	72	81	90	99	108
270	-	-	28	33	37	42	47	51	56	65	75	84	93	103	112
280	-	-	29	34	39	44	48	53	58	68	77	87	97	106	116
290	25	30	35	40	45	50	55	60	70	80	90	100	110	120	130
300	26	31	36	41	47	52	57	62	73	83	93	104	114	124	134
320	28	33	39	44	50	55	61	66	77	88	100	111	122	133	143
340	29	35	41	47	53	59	65	71	82	94	106	118	129	141	151
360	31	37	44	50	56	62	68	75	87	100	112	124	137	149	161
380	26	33	39	46	53	59	66	72	79	92	105	118	131	144	158
400	28	35	41	48	55	62	69	76	83	97	111	124	138	152	166
425	29	37	44	51	59	66	73	81	88	103	118	132	147	162	176
450	31	39	47	54	62	70	78	86	93	109	124	140	156	171	187
475	33	41	49	57	66	74	82	90	98	115	131	148	164	181	197
500	35	43	52	60	69	78	86	95	104	121	138	156	173	190	207
525	36	45	54	64	73	82	91	100	109	127	145	163	181	200	218
550	38	48	57	67	76	86	95	105	114	133	152	171	190	209	228
575	40	50	60	70	79	89	99	109	119	139	159	179	199	219	238
600	41	52	62	73	83	93	104	114	124	145	166	187	207	228	249

Gear Box	Low		RATE CHART KG. PER HA. gb007, 1000, Narrow												
	Weight per litre		1.05 Figures in body of chart = mm of door opening												
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
80	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
90	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33
100	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36
110	-	-	-	-	-	-	-	-	-	25	29	33	36	40	43
120	-	-	-	-	-	-	-	-	-	28	32	36	39	43	47
130	-	-	-	-	-	-	-	-	27	31	36	40	43	47	51
140	-	-	-	-	-	-	-	25	28	32	37	41	46	51	55
150	-	-	-	-	-	26	29	32	35	39	44	49	54	59	63
160	-	-	-	-	28	30	33	37	42	47	53	58	63	67	71
170	-	-	-	26	29	32	35	39	44	50	56	62	67	71	75
180	-	-	-	28	31	34	37	41	47	53	59	65	71	75	79
190	-	-	25	28	31	34	38	44	50	56	63	69	75	79	83
200	-	-	-	26	30	33	36	39	46	53	60	66	72	78	84
210	-	-	-	28	31	35	38	41	48	55	62	69	76	83	89
220	-	-	25	29	33	36	40	43	51	58	65	72	80	87	94
230	-	-	26	30	34	38	42	45	53	61	68	76	83	91	98
240	-	-	28	32	36	39	43	47	55	63	71	79	87	95	102
250	-	-	29	33	37	41	45	49	58	66	74	82	91	99	107
260	-	-	27	31	34	39	43	47	51	60	68	77	86	94	103
270	-	-	28	31	36	40	44	49	53	62	71	80	89	98	107
280	-	-	28	32	37	41	46	51	55	65	74	83	92	101	111
290	25	30	35	40	45	50	55	60	70	80	90	100	110	120	130
300	26	31	36	41	47	52	57	62	73	83	93	104	114	124	134
320	28	33	39	44	50	55	61	66	77	88	100	111	122	133	143
340	29	35	41	47	53	59	65	71	82	94	106	118	129	141	151
360	31	37	44	50	56	62	68	75	87	100	112	124	137	149	161
380	26	33	39	46	53	59	66	72	79	92	105	118	131	144	158
400	28	35	41	48	55	62	69	76	83	97	111	124	138	152	166
425	29	37	44	51	59	66	73	81	88	103	118	132	147	162	176
450	31	39	47	54	62	70	78	86	93	109	124	140	156	171	187
475	33	41	49	57	66	74	82	90	98	115	131	148	164	181	197
500	35	43	52	60	69	78	86	95	104	121	138	156	173	190	207
525	36	45	54	64	73	82	91	100	109	127	145	163	181	200	218
550	38	48	57	67	76	86	95	105	114	133	152	171	190	209	228
575	40	50	60	70	79	89	99	109	119	139	159	179	199	219	238
600	41	52	62	73	83	93	104	114	124	145	166	187	207	228	249

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		RATE CHART KG. PER HA. gb007, 1000, Narrow													
Low		1.10													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
80	-	-	-	-	-	-	-	-	-	-	-	-	25	28	30
90	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
100	-	-	-	-	-	-	-	-	-	-	25	28	31	35	38
110	-	-	-	-	-	-	-	-	-	26	30	34	38	41	45
120	-	-	-	-	-	-	-	-	26	30	34	38	41	45	49
130	-	-	-	-	-	-	-	-	29	33	37	41	45	49	53
140	-	-	-	-	-	-	-	26	31	35	40	44	48	53	57
150	-	-	-	-	-	-	26	28	33	38	42	47	52	57	61
160	-	-	-	-	-	25	28	30	35	40	45	50	55	60	64
170	-	-	-	-	27	29	32	37	43	48	53	59	64	69	74
180	-	-	-	25	28	31	34	40	45	51	57	62	68	73	78
190	-	-	-	27	30	33	36	42	48	54	60	66	72	78	84
200	-	-	-	25	28	31	35	38	44	50	57	63	69	75	81
210	-	-	-	26	30	33	36	40	46	53	59	66	73	79	85
220	-	-	-	28	31	35	38	41	48	55	62	69	76	83	89
230	-	-	25	29	33	36	40	43	51	58	65	72	79	87	94
240	-	-	26	30	34	38	41	45	53	60	68	75	83	90	97
250	-	-	27	31	35	39	43	47	55	63	71	79	86	94	101
260	-	-	29	33	37	41	45	49	57	65	74	82	90	98	106
270	-	25	30	34	38	42	47	51	59	68	76	85	93	102	110
280	-	26	31	35	40	44	48	53	62	70	79	88	97	106	114
290	-	27	32	36	41	46	50	55	64	73	82	91	100	109	117
300	-	28	33	38	42	47	52	57	66	75	85	94	104	113	121
320	25	30	35	40	45	50	55	60	70	80	90	101	111	121	130
340	27	32	37	43	48	53	59	64	75	85	96	107	118	128	137
360	28	34	40	45	51	57	62	68	79	90	102	113	124	136	144
380	30	36	42	48	54	60	66	72	84	96	107	119	131	143	151
400	25	31	38	44	50	57	63	69	75	88	101	113	126	138	151
425	27	33	40	47	53	60	67	73	80	93	107	120	134	147	160
450	28	35	42	49	57	64	71	78	85	99	113	127	141	156	170
475	30	37	45	52	60	67	75	82	90	104	119	134	149	164	179
500	31	39	47	55	63	71	79	86	94	110	126	141	157	173	189
525	33	41	49	58	66	74	82	91	99	115	132	148	165	181	198
550	35	43	52	60	69	78	86	95	104	121	138	156	173	190	207
575	36	45	54	63	72	81	90	99	108	126	145	163	181	199	217
600	38	47	57	66	75	85	94	104	113	132	151	170	189	207	226

Gear Box		RATE CHART KG. PER HA. gb007, 1000, Narrow													
Low		1.15													
Weight per litre		Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
80	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
90	-	-	-	-	-	-	-	-	-	-	-	-	27	30	32
100	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36
110	-	-	-	-	-	-	-	-	-	26	29	32	36	40	43
120	-	-	-	-	-	-	-	-	25	29	32	36	40	43	47
130	-	-	-	-	-	-	-	-	27	31	35	39	43	47	50
140	-	-	-	-	-	-	-	26	29	34	38	42	46	50	54
150	-	-	-	-	-	-	26	27	32	36	41	45	50	54	58
160	-	-	-	-	-	25	28	29	34	38	43	48	53	58	62
170	-	-	-	-	27	29	30	31	36	41	46	51	56	61	65
180	-	-	-	-	27	30	32	34	40	46	51	57	63	69	74
190	-	-	-	-	26	27	29	30	34	40	46	51	57	63	69
200	-	-	-	-	27	28	30	31	35	41	47	53	59	65	71
210	-	-	-	-	25	28	30	32	35	38	44	50	57	63	69
220	-	-	-	-	26	30	33	36	40	46	53	60	66	73	79
230	-	-	-	-	28	31	35	38	41	48	55	62	69	76	83
240	-	-	-	-	25	29	32	36	40	43	50	58	65	72	79
250	-	-	-	-	26	30	34	38	41	45	53	60	68	75	83
260	-	-	-	-	27	31	35	39	43	47	55	63	70	78	86
270	-	25	30	34	38	42	47	51	59	68	76	85	93	102	110
280	-	26	31	35	40	44	48	53	62	70	79	88	97	106	114
290	-	27	32	36	41	46	50	55	64	73	82	91	100	109	117
300	-	28	33	38	42	47	52	57	66	75	85	94	104	113	121
320	25	30	35	40	45	50	55	60	70	80	90	101	111	121	130
340	27	32	37	43	48	53	59	64	75	85	96	107	118	128	137
360	28	34	40	45	51	57	62	68	79	90	102	113	124	136	144
380	30	36	42	48	54	60	66	72	84	96	107	119	131	143	151
400	25	31	38	44	50	57	63	69	75	88	101	113	126	138	151
425	27	33	40	47	53	60	67	73	80	93	107	120	134	147	160
450	28	35	42	49	57	64	71	78	85	99	113	127	141	156	170
475	30	37	45	52	60	67	75	82	90	104	119	134	149	164	179
500	31	39	47	55	63	71	79	86	94	110	126	141	157	173	189
525	33	41	49	58	66	74	82	91	99	115	132	148	165	181	198
550	35	43	52	60	69	78	86	95	104	121	138	156	173	190	207
575	36	45	54	63	72	81	90	99	108	126	145	163	181	199	217
600	38	47	57	66	75	85	94	104	113	132	151	170	189	207	226

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		Low		RATE CHART KG. PER HA. gb007, 1000, Narrow											
Weight per litre		1.20		Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
90	-	-	-	-	-	-	-	-	-	-	-	-	26	29	31
100	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35
110	-	-	-	-	-	-	-	-	-	25	29	32	35	38	41
120	-	-	-	-	-	-	-	-	-	28	31	35	38	41	45
130	-	-	-	-	-	-	-	-	-	26	30	34	37	41	45
140	-	-	-	-	-	-	-	-	-	28	32	36	40	44	48
150	-	-	-	-	-	-	-	-	26	30	35	39	43	48	52
160	-	-	-	-	-	-	25	28	32	37	41	46	51	55	59
170	-	-	-	-	-	-	27	29	34	39	44	49	54	59	62
180	-	-	-	-	-	26	29	31	36	41	47	52	57	62	66
190	-	-	-	-	-	27	30	33	38	44	49	55	60	66	69
200	-	-	-	-	26	29	32	35	40	46	52	58	63	69	73
210	-	-	-	-	27	30	33	36	42	48	54	60	67	73	79
220	-	-	-	25	29	32	35	38	44	51	57	63	70	76	83
230	-	-	-	26	30	33	36	40	46	53	60	66	73	79	86
240	-	-	-	28	31	35	38	41	48	55	62	69	76	83	90
250	-	-	-	25	29	32	36	40	43	50	58	65	72	79	86
260	-	-	-	26	30	34	37	41	45	52	60	67	75	82	90
270	-	-	-	27	31	35	39	43	47	54	62	70	78	86	93
280	-	-	-	28	32	36	40	44	48	56	65	73	81	89	97
290	-	-	25	29	33	38	42	46	50	58	67	75	84	92	100
300	-	-	26	30	35	39	43	48	52	60	69	78	86	95	104
320	-	-	28	32	37	41	46	51	55	65	74	83	92	101	111
340	-	-	29	34	39	44	49	54	59	69	78	88	98	108	118
360	-	26	31	36	41	47	52	57	62	73	83	93	104	114	124
380	-	27	33	38	44	49	55	60	66	77	88	98	109	120	131
400	-	29	35	40	46	52	58	63	69	81	92	104	115	127	138
425	-	31	37	43	49	55	61	67	73	86	98	110	122	135	147
450	26	32	39	45	52	58	65	71	78	91	104	117	130	143	156
475	27	34	41	48	55	62	68	75	82	96	109	123	137	150	164
500	29	36	43	50	58	65	72	79	86	101	115	130	144	158	173
525	30	38	45	53	60	68	76	83	91	106	121	136	151	166	181
550	32	40	48	55	63	71	79	87	95	111	127	143	158	174	190
575	33	41	50	58	66	75	83	91	99	116	132	149	166	182	199
600	35	43	52	60	69	78	86	95	104	121	138	156	173	190	207

Gear Box		Low		RATE CHART KG. PER HA. gb007, 1000, Narrow											
Weight per litre		1.30		Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
90	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
100	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29
110	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
120	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
130	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
140	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
150	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
160	-	-	-	-	-	-	-	-	26	30	34	38	43	47	51
170	-	-	-	-	-	-	-	-	27	32	36	41	45	50	54
180	-	-	-	-	-	-	-	-	29	33	38	43	48	53	57
190	-	-	-	-	-	-	-	-	26	30	35	40	45	51	56
200	-	-	-	-	-	-	-	-	27	29	32	37	43	48	53
210	-	-	-	-	-	-	-	-	25	28	31	33	39	45	50
220	-	-	-	-	-	-	-	-	26	29	32	35	41	47	53
230	-	-	-	-	-	-	-	-	28	31	34	37	43	49	55
240	-	-	-	-	-	-	-	-	26	29	32	35	41	47	53
250	-	-	-	-	-	-	-	-	27	30	33	37	40	47	53
260	-	-	-	-	-	-	-	-	28	31	35	38	41	48	55
270	-	-	-	-	-	-	-	-	25	29	32	36	39	43	50
280	-	-	-	-	-	-	-	-	26	30	33	37	41	45	52
290	-	-	-	-	-	-	-	-	27	31	35	39	42	46	54
300	-	-	-	-	-	-	-	-	28	32	36	40	44	48	56
320	-	-	-	-	-	-	-	-	26	30	34	38	43	47	51
340	-	-	-	-	-	-	-	-	27	32	36	41	45	50	54
360	-	-	-	-	-	-	-	-	29	33	38	43	48	53	57
380	-	25	30	35	40	45	51	56	61	71	81	91	101	111	121
400	-	27	32	37	43	48	53	58	64	74	85	96	106	117	128
425	-	28	34	40	45	51	56	62	68	79	90	102	113	124	136
450	26	32	39	45	52	58	65	71	78	91	104	117	130	143	156
475	27	34	41	48	55	62	68	75	82	96	109	123	137	150	164
500	29	36	43	50	58	65	72	79	86	101	115	130	144	158	173
525	30	38	45	53	60	68	76	83	91	106	121	136	151	166	181
550	32	40	48	55	63	71	79	87	95	111	127	143	158	174	190
575	33	41	50	58	66	75	83	91	99	116	132	149	166	182	199
600	35	43	52	60	69	78	86	95	104	121	138	156	173	190	207

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		Low		RATE CHART KG. PER HA. gb007, 1000, Narrow											
Weight per litre		1.40		Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	27	27
110	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33
120	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36
130	-	-	-	-	-	-	-	-	-	-	26	29	32	35	39
140	-	-	-	-	-	-	-	-	-	28	31	35	38	41	44
150	-	-	-	-	-	-	-	-	26	30	33	37	41	44	47
160	-	-	-	-	-	-	-	-	28	32	36	39	43	47	50
170	-	-	-	-	-	-	-	25	29	34	38	42	46	50	53
180	-	-	-	-	-	-	-	27	31	36	40	44	49	53	56
190	-	-	-	-	-	-	26	28	33	38	42	47	52	56	59
200	-	-	-	-	-	27	30	35	39	44	49	54	59	62	65
210	-	-	-	-	26	29	31	36	41	47	52	57	62	67	71
220	-	-	-	-	27	30	33	38	43	49	54	60	65	70	74
230	-	-	-	-	26	28	31	34	40	45	51	57	62	68	73
240	-	-	-	-	27	30	33	36	41	47	53	59	65	71	77
250	-	-	-	-	28	31	34	37	43	49	56	62	68	74	80
260	-	-	-	26	29	32	35	39	45	51	58	64	71	77	83
270	-	-	-	27	30	33	37	40	47	53	60	67	73	80	86
280	-	-	-	28	31	35	38	41	48	55	62	69	76	83	89
290	-	-	-	25	29	32	36	39	43	50	57	64	72	79	86
300	-	-	-	26	30	33	37	41	44	52	59	67	74	81	89
320	-	-	-	28	32	36	39	43	47	55	63	71	79	87	95
340	-	-	25	29	34	38	42	46	50	59	67	76	84	92	101
360	-	-	27	31	36	40	44	49	53	62	71	80	89	98	107
380	-	-	28	33	38	42	47	52	56	66	75	84	94	103	113
400	-	-	30	35	39	44	49	54	59	69	79	89	99	109	118
425	-	26	31	37	42	47	52	58	63	73	84	94	105	115	126
450	-	28	33	39	44	50	56	61	67	78	89	100	111	122	133
475	-	29	35	41	47	53	59	64	70	82	94	106	117	129	141
500	-	31	37	43	49	56	62	68	74	86	99	111	123	136	148
525	26	32	39	45	52	58	65	71	78	91	104	117	130	143	156
550	27	34	41	48	54	61	68	75	81	95	109	122	136	149	163
575	28	35	43	50	57	64	71	78	85	99	114	128	142	156	170
600	30	37	44	52	59	67	74	81	89	104	118	133	148	163	178

Gear Box		Low		RATE CHART KG. PER HA. gb007, 1000, Narrow											
Weight per litre		1.50		Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
120	-	-	-	-	-	-	-	-	-	-	-	-	-	28	30
130	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33
140	-	-	-	-	-	-	-	-	-	-	26	29	32	35	39
150	-	-	-	-	-	-	-	-	-	26	29	33	37	41	44
160	-	-	-	-	-	-	-	-	26	29	33	37	41	46	50
170	-	-	-	-	-	-	-	-	27	31	35	39	43	47	51
180	-	-	-	-	-	-	-	-	29	33	37	41	46	50	54
190	-	-	-	-	-	-	-	-	26	31	35	39	44	48	53
200	-	-	-	-	-	25	28	32	37	41	46	51	56	61	66
210	-	-	-	-	26	29	33	37	41	46	51	56	61	66	71
220	-	-	-	-	27	30	34	39	44	49	54	59	64	69	74
230	-	-	-	-	28	31	35	40	45	50	55	60	65	70	75
240	-	-	-	-	28	30	33	36	40	44	48	52	56	60	64
250	-	-	-	-	26	29	32	35	39	43	47	51	55	59	63
260	-	-	-	-	27	30	33	36	40	44	48	52	56	60	64
270	-	-	-	-	28	31	34	37	41	45	49	53	57	61	65
280	-	-	-	-	26	29	32	35	39	43	47	51	55	59	63
290	-	-	-	-	27	30	33	37	40	44	48	52	56	60	64
300	-	-	-	-	28	31	34	37	40	44	48	52	56	60	64
320	-	-	-	-	26	29	33	37	41	44	48	52	56	60	64
340	-	-	25	29	34	38	42	46	50	55	63	71	78	86	94
360	-	-	27	31	36	40	44	49	53	62	71	80	89	98	107
380	-	-	28	33	38	42	47	52	56	66	75	84	94	103	113
400	-	-	30	35	39	44	49	54	59	69	79	89	99	109	118
425	-	26	31	37	42	47	52	58	63	73	84	94	105	115	126
450	-	28	33	39	44	50	56	61	67	78	89	100	111	122	133
475	-	29	35	41	47	53	59	64	70	82	94	106	117	129	141
500	-	31	37	43	49	56	62	68	74	86	99	111	123	136	148
525	26	32	39	45	52	58	65	71	78	91	104	117	130	143	156
550	27	34	41	48	54	61	68	75	81	95	109	122	136	149	163
575	28	35	43	50	57	64	71	78	85	99	114	128	142	156	170
600	30	37	44	52	59	67	74	81	89	104	118	133	148	163	178

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H gb006, 1000, Narrow													
Weight per litre		0.70 Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate															
100															
110															26
120														26	29
130													26	29	31
140												25	28	31	34
150												27	30	33	36
160											26	29	32	35	39
170											27	31	34	38	41
180										25	29	32	36	40	43
190										27	30	34	38	42	46
200										28	32	36	40	44	48
210									25	29	34	38	42	46	51
220									26	31	35	40	44	49	53
230							25		28	32	37	42	46	51	55
240							26		29	34	39	43	48	53	58
250						25	28		30	35	40	45	50	55	60
260						26	29		31	37	42	47	52	57	63
270						27	30		32	38	43	49	54	60	65
280						25	28		31	39	45	51	56	62	67
290						26	29		32	35	41	47	52	58	64
300						27	30		33	36	42	48	54	60	66
320					26	29	32		35	39	45	51	58	64	71
340					27	31	34		38	41	48	55	61	68	75
360				25	29	32	36		40	43	51	58	65	72	79
380				27	30	34	38		42	46	53	61	69	76	84
400				28	32	36	40		44	48	56	64	72	80	88
425			26	30	34	38	43		47	51	60	68	77	85	94
450			27	32	36	41	45		50	54	63	72	81	90	99
475			29	33	38	43	48		52	57	67	76	86	95	105
500	25		30	35	40	45	50		55	60	70	80	90	100	110
525	26		32	37	42	47	53		58	63	74	84	95	105	116
550	28		33	39	44	50	55		61	66	77	88	99	110	121
600	30		36	42	48	54	60		66	72	84	96	108	120	132
650	26	33	39	46	52	59	65		72	78	91	104	117	130	143
700	28	35	42	49	56	63	70		77	84	98	112	126	140	154
750	30	38	45	53	60	68	75		83	90	105	120	135	150	165
800	32	40	48	56	64	72	80		88	96	112	128	144	160	177
850	34	43	51	60	68	77	85		94	102	119	136	153	170	188
900	36	45	54	63	72	81	90		99	108	126	144	162	181	199
950	38	48	57	67	76	86	95		105	114	133	152	171	191	210
1000	40	50	60	70	80	90	100		110	120	140	160	181	201	221

Gear Box...Medium		RATE CHART KG. PER H gb006, 1000, Narrow													
Weight per litre		0.75 Figures in body of chart = mm of door opening													
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate															
100															
110															
120															27
130															27
140														26	29
150														25	28
160														27	30
170														25	29
180														27	30
190														28	32
200														26	30
210														28	31
220														29	33
230														26	30
240														27	31
250														28	33
260														27	34
270														25	28
280														26	29
290														27	30
300														25	28
320														27	30
340														25	29
360														27	30
380														28	32
400														26	30
425														28	32
450														25	29
475														27	31
500	25													28	31
525	26													27	30
550	28													25	28
600	30													26	29
650	26	33												27	30
700	28	35												25	28
750	30	38												26	29
800	32	40												27	30
850	34	43												25	28
900	36	45												26	29
950	38	48												27	30
1000	40	50												25	28

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		0.80												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate																									
100																									
110																									
120															25										
130														25	27										
140														27	29										
150													26	29	32										
160												25	28	31	34										
170												27	30	33	36										
180										25	28	32	35	38											
190										27	30	33	37	40											
200										28	32	35	39	42											
210										26	29	33	37	41	44										
220										27	31	35	39	42	46										
230										28	32	36	40	44	48										
240									25	29	34	38	42	46	51										
250									26	31	35	39	44	48	53										
260						25			27	32	37	41	46	50	55										
270						26			28	33	38	43	47	52	57										
280						27			29	34	39	44	49	54	59										
290						25	28		31	36	41	46	51	56	61										
300						26	29		32	37	42	47	53	58	63										
320						25	28	31	34	39	45	51	56	62	67										
340					27	30	33	36	42	48	54	60	66	72											
360				25	28	32	35	38	44	51	57	63	69	76											
380				27	30	33	37	40	47	53	60	67	73	80											
400				28	32	35	39	42	49	56	63	70	77	84											
425				26	30	34	37	41	45	52	60	67	75	82	90										
450				28	32	36	39	43	47	55	63	71	79	87	95										
475			25	29	33	38	42	46	50	58	67	75	83	92	100										
500			26	31	35	39	44	48	53	61	70	79	88	97	105										
525			28	32	37	41	46	51	55	64	74	83	92	101	111										
550			29	34	39	43	48	53	58	68	77	87	97	106	116										
600		26	32	37	42	47	53	58	63	74	84	95	105	116	126										
650		29	34	40	46	51	57	63	68	80	91	103	114	125	137										
700		31	37	43	49	55	61	68	74	86	98	111	123	135	147										
750	26	33	39	46	53	59	66	72	79	92	105	118	132	145	158										
800	28	35	42	49	56	63	70	77	84	98	112	126	140	154	168										
850	30	37	45	52	60	67	75	82	90	104	119	134	149	164	179										
900	32	39	47	55	63	71	79	87	95	111	126	142	158	174	190										
950	33	42	50	58	67	75	83	92	100	117	133	150	167	183	200										
1000	35	44	53	61	70	79	88	97	105	123	140	158	176	193	211										

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		0.85												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate																									
100																									
110																									
120																									
130															26										
140															25										
150															27										
160															29										
170															30										
180															31										
190															25										
200															27										
210															28										
220															26										
230															27										
240															28										
250															29										
260															26										
270															27										
280															28										
290															26										
300															27										
320															29										
340															25										
360															27										
380															28										
400															26										
425															28										
450															26										
475															27										
500															29										
525															30										
550															27										
600															29										
650															26										
700															28										
750															26										
800															29										
850															30										
900															27										
950															29										
1000															30										

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.00												Figures in body of chart = mm of door opening											
Width		2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12									
Rate																									
100																									
110																									
120																									
130																									
140																									
150																25									
160																27									
170															26	29									
180														25	28	30									
190														27	29	32									
200													25	28	31	34									
210													27	29	32	35									
220													28	31	34	37									
230												26	29	32	36	39									
240												27	30	34	37	40									
250												28	32	35	39	42									
260											26	29	33	37	40	44									
270											27	30	34	38	42	45									
280											28	31	35	39	43	47									
290											29	33	37	41	45	49									
300											29	34	38	42	46	51									
320											25	29	34	38	42	46									
340											27	31	36	40	45	49									
360											26	29	33	38	43	48									
380											25	28	32	37	42	47									
400											25	28	31	35	40	45									
425											27	30	33	36	40	44									
450											25	28	32	35	39	42									
475											27	30	33	37	40	44									
500											28	32	35	39	42	46									
525											26	29	33	37	41	44									
550											27	31	35	39	42	46									
600											25	29	34	38	42	46									
650											27	32	37	41	46	50									
700											29	34	39	44	49	54									
750											26	32	37	42	47	53									
800											28	34	39	45	51	56									
850											30	36	42	48	54	60									
900											25	32	38	44	51	57									
950											27	33	40	47	53	60									
1000											28	35	42	49	56	63									

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.05												Figures in body of chart = mm of door opening											
Width		2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12									
Rate																									
100																									
110																									
120																									
130																									
140																									
150																									
160																26									
170															25	27									
180															26	29									
190															25	28									
200															27	29									
210															25	28									
220															26	29									
230															26	29									
240															26	29									
250															27	30									
260															28	31									
270															25	29									
280															26	30									
290															27	31									
300															28	32									
320															28	32									
340															28	32									
360															26	29									
380															25	28									
400															25	28									
425															26	29									
450															27	30									
475															27	30									
500															27	30									
525															28	32									
550															26	29									
600															28	32									
650															26	29									
700															28	32									
750															25	28									
800															27	30									
850															28	32									
900															26	29									
950															27	30									
1000															28	32									

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.10												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate																									
100																									
110																									
120																									
130																									
140																									
150																									
160																									
170															26										
180														25	28										
190														27	29										
200													26	28	31										
210													27	29	32										
220												25	28	31	34										
230												26	29	32	35										
240												28	31	34	37										
250											26	29	32	35	38										
260											27	30	33	37	40										
270											28	31	34	38	41										
280										25	29	32	36	39	43										
290										26	30	33	37	41	44										
300										27	31	34	38	42	46										
320										29	33	37	41	45	49										
340									26	30	35	39	43	48	52										
360								25	28	32	37	41	46	51	55										
380								27	29	34	39	44	49	53	58										
400							26	28	31	36	41	46	51	56	61										
425							27	30	33	38	43	49	54	60	65										
450					26	29	32	34	40	46	52	57	63	69											
475					27	30	33	36	42	49	55	61	67	73											
500					26	29	32	35	38	45	51	57	64	70	77										
525					27	30	34	37	40	47	54	60	67	74	80										
550					28	32	35	39	42	49	56	63	70	77	84										
600				27	31	34	38	42	46	54	61	69	77	84	92										
650				29	33	37	41	46	50	58	66	75	83	91	100										
700			27	31	36	40	45	49	54	63	71	80	89	98	107										
750			29	34	38	43	48	53	57	67	77	86	96	105	115										
800	26		31	36	41	46	51	56	61	71	82	92	102	112	123										
850		27	33	38	43	49	54	60	65	76	87	98	108	119	130										
900		29	34	40	46	52	57	63	69	80	92	103	115	126	138										
950		30	36	42	49	55	61	67	73	85	97	109	121	133	146										
1000	26	32	38	45	51	57	64	70	77	89	102	115	128	140	153										

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.15												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate																									
100																									
110																									
120																									
130																									
140																									
150																									
160																									
170																									
180															26										
190															28										
200														26	29										
210														27	31										
220														27	32										
230														25	28										
240														26	29										
250														27	31										
260														25	28										
270														26	29										
280														27	31										
290														28	32										
300														26	29										
320														27	31										
340														29	33										
360														31	35										
380														32	37										
400														34	39										
425														36	42										
450														38	44										
475														41	46										
500														43	49										
525														45	51										
550														47	53										
600														51	57										
650														55	61										
700														59	65										
750														63	69										
800	26													67	73										
850		27												71	77										
900		29												75	81										
950		30												79	85										
1000	26	32												83	89										

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow	
Weight per litre		1.20												Figures in body of chart = mm of door opening	
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
200	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28
210	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29
220	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31
230	-	-	-	-	-	-	-	-	-	-	-	-	27	30	32
240	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
250	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35
260	-	-	-	-	-	-	-	-	-	-	-	27	30	33	37
270	-	-	-	-	-	-	-	-	-	25	28	32	35	38	
280	-	-	-	-	-	-	-	-	-	26	29	33	36	39	
290	-	-	-	-	-	-	-	-	-	27	31	34	37	41	
300	-	-	-	-	-	-	-	-	-	28	32	35	39	42	
320	-	-	-	-	-	-	-	-	26	30	34	37	41	45	
340	-	-	-	-	-	-	-	-	28	32	36	40	44	48	
360	-	-	-	-	-	-	-	-	25	29	34	38	42	46	51
380	-	-	-	-	-	-	-	-	27	31	36	40	44	49	53
400	-	-	-	-	-	-	26	28	33	37	42	47	51	56	
425	-	-	-	-	-	27	30	35	40	45	50	55	60		
450	-	-	-	-	26	29	32	37	42	47	53	58	63		
475	-	-	-	25	28	31	33	39	44	50	56	61	67		
500	-	-	-	26	29	32	35	41	47	53	59	64	70		
525	-	-	-	28	31	34	37	43	49	55	61	68	74		
550	-	-	-	26	29	32	35	39	45	51	58	64	71	77	
600	-	-	-	27	30	32	35	39	42	49	56	63	70	77	84
650	-	-	-	29	33	34	38	42	46	53	61	68	76	84	91
700	-	-	-	29	33	37	41	45	49	57	66	74	82	90	98
750	-	26	31	35	39	44	48	53	61	70	79	88	97	105	
800	-	28	33	37	42	47	51	56	66	75	84	94	103	112	
850	-	30	35	40	45	50	55	60	70	80	90	99	109	119	
900	26	32	37	42	47	53	58	63	74	84	95	105	116	126	
950	28	33	39	44	50	56	61	67	78	89	100	111	122	133	
1000	29	35	41	47	53	59	64	70	82	94	105	117	129	140	

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow	
Weight per litre		1.30												Figures in body of chart = mm of door opening	
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
220	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
230	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
240	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
250	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
260	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
270	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
280	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
290	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
300	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
320	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31
340	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29
360	-	-	-	-	-	-	-	-	-	-	-	-	-	27	31
380	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33
400	-	-	-	-	-	-	-	-	-	-	-	-	-	30	35
425	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33
450	-	-	-	-	-	-	-	-	-	-	-	-	-	30	35
475	-	-	-	-	-	-	-	-	-	-	-	-	-	31	36
500	-	-	-	-	-	-	-	-	-	-	-	-	-	30	35
525	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
550	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
600	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
650	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28
700	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
750	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28
800	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
850	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30
900	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28
950	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28
1000	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.40												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25										
220	-	-	-	-	-	-	-	-	-	-	-	-	-	25	26										
230	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
240	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28										
250	-	-	-	-	-	-	-	-	-	-	-	-	25	28	30										
260	-	-	-	-	-	-	-	-	-	-	-	-	26	29	31										
270	-	-	-	-	-	-	-	-	-	-	-	-	27	30	32										
280	-	-	-	-	-	-	-	-	-	25	28	31	34	37	39										
290	-	-	-	-	-	-	-	-	-	26	29	32	35	38	40										
300	-	-	-	-	-	-	-	-	-	27	30	33	36	39	41										
320	-	-	-	-	-	-	-	-	-	26	29	32	35	38	40										
340	-	-	-	-	-	-	-	-	-	27	30	33	36	39	41										
360	-	-	-	-	-	-	-	-	-	25	29	32	36	40	43										
380	-	-	-	-	-	-	-	-	-	27	30	34	38	42	46										
400	-	-	-	-	-	-	-	-	-	28	32	36	40	44	48										
425	-	-	-	-	-	-	-	-	26	30	34	38	43	47	51										
450	-	-	-	-	-	-	-	-	27	32	36	41	45	50	54										
475	-	-	-	-	-	-	-	26	29	33	38	43	48	52	57										
500	-	-	-	-	-	25	28	30	33	39	44	50	55	61	66										
525	-	-	-	-	-	26	29	32	37	42	47	53	58	63	68										
550	-	-	-	-	-	28	30	33	39	44	50	55	61	66	72										
600	-	-	-	-	27	30	33	36	42	48	54	60	66	72	78										
650	-	-	-	26	29	33	36	39	46	52	59	65	72	78	84										
700	-	-	-	28	32	35	39	42	49	56	63	70	77	84	90										
750	-	-	26	30	34	38	41	45	53	60	68	75	83	90	96										
800	-	28	32	36	40	44	48	56	64	72	80	88	96	102	108										
850	-	26	30	34	38	43	47	51	60	68	77	85	94	102	108										
900	-	27	32	36	41	45	50	54	63	72	81	90	99	108	114										
950	-	29	33	38	43	48	52	57	67	76	86	95	105	114	120										
1000	25	30	35	40	45	50	55	60	70	80	90	100	110	120	120										

Gear Box...Medium		RATE CHART KG. PER H												gb006, 1000, Narrow											
Weight per litre		1.50												Figures in body of chart = mm of door opening											
Width	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12										
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
230	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26										
240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27										
250	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28										
260	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29										
270	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28										
280	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29										
290	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30										
300	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28										
320	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30										
340	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28										
360	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29										
380	-	-	-	-	-	-	-	-	-	-	-	-	-	28	30										
400	-	-	-	-	-	-	-	-	-	-	-	-	-	28	30										
425	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28										
450	-	-	-	-	-	-	-	-	-	-	-	-	-	28	30										
475	-	-	-	-	-	-	-	-	-	-	-	-	-	28	30										
500	-	-	-	-	-	25	28	30	33	39	44	50	55	61	66										
525	-	-	-	-	-	26	29	32	37	42	47	53	58	63	68										
550	-	-	-	-	-	28	30	33	39	44	50	55	61	66	72										
600	-	-	-	-	27	30	33	36	42	48	54	60	66	72	78										
650	-	-	-	26	29	33	36	39	46	52	59	65	72	78	84										
700	-	-	-	28	32	35	39	42	49	56	63	70	77	84	90										
750	-	-	26	30	34	38	41	45	53	60	68	75	83	90	96										
800	-	28	32	36	40	44	48	56	64	72	80	88	96	102	108										
850	-	26	30	34	38	43	47	51	60	68	77	85	94	102	108										
900	-	27	32	36	41	45	50	54	63	72	81	90	99	108	114										
950	-	29	33	38	43	48	52	57	67	76	86	95	105	114	120										
1000	28	33	37	42	47	51	56	66	75	84	94	103	112	120	120										

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.											gb006, 1000, Narrow																		
Weight per litre		0.70											Figures in body of chart = mm of door c																		
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
600	-	-	-	-	-	-	-	-	-	-	27	30	34	37	40	600	-	-	-	-	-	-	-	-	-	-	25	28	31	35	38
625	-	-	-	-	-	-	-	-	-	-	28	32	35	39	42	625	-	-	-	-	-	-	-	-	-	-	26	29	33	36	39
650	-	-	-	-	-	-	-	-	-	26	29	33	37	44	650	-	-	-	-	-	-	-	-	-	-	-	27	31	34	37	41
675	-	-	-	-	-	-	-	-	-	27	30	34	38	46	675	-	-	-	-	-	-	-	-	-	-	-	28	32	35	39	42
700	-	-	-	-	-	-	-	-	-	28	31	35	39	47	700	-	-	-	-	-	-	-	-	-	-	-	26	29	33	37	40
750	-	-	-	-	-	-	-	-	25	29	34	38	42	51	750	-	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47
800	-	-	-	-	-	-	-	-	27	31	36	40	45	54	800	-	-	-	-	-	-	-	-	25	29	34	38	42	46	50	
850	-	-	-	-	-	-	-	26	29	33	38	43	48	57	850	-	-	-	-	-	-	-	27	31	36	40	45	49	53	57	
900	-	-	-	-	-	-	25	28	30	35	40	46	51	61	900	-	-	-	-	-	-	-	26	28	33	38	42	47	52	57	
950	-	-	-	-	-	27	29	32	37	43	48	53	59	64	950	-	-	-	-	-	-	27	30	35	40	45	50	55	60		
1000	-	-	-	25	28	31	34	39	45	51	56	62	67	71	1000	-	-	-	-	-	-	26	29	31	37	42	47	52	58	63	
1050	-	-	-	27	29	32	35	41	47	53	59	65	71	74	1050	-	-	-	-	-	28	30	33	39	44	50	55	61	66		
1100	-	-	-	28	31	34	37	43	49	56	62	68	74	78	1100	-	-	-	-	-	26	29	32	35	40	46	52	58	63	69	
1150	-	-	-	26	29	32	36	39	45	52	58	65	71	78	1150	-	-	-	-	-	27	30	33	36	42	48	54	60	66	72	
1200	-	-	-	27	30	34	37	40	47	54	61	67	74	81	1200	-	-	-	-	25	28	31	35	38	44	50	57	63	69	76	
1250	-	-	-	28	32	35	39	42	49	56	63	70	77	84	1250	-	-	-	-	26	29	33	36	39	46	52	59	66	72	79	
1300	-	-	-	26	29	33	37	40	44	51	58	66	73	80	1300	-	-	-	-	27	31	34	37	41	48	55	61	68	75	82	
1350	-	-	-	27	30	34	38	42	46	53	61	68	76	83	1350	-	-	-	-	28	32	35	39	42	50	57	64	71	78	85	
1400	-	-	-	28	31	35	39	43	47	55	63	71	79	87	1400	-	-	-	-	26	29	33	37	40	44	51	59	66	73	81	88
1450	-	-	-	29	33	37	41	45	49	57	65	73	81	90	1450	-	-	-	-	27	30	34	38	42	46	53	61	68	76	84	91
1500	-	-	25	29	34	38	42	46	51	59	67	76	84	93	101	1500	-	-	-	28	31	35	39	43	47	55	63	71	79	87	94
1550	-	-	26	30	35	39	44	48	52	61	70	78	87	96	104	1550	-	-	-	28	33	37	41	45	49	57	65	73	81	89	98
1600	-	-	27	31	36	40	45	49	54	63	72	81	90	99	108	1600	-	-	25	29	34	38	42	46	50	59	67	76	84	92	101
1650	-	-	28	32	37	42	46	51	56	65	74	83	93	102	111	1650	-	-	26	30	35	39	43	48	52	61	69	78	87	95	104
1700	-	-	29	33	38	43	48	53	57	67	76	86	96	105	115	1700	-	-	27	31	36	40	45	49	53	62	71	80	89	98	107
1750	-	-	29	34	39	44	49	54	59	69	79	88	98	108	118	1750	-	-	28	32	37	41	46	50	55	64	73	83	92	101	110
1800	-	25	30	35	40	46	51	56	61	71	81	91	101	111	121	1800	-	-	28	33	38	42	47	52	57	66	76	85	94	104	113
1900	-	27	32	37	43	48	53	59	64	75	85	96	107	117	128	1900	-	-	30	35	40	45	50	55	60	70	80	90	100	110	120
2000	-	28	34	39	45	51	56	62	67	79	90	101	112	124	135	2000	-	26	31	37	42	47	52	58	63	73	84	94	105	115	126
2500	28	35	42	49	56	63	70	77	84	98	112	126	140	154	169	2500	26	33	39	46	52	59	66	72	79	92	105	118	131	144	157
3000	34	42	51	59	67	76	84	93	101	118	135	152	169	185	202	3000	31	39	47	55	63	71	79	87	94	110	126	142	157	173	189
3500	39	49	59	69	79	88	98	108	118	138	157	177	197	216	236	3500	37	46	55	64	73	83	92	101	110	128	147	165	184	202	220
4000	45	56	67	79	90	101	112	124	135	157	180	202	225	247	270	4000	42	52	63	73	84	94	105	115	126	147	168	189	210	231	252
5000	56	70	84	98	112	126	140	154	169	197	225	253	281	309	337	5000	52	66	79	92	105	118	131	144	157	184	210	236	262	288	315
6000	67	84	101	118	135	152	169	185	202	236	270	303	337	371	400	6000	63	79	94	110	126	142	157	173	189	220	252	283	315	346	378
7000	79	98	118	138	157	177	197	216	236	275	315	354	393	433	473	7000	73	92	110	128	147	165	184	202	220	257	294	330	367	404	
8000	90	112	135	157	180	202	225	247	270	315	360	405	450	495	540	8000	84	105	126	147	168	189	210	231	252	294	336	378	420	462	
9000	101	126	152	177	202	228	253	278	303	354	405	456	507	558	609	9000	94	118	142	165	189	212	236	260	283	330	378	426	474	522	
10000	112	140	169	197	225	253	281	309	337	393	450	507	564	621	678	10000	105	131	157	184	210	236	262	288	315	367	420	474	528	582	

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.											gb006, 1000, Narrow																								
Weight per litre		0.80											Figures in body of chart = mm of door c																								
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12						
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
600	-	-	-	-	-	-	-	-	-	-	-	-	27	29	32	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
625	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
650	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
675	-	-	-	-	-	-	-	-	-	-	-	28	31	34	38	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
700	-	-	-	-	-	-	-	-	-	-	-	26	29	33	37	41	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
750	-	-	-	-	-	-	-	-	-	-	-	28	31	34	38	41	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
800	-	-	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
850	-	-	-	-	-	-	-	-	-	-	-	25	29	33	38	42	46	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
900	-	-	-	-	-	-	-	-	-	-	-	27	31	35	40	44	49	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
950	-	-	-	-	-	-	-	-	-	-	-	26	28	33	37	42	47	51	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1000	-	-	-	-	-	-	-	-	-	-	-	27	29	34	39	44	49	54	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1050	-	-	-	-	-	-	-	-	-	-	-	26	28	31	36	41	46	52	57	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1100	-	-	-	-	-	-	-	-	-	-	-	27	30	32	38	43	49	54	59	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1150	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34	40	45	51	57	62	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1200	-	-	-	-	-	-	-	-	-	-	-	27	29	32	35	41	47	53	59	65	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1250	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37	43	49	55	61	68	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1300	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35	38	45	51	58	64	70	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1350	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36	40	46	53	60	66	73	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1400	-	-	-	-	-	-	-	-	-	-	-	28	31	34	38	41	48	55	62	69	76	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1450	-	-	-	-	-	-	-	-	-	-	-	29	32	36	39	43	50	57	64	71	78	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1500	-	-	-	-	-	-	-	-	-	-	-	26	29	33	37	41	44	52	59	66	74	81	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1550	-	-	-	-	-	-	-	-	-	-	-	27	30	34	38	42	46	53	61	69	76	84	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1600	-	-	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47	55	63	71	79	87	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1650	-	-	-	-	-	-	-	-	-	-	-	28	32	36	41	45	49	57	65	73	81	89	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1700	-	-	-	-	-	-	-	-	-	-	-	25	29	33	38	42	46	50	58	67	75	84	92	100	-	-	-	-	-	-	-	-	-	-	-	-	-
1750	-	-	-	-	-	-	-	-	-	-	-	26	30	34	39	43	47	52	60	69	77	86	95	103	-	-	-	-	-	-	-	-	-	-	-	-	-
1800	-	-	-	-	-	-	-	-	-	-	-	27	31	35	40	44	49	53	62	71	80	88	97	106	-	-	-	-	-	-	-	-	-	-	-	-	-
1900	-	-	-	-	-	-	-	-	-	-	-	28	33	37	42	47	51	56	65	75	84	93	103	112	-	-	-	-	-	-	-	-	-	-	-	-	-
2000	-	-	-	-	-	-	-	-	-	-	-	29	34	39	44	49	54	59	69	79	88	98	108	118	-	-	-	-	-	-	-	-	-	-	-	-	
2500	-	31	-	-	-	-	-	-	-	-	-	37	43	49	55	61	68	74	86	98	111	123	135	147	-	-	-	-	-	-	-	-	-	-	-	-	
3000	29	37	-	-	-	-	-	-	-	-	-	44	52	59	66	74	81	88	103	118	133	147	162	177	-	-	-	-	-	-	-	-	-	-	-	-	
3500	34	43	-	-	-	-	-	-	-	-	-	52	60	69	77	86	95	103	120	138	155	172	189	206	-	-	-	-	-	-	-	-	-	-	-	-	
4000	39	49	-	-	-	-	-	-	-	-	-	59	69	79	88	98	108	118	138	157	177	197	216	236	-	-	-	-	-	-	-	-	-	-	-	-	
5000	49	61	-	-	-	-	-	-	-	-	-	74	86	98	111	123	135	147	172	197	221	246	270	295	-	-	-	-	-	-	-	-	-	-	-	-	
6000	59	74	-	-	-	-	-	-	-	-	-	88	103	118	133	147	162	177	206	236	265	295	324	354	-	-	-	-	-	-	-	-	-	-	-	-	
7000	69	86	-	-	-	-	-	-	-	-	-	103	120	138	155	172	189	206	241	275	310	344	379	-	-	-	-	-	-	-	-	-	-	-	-	-	
8000	79	98	-	-	-	-	-	-	-	-	-	118	138	157	177	197	216	236	275	315	354	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9000	88	111	-	-	-	-	-	-	-	-	-	133	155	177	199	221	243	265	310	354	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10000	98	123	-	-	-	-	-	-	-	-	-	147	172	197	221	246	270	295	344	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.											gb006, 1000, Narrow																												
Weight per litre		0.90											0.95																												
		Figures in body of chart = mm of door c											Figures in body of chart = mm of door c																												
Width.		2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.		2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12								
Rate																	Rate																								
600														26	29	31	600														27	30									
625														27	30	33	625													26	28	31									
650													26	28	31	34	650													27	30	32									
675													27	29	32	35	675												25	28	31	34									
700													28	31	34	37	700												26	29	32	35									
750												26	29	33	36	39	750												28	31	34	37									
800												28	31	35	38	42	800											26	30	33	36	40									
850											26	30	33	37	41	45	850											28	32	35	39	42									
900											28	31	35	39	43	47	900										26	30	34	37	41	45									
950											29	33	37	42	46	50	950										28	31	35	39	43	47									
1000											26	31	35	39	44	48	52	1000										29	33	37	41	46	50								
1050								25	28	32	37	41	46	50	55	1050										26	30	35	39	43	48	52									
1100								26	29	34	38	43	48	53	58	1100										27	32	36	41	46	50	55									
1150								25	28	30	35	40	45	50	55	60	1150								25	27	33	38	43	48	52	57									
1200								26	29	31	37	42	47	52	58	63	1200									26	29	33	38	43	48	53	57								
1250								27	30	33	38	44	49	55	60	66	1250								26	28	31	36	41	47	52	57	62								
1300						26	28	31	34	37	40	45	51	57	62	68	1300								27	30	32	37	43	48	54	59	65								
1350						27	29	32	35	38	41	47	53	59	65	71	1350								25	28	31	34	39	45	50	56	61	67							
1400						28	31	34	37	43	49	55	61	67	73	1400								26	29	32	35	41	46	52	58	64	70								
1450						25	29	32	35	38	44	51	57	63	70	76	1450								27	30	33	36	42	48	54	60	66	72							
1500						26	29	33	36	39	46	52	59	66	72	79	1500								28	31	34	37	43	50	56	62	68	75							
1550						27	30	34	37	41	47	54	61	68	74	81	1550								26	29	32	35	38	45	51	58	64	71	77						
1600						28	31	35	38	42	49	56	63	70	77	84	1600								26	30	33	36	40	46	53	60	66	73	79						
1650						25	29	32	36	40	43	50	58	65	72	79	87	1650								27	31	34	38	41	48	55	61	68	75	82					
1700						26	30	33	37	41	45	52	59	67	74	82	89	1700								28	32	35	39	42	49	56	63	70	77	84					
1750						27	31	34	38	42	46	54	61	69	76	84	92	1750								25	29	33	36	40	43	51	58	65	72	80	87				
1800						28	31	35	39	43	47	55	63	71	79	87	94	1800								26	30	34	37	41	45	52	60	67	75	82	89				
1900						29	33	37	42	46	50	58	66	75	83	91	100	1900								28	31	35	39	43	47	55	63	71	79	87	94				
2000						26	31	35	39	44	48	52	61	70	79	87	96	105	2000								29	33	37	41	46	50	58	66	75	83	91	99			
2500						27	33	38	44	49	55	60	66	76	87	98	109	120	131	2500								26	31	36	41	47	52	57	62	72	83	93	103	114	124
3000	26	33	39	46	52	59	66	72	79	92	105	118	131	144	157	3000								31	37	43	50	56	62	68	75	87	99	112	124	137	149	166	182	199	
3500	31	38	46	54	61	69	76	84	92	107	122	138	153	168	184	3500	29	36	43	51	58	65	72	80	87	101	116	130	145	159	174										
4000	35	44	52	61	70	79	87	96	105	122	140	157	175	192	210	4000	33	41	50	58	66	75	83	91	99	116	132	149	166	182	199										
5000	44	55	66	76	87	98	109	120	131	153	175	197	218	240	262	5000	41	52	62	72	83	93	103	114	124	145	166	186	207	228	248										
6000	52	66	79	92	105	118	131	144	157	184	210	236	262	288	315	6000	50	62	75	87	99	112	124	137	149	174	199	224	248	273	298										
7000	61	76	92	107	122	138	153	168	184	214	245	275	306	336	367	7000	58	72	87	101	116	130	145	159	174	203	232	261	290	319	348										
8000	70	87	105	122	140	157	175	192	210	245	280	315	350	385	8000	66	83	99	116	132	149	166	182	199	232	265	298	331	364	397											
9000	79	98	118	138	157	177	197	216	236	275	315	354	393	9000	75	93	112	130	149	168	186	205	224	261	298	335	373														
10000	87	109	131	153	175	197	218	240	262	306	350	393	10000	83	103	124	145	166	186	207	228	248	290	331	373																

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.												gb006, 1000, Narrow																		
Weight per litre		1.00												Figures in body of chart = mm of door c																		
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
625	-	-	-	-	-	-	-	-	-	-	-	-	-	27	625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	
650	-	-	-	-	-	-	-	-	-	-	-	-	26	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	
675	-	-	-	-	-	-	-	-	-	-	-	-	27	675	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	30		
700	-	-	-	-	-	-	-	-	-	-	-	-	28	700	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	31		
750	-	-	-	-	-	-	-	-	-	-	-	27	750	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34		
800	-	-	-	-	-	-	-	-	-	25	28	31	35	38	800	-	-	-	-	-	-	-	-	-	-	27	30	33	36			
850	-	-	-	-	-	-	-	-	-	27	30	33	37	40	850	-	-	-	-	-	-	-	-	-	-	25	29	32	35	38		
900	-	-	-	-	-	-	-	-	-	28	32	35	39	42	900	-	-	-	-	-	-	-	-	-	-	27	30	34	37	40		
950	-	-	-	-	-	-	-	-	-	26	30	34	37	41	950	-	-	-	-	-	-	-	-	-	-	28	32	36	39	43		
1000	-	-	-	-	-	-	-	-	-	28	31	35	39	43	1000	-	-	-	-	-	-	-	-	-	-	26	30	34	37	41	45	
1050	-	-	-	-	-	-	-	-	-	29	33	37	41	45	1050	-	-	-	-	-	-	-	-	-	-	28	31	35	39	43	47	
1100	-	-	-	-	-	-	-	-	26	30	35	39	43	48	1100	-	-	-	-	-	-	-	-	-	-	29	33	37	41	45	49	
1150	-	-	-	-	-	-	-	-	27	32	36	41	45	50	1150	-	-	-	-	-	-	-	-	-	-	26	30	34	39	43	47	52
1200	-	-	-	-	-	-	-	26	28	32	38	42	47	52	1200	-	-	-	-	-	-	-	-	-	-	27	31	36	40	45	49	54
1250	-	-	-	-	-	-	27	29	34	39	44	49	54	59	1250	-	-	-	-	-	-	-	26	28	33	37	42	47	51	56		
1300	-	-	-	-	-	26	28	31	36	41	46	51	56	61	1300	-	-	-	-	-	-	27	29	34	39	44	49	54	58			
1350	-	-	-	-	27	29	32	37	42	48	53	58	64	1350	-	-	-	-	-	-	25	28	30	35	40	46	51	56	61			
1400	-	-	-	-	28	30	33	39	44	50	55	61	66	1400	-	-	-	-	-	-	26	29	31	37	42	47	52	58	63			
1450	-	-	-	-	26	29	31	34	40	46	51	57	63	68	1450	-	-	-	-	-	27	30	33	38	43	49	54	60	65			
1500	-	-	-	-	27	29	32	35	41	47	53	59	65	71	1500	-	-	-	-	-	25	28	31	34	39	45	51	56	62	67		
1550	-	-	-	-	27	30	34	37	43	49	55	61	67	73	1550	-	-	-	-	-	26	29	32	35	41	46	52	58	64	70		
1600	-	-	-	25	28	31	35	38	44	50	57	63	69	76	1600	-	-	-	-	-	27	30	33	36	42	48	54	60	66	72		
1650	-	-	-	26	29	32	36	39	45	52	58	65	71	78	1650	-	-	-	-	-	28	31	34	37	43	49	56	62	68	74		
1700	-	-	-	27	30	33	37	40	47	53	60	67	74	80	1700	-	-	-	-	25	29	32	35	38	45	51	57	64	70	76		
1750	-	-	-	28	31	34	38	41	48	55	62	69	76	83	1750	-	-	-	-	26	29	33	36	39	46	52	59	66	72	79		
1800	-	-	-	28	32	35	39	42	50	57	64	71	78	85	1800	-	-	-	-	27	30	34	37	40	47	54	61	67	74	81		
1900	-	-	-	26	30	34	37	41	45	52	60	67	75	82	1900	-	-	-	-	28	32	36	39	43	50	57	64	71	78	85		
2000	-	-	-	28	31	35	39	43	47	55	63	71	79	87	2000	-	-	26	30	34	37	41	45	52	60	67	75	82	90			
2500	-	-	29	34	39	44	49	54	59	69	79	88	98	108	2500	-	-	28	33	37	42	47	51	56	66	75	84	94	103	112		
3000	-	29	35	41	47	53	59	65	71	83	94	106	118	130	3000	-	28	34	39	45	51	56	62	67	79	90	101	112	124	135		
3500	28	34	41	48	55	62	69	76	83	96	110	124	138	151	3500	26	33	39	46	52	59	66	72	79	92	105	118	131	144	157		
4000	31	39	47	55	63	71	79	87	94	110	126	142	157	173	4000	30	37	45	52	60	67	75	82	90	105	120	135	150	165	180		
5000	39	49	59	69	79	88	98	108	118	138	157	177	197	216	5000	37	47	56	66	75	84	94	103	112	131	150	169	187	206	225		
6000	47	59	71	83	94	106	118	130	142	165	189	212	236	260	6000	45	56	67	79	90	101	112	124	135	157	180	202	225	247	270		
7000	55	69	83	96	110	124	138	151	165	193	220	248	275	303	7000	52	66	79	92	105	118	131	144	157	184	210	236	262	288	315		
8000	63	79	94	110	126	142	157	173	189	220	252	283	315	346	8000	60	75	90	105	120	135	150	165	180	210	240	270	300	330	360		
9000	71	88	106	124	142	159	177	195	212	248	283	319	354	389	9000	67	84	101	118	135	152	169	185	202	236	270	303	337	371			
10000	79	98	118	138	157	177	197	216	236	275	315	354	393		10000	75	94	112	131	150	169	187	206	225	262	300	337	375				

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.												gb006, 1000, Narrow																						
Weight per litre		1.10												Figures in body of chart = mm of door c																						
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12					
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26					
625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26				
650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27				
675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28			
700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29			
750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31		
800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33		
850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35	
900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	36
1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	31	34	38
1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	29	32	36
1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	34	38
1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	35	39
1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33	37	41
1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30	1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	34	38
1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	31	36	40
1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	32	37
1400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	34	38
1450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	1450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	35	40
1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31	36
1550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	32	37
1600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	1600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	38
1650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	1650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	38
1700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34
1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	35
1800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	36
1900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	36
2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	38
3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	31	36
3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	37
4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	36
5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	37
6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	38
7000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	7000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	37
8000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	8000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	38
9000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	9000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	38
10000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	10000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	37

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.												gb006, 1000, Narrow																	
Weight per litre		1.20												Figures in body of chart = mm of door c																	
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
7000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
8000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
9000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
10000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High		RATE CHART KG. PER HA.												gb006, 1000, Narrow																					
Weight per litre		1.40												Figures in body of chart = mm of door c																					
Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12	Width.	2	2.5	3	3.5	4	4.5	5	5.5	6	7	8	9	10	11	12				
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25				
800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27				
850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29				
900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28			
950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30			
1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	31	34	
1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	32	35
1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	34	37
1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	32	36
1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	33	39
1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	32	35	42
1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	33	40
1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	30	34	42
1400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	31	35	43
1450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	33	37	45
1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	29	34	46
1550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	30	35	48
1600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	31	36	49
1650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	32	51
1700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	29	33	52
1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	34	53
1800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	30	35	54
1900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	32	55
2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	33	56
2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	32	56
3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	29	34	57
3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	34	57
4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	33	57
5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	32	57
6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	33	57
7000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	28	32	57
8000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	28	33	57
9000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	33	57
10000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	29	33	57

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007,..1000, Narrow. Accuracy of final settings operators responsibility on use
Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.