

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use
 ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|----|--|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Density Lb. Per Cu Ft. | | 45 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | 26 | 26 | |
| 90 | | | | | | | | | | | | 27 | 29 | 29 | 32 |
| 100 | | | | | | | | | | 26 | 28 | 30 | 33 | 33 | 35 |
| 110 | | | | | | | | | 26 | 28 | 31 | 33 | 36 | 36 | 39 |
| 120 | | | | | | | | 25 | 28 | 31 | 34 | 36 | 39 | 39 | 42 |
| 130 | | | | | | | | 27 | 30 | 33 | 36 | 39 | 43 | 43 | 46 |
| 140 | | | | | | | | 29 | 33 | 36 | 39 | 43 | 46 | 46 | 49 |
| 150 | | | | | | | 26 | 28 | 32 | 35 | 39 | 42 | 46 | 49 | 53 |
| 160 | | | | | | 26 | 30 | 34 | 37 | 41 | 45 | 49 | 52 | 52 | 56 |
| 170 | | | | | | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 56 | 60 |
| 180 | | | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 55 | 59 | 59 | 63 |
| 190 | | | | | 27 | 31 | 36 | 40 | 44 | 49 | 53 | 58 | 62 | 62 | 67 |
| 200 | | | | | 28 | 33 | 37 | 42 | 47 | 51 | 56 | 61 | 65 | 65 | 70 |
| 210 | | | | | 29 | 34 | 39 | 44 | 49 | 54 | 59 | 64 | 69 | 69 | 74 |
| 220 | | | | 26 | 31 | 36 | 41 | 46 | 51 | 57 | 62 | 67 | 72 | 72 | 77 |
| 230 | | | | 27 | 32 | 38 | 43 | 48 | 54 | 59 | 64 | 70 | 75 | 75 | 81 |
| 240 | | | | 28 | 34 | 39 | 45 | 50 | 56 | 62 | 67 | 73 | 78 | 78 | 84 |
| 250 | | | | 29 | 35 | 41 | 47 | 53 | 58 | 64 | 70 | 76 | 82 | 82 | 88 |
| 260 | | | | 30 | 36 | 43 | 49 | 55 | 61 | 67 | 73 | 79 | 85 | 85 | 91 |
| 270 | | 25 | 32 | 38 | 44 | 50 | 57 | 63 | 69 | 76 | 82 | 88 | 88 | 88 | 95 |
| 280 | | 26 | 33 | 39 | 46 | 52 | 59 | 65 | 72 | 78 | 85 | 92 | 92 | 92 | 98 |
| 290 | | 27 | 34 | 41 | 47 | 54 | 61 | 68 | 75 | 81 | 88 | 95 | 95 | 95 | 102 |
| 300 | | 28 | 35 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 91 | 98 | 98 | 105 | 105 |
| 320 | | 30 | 37 | 45 | 52 | 60 | 67 | 75 | 82 | 90 | 97 | 105 | 105 | 112 | 112 |
| 340 | | 32 | 40 | 48 | 56 | 64 | 71 | 79 | 87 | 95 | 103 | 111 | 111 | 119 | 119 |
| 360 | 25 | 34 | 42 | 50 | 59 | 67 | 76 | 84 | 92 | 101 | 109 | 118 | 118 | 126 | 126 |
| 380 | 27 | 36 | 44 | 53 | 62 | 71 | 80 | 89 | 98 | 107 | 115 | 124 | 124 | 133 | 133 |
| 400 | 28 | 37 | 47 | 56 | 65 | 75 | 84 | 93 | 103 | 112 | 121 | 131 | 131 | 140 | 140 |
| 425 | 30 | 40 | 50 | 60 | 69 | 79 | 89 | 99 | 109 | 119 | 129 | 139 | 139 | 149 | 149 |
| 450 | 32 | 42 | 53 | 63 | 74 | 84 | 95 | 105 | 116 | 126 | 137 | 147 | 147 | 158 | 158 |
| 475 | 33 | 44 | 55 | 67 | 78 | 89 | 100 | 111 | 122 | 133 | 144 | 155 | 155 | 166 | 166 |
| 500 | 35 | 47 | 58 | 70 | 82 | 93 | 105 | 117 | 128 | 140 | 152 | 163 | 163 | 175 | 175 |
| 525 | 37 | 49 | 61 | 74 | 86 | 98 | 110 | 123 | 135 | 147 | 159 | 172 | 172 | 184 | 184 |
| 550 | 39 | 51 | 64 | 77 | 90 | 103 | 116 | 128 | 141 | 154 | 167 | 180 | 180 | 193 | 193 |
| 575 | 27 | 40 | 54 | 67 | 81 | 94 | 107 | 121 | 134 | 148 | 161 | 175 | 188 | 201 | 201 |
| 600 | 28 | 42 | 56 | 70 | 84 | 98 | 112 | 126 | 140 | 154 | 168 | 182 | 196 | 196 | 210 |

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|---|--|---|----|----|----|----|----|----|----|----|----|----|----|----|
| Density Lb. Per Cu Ft. | | 50 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | 26 | 26 |
| 100 | | | | | | | | | | | | | | 29 | 32 |
| 110 | | | | | | | | | | | | | | 29 | 32 |
| 120 | | | | | | | | | | | | | | 29 | 32 |
| 130 | | | | | | | | | | | | | | 25 | 28 |
| 140 | | | | | | | | | | | | | | 27 | 30 |
| 150 | | | | | | | | | | | | | | 25 | 28 |
| 160 | | | | | | | | | | | | | | 25 | 28 |
| 170 | | | | | | | | | | | | | | 25 | 28 |
| 180 | | | | | | | | | | | | | | 25 | 28 |
| 190 | | | | | | | | | | | | | | 25 | 28 |
| 200 | | | | | | | | | | | | | | 25 | 28 |
| 210 | | | | | | | | | | | | | | 25 | 28 |
| 220 | | | | | | | | | | | | | | 25 | 28 |
| 230 | | | | | | | | | | | | | | 25 | 28 |
| 240 | | | | | | | | | | | | | | 25 | 28 |
| 250 | | | | | | | | | | | | | | 25 | 28 |
| 260 | | | | | | | | | | | | | | 25 | 28 |
| 270 | | | | | | | | | | | | | | 25 | 28 |
| 280 | | | | | | | | | | | | | | 25 | 28 |
| 290 | | | | | | | | | | | | | | 25 | 28 |
| 300 | | | | | | | | | | | | | | 25 | 28 |
| 320 | | | | | | | | | | | | | | 25 | 28 |
| 340 | | | | | | | | | | | | | | 25 | 28 |
| 360 | | | | | | | | | | | | | | 25 | 28 |
| 380 | | | | | | | | | | | | | | 25 | 28 |
| 400 | | | | | | | | | | | | | | 25 | 28 |
| 425 | | | | | | | | | | | | | | 25 | 28 |
| 450 | | | | | | | | | | | | | | 25 | 28 |
| 475 | | | | | | | | | | | | | | 25 | 28 |
| 500 | | | | | | | | | | | | | | 25 | 28 |
| 525 | | | | | | | | | | | | | | 25 | 28 |
| 550 | | | | | | | | | | | | | | 25 | 28 |
| 575 | | | | | | | | | | | | | | 25 | 28 |
| 600 | | | | | | | | | | | | | | 25 | 28 |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use
 ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | | |
|------------------------|--|--|----|----|----|----|----|----|-----|----|-----|-----|-----|-----|-----|-----|
| Density Lb. Per Cu Ft. | | 55 Figures in body of chart = mm of door opening | | | | | | | | | | | | | | |
| Width. | | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | | 26 |
| 100 | | | | | | | | | | | | | | | 27 | 29 |
| 110 | | | | | | | | | | | | 25 | 27 | 29 | 29 | 32 |
| 120 | | | | | | | | | | | 25 | 28 | 30 | 32 | 32 | 34 |
| 130 | | | | | | | | | | | 27 | 29 | 30 | 32 | 35 | 37 |
| 140 | | | | | | | | | | | 27 | 29 | 32 | 35 | 37 | 40 |
| 150 | | | | | | | | | 26 | | 29 | 32 | 34 | 37 | 40 | 43 |
| 160 | | | | | | | | | 28 | | 31 | 34 | 37 | 40 | 43 | 46 |
| 170 | | | | | | | | 26 | 29 | | 32 | 36 | 39 | 42 | 45 | 49 |
| 180 | | | | | | | | 28 | 31 | | 34 | 38 | 41 | 45 | 48 | 52 |
| 190 | | | | | | 25 | | 29 | 33 | | 36 | 40 | 44 | 47 | 51 | 54 |
| 200 | | | | | | 27 | | 31 | 34 | | 38 | 42 | 46 | 50 | 54 | 57 |
| 210 | | | | | | 28 | | 32 | 36 | | 40 | 44 | 48 | 52 | 56 | 60 |
| 220 | | | | | 25 | 29 | | 34 | 38 | | 42 | 46 | 50 | 55 | 59 | 63 |
| 230 | | | | | 26 | 31 | | 35 | 40 | | 44 | 48 | 53 | 57 | 62 | 66 |
| 240 | | | | | 28 | 32 | | 37 | 41 | | 46 | 50 | 55 | 60 | 64 | 69 |
| 250 | | | | | 29 | 33 | | 38 | 43 | | 48 | 53 | 57 | 62 | 67 | 72 |
| 260 | | | | | 30 | 35 | | 40 | 45 | | 50 | 55 | 60 | 65 | 70 | 75 |
| 270 | | | | 26 | 31 | 36 | | 41 | 46 | | 52 | 57 | 62 | 67 | 72 | 77 |
| 280 | | | | 27 | 32 | 37 | | 43 | 48 | | 54 | 59 | 64 | 70 | 75 | 80 |
| 290 | | | | 28 | 33 | 39 | | 44 | 50 | | 55 | 61 | 67 | 72 | 78 | 83 |
| 300 | | | | 29 | 34 | 40 | | 46 | 52 | | 57 | 63 | 69 | 75 | 80 | 86 |
| 320 | | | | 31 | 37 | 43 | | 49 | 55 | | 61 | 67 | 73 | 79 | 86 | 92 |
| 340 | | | 26 | 32 | 39 | 45 | | 52 | 58 | | 65 | 71 | 78 | 84 | 91 | 97 |
| 360 | | | 28 | 34 | 41 | 48 | | 55 | 62 | | 69 | 76 | 83 | 89 | 96 | 103 |
| 380 | | | 29 | 36 | 44 | 51 | | 58 | 65 | | 73 | 80 | 87 | 94 | 102 | 109 |
| 400 | | | 31 | 38 | 46 | 54 | | 61 | 69 | | 76 | 84 | 92 | 99 | 107 | 115 |
| 425 | | | 32 | 41 | 49 | 57 | | 65 | 73 | | 81 | 89 | 97 | 106 | 114 | 122 |
| 450 | | 26 | 34 | 43 | 52 | 60 | | 69 | 77 | | 86 | 95 | 103 | 112 | 120 | 129 |
| 475 | | 27 | 36 | 45 | 54 | 64 | | 73 | 82 | | 91 | 100 | 109 | 118 | 127 | 136 |
| 500 | | 29 | 38 | 48 | 57 | 67 | | 76 | 86 | | 96 | 105 | 115 | 124 | 134 | 143 |
| 525 | | 30 | 40 | 50 | 60 | 70 | | 80 | 90 | | 100 | 110 | 120 | 130 | 140 | 150 |
| 550 | | 32 | 42 | 53 | 63 | 74 | | 84 | 95 | | 105 | 116 | 126 | 137 | 147 | 158 |
| 575 | | 33 | 44 | 55 | 66 | 77 | | 88 | 99 | | 110 | 121 | 132 | 143 | 154 | 165 |
| 600 | | 34 | 46 | 57 | 69 | 80 | | 92 | 103 | | 115 | 126 | 138 | 149 | 161 | 172 |

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | | |
|------------------------|--|--|---|---|----|----|----|----|----|----|----|----|----|----|----|----|
| Density Lb. Per Cu Ft. | | 60 Figures in body of chart = mm of door opening | | | | | | | | | | | | | | |
| Width. | | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | | 26 |
| 110 | | | | | | | | | | | | | | | 25 | 27 |
| 120 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 130 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 140 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 150 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 160 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 170 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 180 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 190 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 200 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 210 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 220 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 230 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 240 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 250 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 260 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 270 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 280 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 290 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 300 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 320 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 340 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 360 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 380 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 400 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 425 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 450 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 475 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 500 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 525 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 550 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 575 | | | | | | | | | | | | | | 25 | 27 | 29 |
| 600 | | | | | | | | | | | | | | 25 | 27 | 29 |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use
 ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|----|--|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|
| Density Lb. Per Cu Ft. | | 65 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | 27 |
| 120 | | | | | | | | | | | | | 25 | 27 | 29 |
| 130 | | | | | | | | | | | 25 | 27 | 29 | 29 | 32 |
| 140 | | | | | | | | | | | 27 | 29 | 32 | 32 | 34 |
| 150 | | | | | | | | | | 27 | 29 | 32 | 34 | 34 | 36 |
| 160 | | | | | | | | | 26 | 28 | 31 | 34 | 36 | 36 | 39 |
| 170 | | | | | | | | 26 | 27 | 30 | 33 | 36 | 38 | 38 | 41 |
| 180 | | | | | | | | 29 | 29 | 32 | 35 | 38 | 41 | 41 | 44 |
| 190 | | | | | | | | 28 | 31 | 34 | 37 | 40 | 43 | 43 | 46 |
| 200 | | | | | | | 26 | 29 | 32 | 36 | 39 | 42 | 45 | 45 | 49 |
| 210 | | | | | | | 27 | 31 | 34 | 37 | 41 | 44 | 48 | 48 | 51 |
| 220 | | | | | | | 28 | 32 | 36 | 39 | 43 | 46 | 50 | 50 | 53 |
| 230 | | | | | | 26 | 30 | 33 | 37 | 41 | 45 | 48 | 52 | 52 | 56 |
| 240 | | | | | 26 | 27 | 31 | 35 | 39 | 43 | 47 | 50 | 54 | 54 | 58 |
| 250 | | | | | 28 | 32 | 36 | 40 | 44 | 49 | 53 | 57 | 57 | 57 | 61 |
| 260 | | | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 55 | 59 | 59 | 63 |
| 270 | | | | | 26 | 31 | 35 | 39 | 44 | 48 | 52 | 57 | 61 | 61 | 65 |
| 280 | | | | | 27 | 32 | 36 | 41 | 45 | 50 | 54 | 59 | 63 | 63 | 68 |
| 290 | | | | | 28 | 33 | 38 | 42 | 47 | 52 | 56 | 61 | 66 | 66 | 70 |
| 300 | | | | | 29 | 34 | 39 | 44 | 49 | 53 | 58 | 63 | 68 | 68 | 73 |
| 320 | | | 26 | 31 | 36 | 41 | 47 | 52 | 57 | 62 | 67 | 72 | 72 | 72 | 78 |
| 340 | | | 27 | 33 | 38 | 44 | 49 | 55 | 60 | 66 | 71 | 77 | 77 | 77 | 82 |
| 360 | | | 29 | 35 | 41 | 47 | 52 | 58 | 64 | 70 | 76 | 81 | 81 | 81 | 87 |
| 380 | | | 31 | 37 | 43 | 49 | 55 | 61 | 68 | 74 | 80 | 86 | 86 | 86 | 92 |
| 400 | | 26 | 32 | 39 | 45 | 52 | 58 | 65 | 71 | 78 | 84 | 91 | 91 | 91 | 97 |
| 425 | | 27 | 34 | 41 | 48 | 55 | 62 | 69 | 76 | 82 | 89 | 96 | 96 | 96 | 103 |
| 450 | | 29 | 36 | 44 | 51 | 58 | 65 | 73 | 80 | 87 | 95 | 102 | 102 | 102 | 109 |
| 475 | | 31 | 38 | 46 | 54 | 61 | 69 | 77 | 84 | 92 | 100 | 108 | 108 | 108 | 115 |
| 500 | | | 32 | 40 | 49 | 57 | 65 | 73 | 81 | 89 | 97 | 105 | 113 | 113 | 121 |
| 525 | 25 | 34 | 42 | 51 | 59 | 68 | 76 | 85 | 93 | 102 | 110 | 119 | 119 | 119 | 127 |
| 550 | 27 | 36 | 44 | 53 | 62 | 71 | 80 | 89 | 98 | 107 | 116 | 125 | 125 | 125 | 133 |
| 575 | 28 | 37 | 46 | 56 | 65 | 74 | 84 | 93 | 102 | 112 | 121 | 130 | 130 | 130 | 139 |
| 600 | 29 | 39 | 49 | 58 | 68 | 78 | 87 | 97 | 107 | 116 | 126 | 136 | 136 | 136 | 146 |

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|---|--|---|----|----|----|----|----|----|----|----|----|----|-----|-----|
| Density Lb. Per Cu Ft. | | 70 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | 25 | 25 |
| 130 | | | | | | | | | | | | | | 27 | 27 |
| 140 | | | | | | | | | | | | | | 29 | 29 |
| 150 | | | | | | | | | | | | | | 32 | 32 |
| 160 | | | | | | | | | | | | | | 34 | 34 |
| 170 | | | | | | | | | | | | | | 36 | 36 |
| 180 | | | | | | | | | | | | | | 39 | 39 |
| 190 | | | | | | | | | | | | | | 41 | 41 |
| 200 | | | | | | | | | | | | | | 44 | 44 |
| 210 | | | | | | | | | | | | | | 46 | 46 |
| 220 | | | | | | | | | | | | | | 49 | 49 |
| 230 | | | | | | | | | | | | | | 51 | 51 |
| 240 | | | | | | | | | | | | | | 53 | 53 |
| 250 | | | | | | | | | | | | | | 56 | 56 |
| 260 | | | | | | | | | | | | | | 58 | 58 |
| 270 | | | | | | | | | | | | | | 61 | 61 |
| 280 | | | | | | | | | | | | | | 63 | 63 |
| 290 | | | | | | | | | | | | | | 65 | 65 |
| 300 | | | | | | | | | | | | | | 68 | 68 |
| 320 | | | | | | | | | | | | | | 70 | 70 |
| 340 | | | | | | | | | | | | | | 73 | 73 |
| 360 | | | | | | | | | | | | | | 76 | 76 |
| 380 | | | | | | | | | | | | | | 79 | 79 |
| 400 | | | | | | | | | | | | | | 82 | 82 |
| 425 | | | | | | | | | | | | | | 85 | 85 |
| 450 | | | | | | | | | | | | | | 88 | 88 |
| 475 | | | | | | | | | | | | | | 91 | 91 |
| 500 | | | | | | | | | | | | | | 94 | 94 |
| 525 | | | | | | | | | | | | | | 97 | 97 |
| 550 | | | | | | | | | | | | | | 100 | 100 |
| 575 | | | | | | | | | | | | | | 103 | 103 |
| 600 | | | | | | | | | | | | | | 106 | 106 |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use
 ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|---|--|---|----|----|----|----|----|----|----|----|----|----|----|----|
| Density Lb. Per Cu Ft. | | 75 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | 25 |
| 130 | | | | | | | | | | | | | 26 | 26 | 27 |
| 140 | | | | | | | | | | | | 26 | 27 | 27 | 29 |
| 150 | | | | | | | | | | 25 | 25 | 27 | 29 | 29 | 32 |
| 160 | | | | | | | | | | 26 | 27 | 29 | 31 | 31 | 34 |
| 170 | | | | | | | | | | 26 | 29 | 31 | 33 | 33 | 36 |
| 180 | | | | | | | | | | 25 | 28 | 30 | 33 | 35 | 38 |
| 190 | | | | | | | | | | 27 | 29 | 32 | 35 | 37 | 40 |
| 200 | | | | | | | | | | 25 | 28 | 31 | 34 | 36 | 39 |
| 210 | | | | | | | | | | 26 | 29 | 32 | 35 | 38 | 41 |
| 220 | | | | | | | | | | 28 | 31 | 34 | 37 | 40 | 43 |
| 230 | | | | | | | | | | 26 | 29 | 32 | 35 | 39 | 42 |
| 240 | | | | | | | | | | 27 | 30 | 34 | 37 | 40 | 44 |
| 250 | | | | | | | | | | 28 | 32 | 35 | 39 | 42 | 45 |
| 260 | | | | | | | | | | 28 | 32 | 35 | 39 | 42 | 45 |
| 270 | | | | | | | | | | 26 | 29 | 33 | 36 | 40 | 44 |
| 280 | | | | | | | | | | 27 | 31 | 35 | 39 | 43 | 47 |
| 290 | | | | | | | | | | 28 | 32 | 36 | 40 | 44 | 48 |
| 300 | | | | | | | | | | 28 | 32 | 36 | 40 | 44 | 48 |
| 320 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 340 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 360 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 380 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 400 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 425 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 450 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 475 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 500 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 525 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 550 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 575 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |
| 600 | | | | | | | | | | 25 | 29 | 33 | 37 | 41 | 45 |

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|---|--|---|----|----|----|----|----|----|----|----|----|----|----|----|
| Density Lb. Per Cu Ft. | | 80 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | |
| 180 | | | | | | | | | | | | | | | |
| 190 | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | |
| 210 | | | | | | | | | | | | | | | |
| 220 | | | | | | | | | | | | | | | |
| 230 | | | | | | | | | | | | | | | |
| 240 | | | | | | | | | | | | | | | |
| 250 | | | | | | | | | | | | | | | |
| 260 | | | | | | | | | | | | | | | |
| 270 | | | | | | | | | | | | | | | |
| 280 | | | | | | | | | | | | | | | |
| 290 | | | | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | |
| 320 | | | | | | | | | | | | | | | |
| 340 | | | | | | | | | | | | | | | |
| 360 | | | | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | |
| 400 | | | | | | | | | | | | | | | |
| 425 | | | | | | | | | | | | | | | |
| 450 | | | | | | | | | | | | | | | |
| 475 | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|---|--|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| Density Lb. Per Cu Ft. | | 90 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | 26 |
| 160 | | | | | | | | | | | | | 26 | 26 | 28 |
| 170 | | | | | | | | | | | | 26 | 28 | 28 | 30 |
| 180 | | | | | | | | | | | 25 | 27 | 29 | 29 | 32 |
| 190 | | | | | | | | | | | 27 | 29 | 31 | 31 | 33 |
| 200 | | | | | | | | | | 26 | 28 | 30 | 33 | 33 | 35 |
| 210 | | | | | | | | | | 27 | 29 | 32 | 34 | 34 | 37 |
| 220 | | | | | | | | | 26 | 28 | 31 | 33 | 36 | 36 | 39 |
| 230 | | | | | | | | | 27 | 30 | 32 | 35 | 38 | 38 | 40 |
| 240 | | | | | | | | 25 | 28 | 31 | 34 | 36 | 39 | 39 | 42 |
| 250 | | | | | | | | 26 | 29 | 32 | 35 | 38 | 41 | 41 | 44 |
| 260 | | | | | | | | 27 | 30 | 33 | 36 | 39 | 43 | 43 | 46 |
| 270 | | | | | | | 25 | 28 | 32 | 35 | 38 | 41 | 44 | 44 | 47 |
| 280 | | | | | | | 26 | 29 | 33 | 36 | 39 | 43 | 46 | 46 | 49 |
| 290 | | | | | | | 27 | 30 | 34 | 37 | 41 | 44 | 47 | 47 | 51 |
| 300 | | | | | | | 28 | 32 | 35 | 39 | 42 | 46 | 49 | 49 | 53 |
| 320 | | | | | | 26 | 30 | 34 | 37 | 41 | 45 | 49 | 52 | 52 | 56 |
| 340 | | | | | | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 56 | 60 |
| 360 | | | | | 25 | 29 | 34 | 38 | 42 | 46 | 50 | 55 | 59 | 59 | 63 |
| 380 | | | | | 27 | 31 | 36 | 40 | 44 | 49 | 53 | 58 | 62 | 62 | 67 |
| 400 | | | | | 28 | 33 | 37 | 42 | 47 | 51 | 56 | 61 | 65 | 65 | 70 |
| 425 | | | | | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 69 | 69 | 74 |
| 450 | | | 26 | | 32 | 37 | 42 | 47 | 53 | 58 | 63 | 68 | 74 | 74 | 79 |
| 475 | | | 28 | | 33 | 39 | 44 | 50 | 55 | 61 | 67 | 72 | 78 | 78 | 83 |
| 500 | | | 29 | | 35 | 41 | 47 | 53 | 58 | 64 | 70 | 76 | 82 | 82 | 88 |
| 525 | | | 31 | | 37 | 43 | 49 | 55 | 61 | 67 | 74 | 80 | 86 | 86 | 92 |
| 550 | | | 26 | | 32 | 39 | 45 | 51 | 58 | 64 | 71 | 77 | 83 | 90 | 96 |
| 575 | | | 27 | | 34 | 40 | 47 | 54 | 60 | 67 | 74 | 81 | 87 | 94 | 101 |
| 600 | | | 28 | | 35 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 91 | 98 | 105 |

| Gear Box...Low. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|
| Density Lb. Per Cu Ft. | | 100 Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | | | |
| 140 | | | | | | | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | |
| 180 | | | | | | | | | | | | | | 25 | 27 |
| 190 | | | | | | | | | | | | | | 26 | 28 |
| 200 | | | | | | | | | | | | | | 25 | 29 |
| 210 | | | | | | | | | | | | | | 26 | 30 |
| 220 | | | | | | | | | | | | | | 27 | 31 |
| 230 | | | | | | | | | | | | | | 28 | 32 |
| 240 | | | | | | | | | | | | | | 29 | 33 |
| 250 | | | | | | | | | | | | | | 30 | 34 |
| 260 | | | | | | | | | | | | | | 31 | 35 |
| 270 | | | | | | | | | | | | | | 32 | 36 |
| 280 | | | | | | | | | | | | | | 33 | 37 |
| 290 | | | | | | | | | | | | | | 34 | 38 |
| 300 | | | | | | | | | | | | | | 35 | 39 |
| 320 | | | | | | | | | | | | | | 36 | 40 |
| 340 | | | | | | | | | | | | | | 37 | 41 |
| 360 | | | | | | | | | | | | | | 38 | 42 |
| 380 | | | | | | | | | | | | | | 39 | 43 |
| 400 | | | | | | | | | | | | | | 40 | 44 |
| 425 | | | | | | | | | | | | | | 41 | 45 |
| 450 | | | | | | | | | | | | | | 42 | 46 |
| 475 | | | | | | | | | | | | | | 43 | 47 |
| 500 | | | | | | | | | | | | | | 44 | 48 |
| 525 | | | | | | | | | | | | | | 45 | 49 |
| 550 | | | | | | | | | | | | | | 46 | 50 |
| 575 | | | | | | | | | | | | | | 47 | 51 |
| 600 | | | | | | | | | | | | | | 48 | 52 |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use
 ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Med. Gear | | | | | | | | | | | | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 |
|------------------------|---|---|---|----|----|----|----|----|----|----|----|----|-------------------------|----|----|------|--|--|--|--|--|--|--|--|--|---|
| Density Lb. Per Cu Ft. | | | | | | | | | | | | | 45 | | | | | | | | | | | | | Figures in body of chart = mm of door opening |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | Rate | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | | 27 | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | | | 30 | | | | | | | | | | |
| 250 | | | | | | | | | | | | | | | | 32 | | | | | | | | | | |
| 275 | | | | | | | | | | | | | | | | 35 | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | | 37 | | | | | | | | | | |
| 325 | | | | | | | | | | | | | | | | 37 | | | | | | | | | | |
| 350 | | | | | | | | | | | | | | | | 39 | | | | | | | | | | |
| 375 | | | | | | | | | | | | | | | | 39 | | | | | | | | | | |
| 400 | | | | | | | | | | | | | | | | 42 | | | | | | | | | | |
| 425 | | | | | | | | | | | | | | | | 44 | | | | | | | | | | |
| 450 | | | | | | | | | | | | | | | | 47 | | | | | | | | | | |
| 475 | | | | | | | | | | | | | | | | 51 | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | 56 | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | 61 | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | 65 | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | | 70 | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | 75 | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | | 79 | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | 84 | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | | 89 | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | 93 | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | | 98 | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | | 103 | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | | 107 | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | | | 112 | | | | | | | | | | |
| 950 | | | | | | | | | | | | | | | | 117 | | | | | | | | | | |
| 1000 | | | | | | | | | | | | | | | | 121 | | | | | | | | | | |
| 1050 | | | | | | | | | | | | | | | | 126 | | | | | | | | | | |
| 1100 | | | | | | | | | | | | | | | | 131 | | | | | | | | | | |
| 1150 | | | | | | | | | | | | | | | | 140 | | | | | | | | | | |
| 1200 | | | | | | | | | | | | | | | | 149 | | | | | | | | | | |
| 1250 | | | | | | | | | | | | | | | | 159 | | | | | | | | | | |
| 1300 | | | | | | | | | | | | | | | | 168 | | | | | | | | | | |
| 1350 | | | | | | | | | | | | | | | | 177 | | | | | | | | | | |
| 1400 | | | | | | | | | | | | | | | | 187 | | | | | | | | | | |
| 1450 | | | | | | | | | | | | | | | | 196 | | | | | | | | | | |
| 1500 | | | | | | | | | | | | | | | | 205 | | | | | | | | | | |
| 1550 | | | | | | | | | | | | | | | | 215 | | | | | | | | | | |
| 1600 | | | | | | | | | | | | | | | | 224 | | | | | | | | | | |
| 1650 | | | | | | | | | | | | | | | | 233 | | | | | | | | | | |
| 1700 | | | | | | | | | | | | | | | | 243 | | | | | | | | | | |
| 1800 | | | | | | | | | | | | | | | | 252 | | | | | | | | | | |

| Gear Box...Med. Gear | | | | | | | | | | | | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 |
|------------------------|---|---|---|----|----|----|----|----|----|----|----|----|-------------------------|----|----|------|--|--|--|--|--|--|--|--|--|---|
| Density Lb. Per Cu Ft. | | | | | | | | | | | | | 50 | | | | | | | | | | | | | Figures in body of chart = mm of door opening |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | Rate | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | | 27 | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | | | 29 | | | | | | | | | | |
| 250 | | | | | | | | | | | | | | | | 31 | | | | | | | | | | |
| 275 | | | | | | | | | | | | | | | | 34 | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | | 36 | | | | | | | | | | |
| 325 | | | | | | | | | | | | | | | | 39 | | | | | | | | | | |
| 350 | | | | | | | | | | | | | | | | 42 | | | | | | | | | | |
| 375 | | | | | | | | | | | | | | | | 44 | | | | | | | | | | |
| 400 | | | | | | | | | | | | | | | | 47 | | | | | | | | | | |
| 425 | | | | | | | | | | | | | | | | 51 | | | | | | | | | | |
| 450 | | | | | | | | | | | | | | | | 56 | | | | | | | | | | |
| 475 | | | | | | | | | | | | | | | | 61 | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | 65 | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | 70 | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | 75 | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | | 79 | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | 84 | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | | 89 | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | 93 | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | | 98 | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | 103 | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | | 107 | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | | 112 | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | | 117 | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | | | 121 | | | | | | | | | | |
| 950 | | | | | | | | | | | | | | | | 126 | | | | | | | | | | |
| 1000 | | | | | | | | | | | | | | | | 131 | | | | | | | | | | |
| 1050 | | | | | | | | | | | | | | | | 136 | | | | | | | | | | |
| 1100 | | | | | | | | | | | | | | | | 143 | | | | | | | | | | |
| 1150 | | | | | | | | | | | | | | | | 151 | | | | | | | | | | |
| 1200 | | | | | | | | | | | | | | | | 159 | | | | | | | | | | |
| 1250 | | | | | | | | | | | | | | | | 168 | | | | | | | | | | |
| 1300 | | | | | | | | | | | | | | | | 177 | | | | | | | | | | |
| 1350 | | | | | | | | | | | | | | | | 187 | | | | | | | | | | |
| 1400 | | | | | | | | | | | | | | | | 196 | | | | | | | | | | |
| 1450 | | | | | | | | | | | | | | | | 205 | | | | | | | | | | |
| 1500 | | | | | | | | | | | | | | | | 215 | | | | | | | | | | |
| 1550 | | | | | | | | | | | | | | | | 224 | | | | | | | | | | |
| 1600 | | | | | | | | | | | | | | | | 233 | | | | | | | | | | |
| 1650 | | | | | | | | | | | | | | | | 243 | | | | | | | | | | |
| 1700 | | | | | | | | | | | | | | | | 252 | | | | | | | | | | |
| 1800 | | | | | | | | | | | | | | | | 261 | | | | | | | | | | |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Med. Gear | | | | | | | | | | | | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 |
|------------------------|---|---|---|----|----|----|----|----|----|----|----|----|-------------------------|----|----|------|--|--|--|--|--|--|--|--|--|---|
| Density Lb. Per Cu Ft. | | | | | | | | | | | | | 55 | | | | | | | | | | | | | Figures in body of chart = mm of door opening |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | Rate | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | | 26 | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | | | 29 | | | | | | | | | | |
| 250 | | | | | | | | | | | | | | | | 31 | | | | | | | | | | |
| 275 | | | | | | | | | | | | | | | | 31 | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | | 34 | | | | | | | | | | |
| 325 | | | | | | | | | | | | | | | | 36 | | | | | | | | | | |
| 350 | | | | | | | | | | | | | | | | 38 | | | | | | | | | | |
| 375 | | | | | | | | | | | | | | | | 42 | | | | | | | | | | |
| 400 | | | | | | | | | | | | | | | | 46 | | | | | | | | | | |
| 425 | | | | | | | | | | | | | | | | 50 | | | | | | | | | | |
| 450 | | | | | | | | | | | | | | | | 53 | | | | | | | | | | |
| 475 | | | | | | | | | | | | | | | | 57 | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | 61 | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | 65 | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | 69 | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | | 73 | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | 76 | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | | 80 | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | 84 | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | | 88 | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | 92 | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | | 95 | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | | 99 | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | | 103 | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | | | 107 | | | | | | | | | | |
| 950 | | | | | | | | | | | | | | | | 111 | | | | | | | | | | |
| 1000 | | | | | | | | | | | | | | | | 115 | | | | | | | | | | |
| 1050 | | | | | | | | | | | | | | | | 122 | | | | | | | | | | |
| 1100 | | | | | | | | | | | | | | | | 130 | | | | | | | | | | |
| 1150 | | | | | | | | | | | | | | | | 138 | | | | | | | | | | |
| 1200 | | | | | | | | | | | | | | | | 145 | | | | | | | | | | |
| 1250 | | | | | | | | | | | | | | | | 153 | | | | | | | | | | |
| 1300 | | | | | | | | | | | | | | | | 160 | | | | | | | | | | |
| 1350 | | | | | | | | | | | | | | | | 168 | | | | | | | | | | |
| 1400 | | | | | | | | | | | | | | | | 176 | | | | | | | | | | |
| 1450 | | | | | | | | | | | | | | | | 183 | | | | | | | | | | |
| 1500 | | | | | | | | | | | | | | | | 191 | | | | | | | | | | |
| 1550 | | | | | | | | | | | | | | | | 199 | | | | | | | | | | |
| 1600 | | | | | | | | | | | | | | | | 206 | | | | | | | | | | |
| 1650 | | | | | | | | | | | | | | | | 214 | | | | | | | | | | |
| 1700 | | | | | | | | | | | | | | | | 222 | | | | | | | | | | |
| 1800 | | | | | | | | | | | | | | | | 229 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 237 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 244 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 252 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 260 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 275 | | | | | | | | | | |

| Gear Box...Med. Gear | | | | | | | | | | | | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 |
|------------------------|---|---|---|----|----|----|----|----|----|----|----|----|-------------------------|----|----|------|--|--|--|--|--|--|--|--|--|---|
| Density Lb. Per Cu Ft. | | | | | | | | | | | | | 60 | | | | | | | | | | | | | Figures in body of chart = mm of door opening |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | Rate | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | | 26 | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | | | 28 | | | | | | | | | | |
| 250 | | | | | | | | | | | | | | | | 28 | | | | | | | | | | |
| 275 | | | | | | | | | | | | | | | | 27 | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | | 26 | | | | | | | | | | |
| 325 | | | | | | | | | | | | | | | | 25 | | | | | | | | | | |
| 350 | | | | | | | | | | | | | | | | 24 | | | | | | | | | | |
| 375 | | | | | | | | | | | | | | | | 23 | | | | | | | | | | |
| 400 | | | | | | | | | | | | | | | | 22 | | | | | | | | | | |
| 425 | | | | | | | | | | | | | | | | 21 | | | | | | | | | | |
| 450 | | | | | | | | | | | | | | | | 20 | | | | | | | | | | |
| 475 | | | | | | | | | | | | | | | | 19 | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | 18 | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | 17 | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | 16 | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | | 15 | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | 14 | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | | 13 | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | 12 | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | | 11 | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | 10 | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | | 9 | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | | 8 | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | | 7 | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | | | 6 | | | | | | | | | | |
| 950 | | | | | | | | | | | | | | | | 5 | | | | | | | | | | |
| 1000 | | | | | | | | | | | | | | | | 4 | | | | | | | | | | |
| 1050 | | | | | | | | | | | | | | | | 3 | | | | | | | | | | |
| 1100 | | | | | | | | | | | | | | | | 2 | | | | | | | | | | |
| 1150 | | | | | | | | | | | | | | | | 1 | | | | | | | | | | |
| 1200 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1250 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1300 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1350 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1400 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1450 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1500 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1550 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1600 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1650 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1700 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |
| 1800 | | | | | | | | | | | | | | | | 0 | | | | | | | | | | |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Med. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | | |
|------------------------|----|---|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|
| Density Lb. Per Cu Ft. | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | | |
| 65 | | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | 26 | 26 |
| 225 | | | | | | | | | | | | | | | 27 | 29 |
| 250 | | | | | | | | | | | | | 25 | 27 | 30 | 32 |
| 275 | | | | | | | | | | | | 26 | 28 | 31 | 33 | 36 |
| 300 | | | | | | | | | | 26 | 28 | 31 | 34 | 36 | 36 | 39 |
| 325 | | | | | | | | | 25 | 28 | 31 | 34 | 36 | 39 | 39 | 42 |
| 350 | | | | | | | | | 27 | 30 | 33 | 36 | 39 | 42 | 42 | 45 |
| 375 | | | | | | | | 26 | 29 | 32 | 36 | 39 | 42 | 45 | 45 | 48 |
| 400 | | | | | | | | 28 | 31 | 34 | 38 | 41 | 45 | 48 | 48 | 52 |
| 425 | | | | | | 26 | 29 | 33 | 37 | 40 | 44 | 48 | 51 | 51 | 55 | |
| 450 | | | | | | 27 | 31 | 35 | 39 | 43 | 47 | 50 | 54 | 54 | 58 | |
| 475 | | | | | | 29 | 33 | 37 | 41 | 45 | 49 | 53 | 57 | 57 | 61 | |
| 500 | | | | | 26 | 30 | 34 | 39 | 43 | 47 | 52 | 56 | 60 | 60 | 65 | |
| 525 | | | | | 27 | 32 | 36 | 41 | 45 | 50 | 54 | 59 | 63 | 63 | 68 | |
| 550 | | | | | 28 | 33 | 38 | 43 | 47 | 52 | 57 | 62 | 66 | 66 | 71 | |
| 575 | | | | | 30 | 35 | 40 | 45 | 50 | 55 | 59 | 64 | 69 | 69 | 74 | |
| 600 | | | | 26 | 31 | 36 | 41 | 47 | 52 | 57 | 62 | 67 | 72 | 72 | 78 | |
| 625 | | | | 27 | 32 | 38 | 43 | 48 | 54 | 59 | 65 | 70 | 75 | 75 | 81 | |
| 650 | | | | 28 | 34 | 39 | 45 | 50 | 56 | 62 | 67 | 73 | 78 | 78 | 84 | |
| 675 | | | | 29 | 35 | 41 | 47 | 52 | 58 | 64 | 70 | 76 | 81 | 81 | 87 | |
| 700 | | | | 30 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | 78 | 84 | 84 | 91 | |
| 750 | | | 26 | 32 | 39 | 45 | 52 | 58 | 65 | 71 | 78 | 84 | 91 | 91 | 97 | |
| 800 | | | 28 | 34 | 41 | 48 | 55 | 62 | 69 | 76 | 83 | 90 | 97 | 97 | 103 | |
| 850 | | | 29 | 37 | 44 | 51 | 59 | 66 | 73 | 81 | 88 | 95 | 103 | 103 | 110 | |
| 900 | | | 31 | 39 | 47 | 54 | 62 | 70 | 78 | 85 | 93 | 101 | 109 | 109 | 116 | |
| 950 | | | 33 | 41 | 49 | 57 | 66 | 74 | 82 | 90 | 98 | 106 | 115 | 115 | 123 | |
| 1000 | | 26 | 34 | 43 | 52 | 60 | 69 | 78 | 86 | 95 | 103 | 112 | 121 | 121 | 129 | |
| 1050 | | 27 | 36 | 45 | 54 | 63 | 72 | 81 | 91 | 100 | 109 | 118 | 127 | 127 | 136 | |
| 1100 | | 28 | 38 | 47 | 57 | 66 | 76 | 85 | 95 | 104 | 114 | 123 | 133 | 133 | 142 | |
| 1150 | | 30 | 40 | 50 | 59 | 69 | 79 | 89 | 99 | 109 | 119 | 129 | 139 | 139 | 149 | |
| 1200 | | 31 | 41 | 52 | 62 | 72 | 83 | 93 | 103 | 114 | 124 | 134 | 145 | 145 | 155 | |
| 1250 | | 32 | 43 | 54 | 65 | 75 | 86 | 97 | 108 | 119 | 129 | 140 | 151 | 151 | 162 | |
| 1300 | | 34 | 45 | 56 | 67 | 78 | 90 | 101 | 112 | 123 | 134 | 146 | 157 | 157 | 168 | |
| 1350 | | 35 | 47 | 58 | 70 | 81 | 93 | 105 | 116 | 128 | 140 | 151 | 163 | 163 | 175 | |
| 1400 | | 36 | 48 | 60 | 72 | 84 | 97 | 109 | 121 | 133 | 145 | 157 | 169 | 169 | 181 | |
| 1450 | | 37 | 50 | 62 | 75 | 87 | 100 | 112 | 125 | 137 | 150 | 162 | 175 | 175 | 187 | |
| 1500 | 26 | 39 | 52 | 65 | 78 | 91 | 103 | 116 | 129 | 142 | 155 | 168 | 181 | 181 | 194 | |
| 1550 | 27 | 40 | 53 | 67 | 80 | 94 | 107 | 120 | 134 | 147 | 160 | 174 | 187 | 187 | 200 | |
| 1600 | 28 | 41 | 55 | 69 | 83 | 97 | 110 | 124 | 138 | 152 | 165 | 179 | 193 | 193 | 207 | |
| 1650 | 28 | 43 | 57 | 71 | 85 | 100 | 114 | 128 | 142 | 156 | 171 | 185 | 199 | 199 | 213 | |
| 1700 | 29 | 44 | 59 | 73 | 88 | 103 | 117 | 132 | 147 | 161 | 176 | 190 | 205 | 205 | 220 | |
| 1800 | 31 | 47 | 62 | 78 | 93 | 109 | 124 | 140 | 155 | 171 | 186 | 202 | 217 | 217 | 233 | |

| Gear Box...Med. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | | |
|------------------------|--|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|
| Density Lb. Per Cu Ft. | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | | |
| 70 | | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | | 25 | 27 |
| 250 | | | | | | | | | | | | | | | 26 | 28 |
| 275 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 300 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 325 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 350 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 375 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 400 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 425 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 450 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 475 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 500 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 525 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 550 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 575 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 600 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 625 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 650 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 675 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 700 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 750 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 800 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 850 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 900 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 950 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1000 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1050 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1100 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1150 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1200 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1250 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1300 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1350 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1400 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1450 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1500 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1550 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1600 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1650 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1700 | | | | | | | | | | | | | | 26 | 29 | 31 |
| 1800 | | | | | | | | | | | | | | 26 | 29 | 31 |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use
 ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Med. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|----|---|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Density Lb. Per Cu Ft. | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | 25 |
| 225 | | | | | | | | | | | | | | | 28 |
| 250 | | | | | | | | | | | | | 26 | 26 | 28 |
| 275 | | | | | | | | | | | | 27 | 29 | 29 | 31 |
| 300 | | | | | | | | | | | 27 | 29 | 31 | 31 | 34 |
| 325 | | | | | | | | | | 27 | 29 | 32 | 34 | 34 | 36 |
| 350 | | | | | | | | | 26 | 29 | 31 | 34 | 37 | 37 | 39 |
| 375 | | | | | | | | 25 | 28 | 31 | 34 | 36 | 39 | 39 | 42 |
| 400 | | | | | | | | 27 | 30 | 33 | 36 | 39 | 42 | 42 | 45 |
| 425 | | | | | | | 25 | 29 | 32 | 35 | 38 | 41 | 44 | 44 | 48 |
| 450 | | | | | | | 27 | 30 | 34 | 37 | 40 | 44 | 47 | 47 | 50 |
| 475 | | | | | | | 28 | 32 | 35 | 39 | 43 | 46 | 50 | 50 | 53 |
| 500 | | | | | | 26 | 30 | 34 | 37 | 41 | 45 | 49 | 52 | 52 | 56 |
| 525 | | | | | | 27 | 31 | 35 | 39 | 43 | 47 | 51 | 55 | 55 | 59 |
| 550 | | | | | | 29 | 33 | 37 | 41 | 45 | 49 | 53 | 58 | 58 | 62 |
| 575 | | | | | 26 | 30 | 34 | 39 | 43 | 47 | 52 | 56 | 60 | 60 | 64 |
| 600 | | | | | 27 | 31 | 36 | 40 | 45 | 49 | 54 | 58 | 63 | 63 | 67 |
| 625 | | | | | 28 | 33 | 37 | 42 | 47 | 51 | 56 | 61 | 65 | 65 | 70 |
| 650 | | | | | 29 | 34 | 39 | 44 | 49 | 53 | 58 | 63 | 68 | 68 | 73 |
| 675 | | | | | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 61 | 66 | 71 | 76 |
| 700 | | | | | 26 | 31 | 37 | 42 | 47 | 52 | 58 | 63 | 68 | 73 | 78 |
| 750 | | | | | 28 | 34 | 39 | 45 | 50 | 56 | 62 | 67 | 73 | 78 | 84 |
| 800 | | | | | 30 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | 78 | 84 | 90 |
| 850 | | | 25 | | 32 | 38 | 44 | 51 | 57 | 63 | 70 | 76 | 83 | 89 | 95 |
| 900 | | | 27 | | 34 | 40 | 47 | 54 | 61 | 67 | 74 | 81 | 87 | 94 | 101 |
| 950 | | | 28 | | 35 | 43 | 50 | 57 | 64 | 71 | 78 | 85 | 92 | 99 | 106 |
| 1000 | | | 30 | | 37 | 45 | 52 | 60 | 67 | 75 | 82 | 90 | 97 | 105 | 112 |
| 1050 | | | 31 | | 39 | 47 | 55 | 63 | 71 | 78 | 86 | 94 | 102 | 110 | 118 |
| 1100 | | | 33 | | 41 | 49 | 58 | 66 | 74 | 82 | 90 | 99 | 107 | 115 | 123 |
| 1150 | | | 26 | 34 | 43 | 52 | 60 | 69 | 77 | 86 | 94 | 103 | 112 | 120 | 129 |
| 1200 | | | 27 | 36 | 45 | 54 | 63 | 72 | 81 | 90 | 99 | 108 | 117 | 125 | 134 |
| 1250 | | | 28 | 37 | 47 | 56 | 65 | 75 | 84 | 93 | 103 | 112 | 121 | 131 | 140 |
| 1300 | | | 29 | 39 | 49 | 58 | 68 | 78 | 87 | 97 | 107 | 117 | 126 | 136 | 146 |
| 1350 | | | 30 | 40 | 50 | 61 | 71 | 81 | 91 | 101 | 111 | 121 | 131 | 141 | 151 |
| 1400 | | | 31 | 42 | 52 | 63 | 73 | 84 | 94 | 105 | 115 | 125 | 136 | 146 | 157 |
| 1450 | | | 32 | 43 | 54 | 65 | 76 | 87 | 97 | 108 | 119 | 130 | 141 | 152 | 162 |
| 1500 | | | 34 | 45 | 56 | 67 | 78 | 90 | 101 | 112 | 123 | 134 | 146 | 157 | 168 |
| 1550 | | | 35 | 46 | 58 | 69 | 81 | 93 | 104 | 116 | 127 | 139 | 151 | 162 | 174 |
| 1600 | | | 36 | 48 | 60 | 72 | 84 | 96 | 108 | 120 | 131 | 143 | 155 | 167 | 179 |
| 1650 | | | 37 | 49 | 62 | 74 | 86 | 99 | 111 | 123 | 136 | 148 | 160 | 173 | 185 |
| 1700 | 25 | | 38 | 51 | 63 | 76 | 89 | 102 | 114 | 127 | 140 | 152 | 165 | 178 | 190 |
| 1800 | 27 | 40 | 54 | 67 | 81 | 94 | 108 | 121 | 134 | 148 | 161 | 175 | 188 | 188 | 202 |

| Gear Box...Med. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|----|---|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Density Lb. Per Cu Ft. | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | | |
| 250 | | | | | | | | | | | | | | | 26 |
| 275 | | | | | | | | | | | | | | 25 | 27 |
| 300 | | | | | | | | | | | | | | 27 | 29 |
| 325 | | | | | | | | | | | | | | 29 | 32 |
| 350 | | | | | | | | | | | | | | 30 | 34 |
| 375 | | | | | | | | | | | | | | 32 | 37 |
| 400 | | | | | | | | | | | | | | 33 | 39 |
| 425 | | | | | | | | | | | | | | 35 | 42 |
| 450 | | | | | | | | | | | | | | 37 | 45 |
| 475 | | | | | | | | | | | | | | 39 | 48 |
| 500 | | | | | | | | | | | | | | 41 | 50 |
| 525 | | | | | | | | | | | | | | 43 | 53 |
| 550 | | | | | | | | | | | | | | 45 | 56 |
| 575 | | | | | | | | | | | | | | 47 | 59 |
| 600 | | | | | | | | | | | | | | 49 | 62 |
| 625 | | | | | | | | | | | | | | 51 | 65 |
| 650 | | | | | | | | | | | | | | 53 | 68 |
| 675 | | | | | | | | | | | | | | 55 | 71 |
| 700 | | | | | | | | | | | | | | 57 | 74 |
| 750 | | | | | | | | | | | | | | 59 | 79 |
| 800 | | | | | | | | | | | | | | 61 | 84 |
| 850 | | | | | | | | | | | | | | 63 | 89 |
| 900 | | | | | | | | | | | | | | 65 | 95 |
| 950 | | | | | | | | | | | | | | 67 | 100 |
| 1000 | | | | | | | | | | | | | | 69 | 105 |
| 1050 | | | | | | | | | | | | | | 71 | 110 |
| 1100 | | | | | | | | | | | | | | 73 | 116 |
| 1150 | | | | | | | | | | | | | | 75 | 121 |
| 1200 | | | | | | | | | | | | | | 77 | 126 |
| 1250 | | | | | | | | | | | | | | 79 | 131 |
| 1300 | | | | | | | | | | | | | | 81 | 137 |
| 1350 | | | | | | | | | | | | | | 83 | 142 |
| 1400 | | | | | | | | | | | | | | 85 | 147 |
| 1450 | | | | | | | | | | | | | | 87 | 152 |
| 1500 | | | | | | | | | | | | | | 89 | 158 |
| 1550 | | | | | | | | | | | | | | 91 | 163 |
| 1600 | | | | | | | | | | | | | | 93 | 168 |
| 1650 | | | | | | | | | | | | | | 95 | 173 |
| 1700 | | | | | | | | | | | | | | 97 | 179 |
| 1800 | 25 | 38 | 50 | 63 | 76 | 88 | 101 | 113 | 126 | 139 | 151 | 164 | 176 | 176 | 189 |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...Med. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|---|---|---|----|----|----|----|----|----|----|----|----|----|----|-----|
| Density Lb. Per Cu Ft. | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | 26 |
| 225 | | | | | | | | | | | | | | | 28 |
| 250 | | | | | | | | | | | | | | | 30 |
| 275 | | | | | | | | | | | | | | | 33 |
| 300 | | | | | | | | | | | | | | | 35 |
| 325 | | | | | | | | | | | | | | | 37 |
| 350 | | | | | | | | | | | | | | | 40 |
| 375 | | | | | | | | | | | | | | | 42 |
| 400 | | | | | | | | | | | | | | | 44 |
| 425 | | | | | | | | | | | | | | | 47 |
| 450 | | | | | | | | | | | | | | | 49 |
| 475 | | | | | | | | | | | | | | | 51 |
| 500 | | | | | | | | | | | | | | | 54 |
| 525 | | | | | | | | | | | | | | | 56 |
| 550 | | | | | | | | | | | | | | | 58 |
| 575 | | | | | | | | | | | | | | | 61 |
| 600 | | | | | | | | | | | | | | | 63 |
| 625 | | | | | | | | | | | | | | | 65 |
| 650 | | | | | | | | | | | | | | | 68 |
| 675 | | | | | | | | | | | | | | | 70 |
| 700 | | | | | | | | | | | | | | | 72 |
| 750 | | | | | | | | | | | | | | | 75 |
| 800 | | | | | | | | | | | | | | | 77 |
| 850 | | | | | | | | | | | | | | | 79 |
| 900 | | | | | | | | | | | | | | | 81 |
| 950 | | | | | | | | | | | | | | | 83 |
| 1000 | | | | | | | | | | | | | | | 85 |
| 1050 | | | | | | | | | | | | | | | 87 |
| 1100 | | | | | | | | | | | | | | | 89 |
| 1150 | | | | | | | | | | | | | | | 91 |
| 1200 | | | | | | | | | | | | | | | 93 |
| 1250 | | | | | | | | | | | | | | | 95 |
| 1300 | | | | | | | | | | | | | | | 97 |
| 1350 | | | | | | | | | | | | | | | 99 |
| 1400 | | | | | | | | | | | | | | | 101 |
| 1450 | | | | | | | | | | | | | | | 103 |
| 1500 | | | | | | | | | | | | | | | 105 |
| 1550 | | | | | | | | | | | | | | | 107 |
| 1600 | | | | | | | | | | | | | | | 109 |
| 1650 | | | | | | | | | | | | | | | 111 |
| 1700 | | | | | | | | | | | | | | | 113 |
| 1800 | | | | | | | | | | | | | | | 115 |

| Gear Box...Med. Gear | | RATE CHART LB. PER ACRE gb004 | | | | | | | | | | | | | |
|------------------------|---|---|---|----|----|----|----|----|----|----|----|----|----|----|-----|
| Density Lb. Per Cu Ft. | | Figures in body of chart = mm of door opening | | | | | | | | | | | | | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | 25 |
| 225 | | | | | | | | | | | | | | | 27 |
| 250 | | | | | | | | | | | | | | | 29 |
| 275 | | | | | | | | | | | | | | | 31 |
| 300 | | | | | | | | | | | | | | | 33 |
| 325 | | | | | | | | | | | | | | | 35 |
| 350 | | | | | | | | | | | | | | | 37 |
| 375 | | | | | | | | | | | | | | | 39 |
| 400 | | | | | | | | | | | | | | | 41 |
| 425 | | | | | | | | | | | | | | | 43 |
| 450 | | | | | | | | | | | | | | | 45 |
| 475 | | | | | | | | | | | | | | | 47 |
| 500 | | | | | | | | | | | | | | | 49 |
| 525 | | | | | | | | | | | | | | | 51 |
| 550 | | | | | | | | | | | | | | | 53 |
| 575 | | | | | | | | | | | | | | | 55 |
| 600 | | | | | | | | | | | | | | | 57 |
| 625 | | | | | | | | | | | | | | | 59 |
| 650 | | | | | | | | | | | | | | | 61 |
| 675 | | | | | | | | | | | | | | | 63 |
| 700 | | | | | | | | | | | | | | | 65 |
| 750 | | | | | | | | | | | | | | | 67 |
| 800 | | | | | | | | | | | | | | | 69 |
| 850 | | | | | | | | | | | | | | | 71 |
| 900 | | | | | | | | | | | | | | | 73 |
| 950 | | | | | | | | | | | | | | | 75 |
| 1000 | | | | | | | | | | | | | | | 77 |
| 1050 | | | | | | | | | | | | | | | 79 |
| 1100 | | | | | | | | | | | | | | | 81 |
| 1150 | | | | | | | | | | | | | | | 83 |
| 1200 | | | | | | | | | | | | | | | 85 |
| 1250 | | | | | | | | | | | | | | | 87 |
| 1300 | | | | | | | | | | | | | | | 89 |
| 1350 | | | | | | | | | | | | | | | 91 |
| 1400 | | | | | | | | | | | | | | | 93 |
| 1450 | | | | | | | | | | | | | | | 95 |
| 1500 | | | | | | | | | | | | | | | 97 |
| 1550 | | | | | | | | | | | | | | | 99 |
| 1600 | | | | | | | | | | | | | | | 101 |
| 1650 | | | | | | | | | | | | | | | 103 |
| 1700 | | | | | | | | | | | | | | | 105 |
| 1800 | | | | | | | | | | | | | | | 107 |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...High. Gear | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 | |
|------------------------|--|-------------------------|----|---|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|-----|
| Density Lb. Per Cu Ft. | | 45 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | |
| Width. | | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | 26 | 28 |
| 525 | | | | | | | | | | | | | | 26 | 27 | 29 |
| 550 | | | | | | | | | | | | | | 27 | 29 | 31 |
| 575 | | | | | | | | | | | | | 26 | 28 | 30 | 32 |
| 600 | | | | | | | | | | | | 25 | 27 | 29 | 31 | 33 |
| 625 | | | | | | | | | | | | 26 | 28 | 31 | 33 | 35 |
| 650 | | | | | | | | | | | | 27 | 29 | 32 | 34 | 36 |
| 675 | | | | | | | | | | | 26 | 28 | 31 | 33 | 35 | 38 |
| 700 | | | | | | | | | | | 27 | 29 | 32 | 34 | 37 | 39 |
| 750 | | | | | | | | | | 26 | 29 | 31 | 34 | 37 | 39 | 42 |
| 800 | | | | | | | | | 25 | 28 | 31 | 33 | 36 | 39 | 42 | 45 |
| 850 | | | | | | | | | 27 | 30 | 33 | 36 | 39 | 42 | 44 | 47 |
| 900 | | | | | | | | 25 | 28 | 31 | 35 | 38 | 41 | 44 | 47 | 50 |
| 950 | | | | | | | | 27 | 30 | 33 | 36 | 40 | 43 | 46 | 50 | 53 |
| 1000 | | | | | | | | 28 | 31 | 35 | 38 | 42 | 45 | 49 | 52 | 56 |
| 1050 | | | | | | | | 26 | 29 | 33 | 37 | 40 | 44 | 48 | 51 | 55 |
| 1100 | | | | | | | | 27 | 31 | 35 | 38 | 42 | 46 | 50 | 54 | 58 |
| 1150 | | | | | | | | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 |
| 1200 | | | | | | | | 25 | 29 | 33 | 38 | 42 | 46 | 50 | 54 | 59 |
| 1250 | | | | | | | | 26 | 31 | 35 | 39 | 44 | 48 | 52 | 57 | 61 |
| 1300 | | | | | | | | 27 | 32 | 36 | 41 | 45 | 50 | 54 | 59 | 63 |
| 1350 | | | | | | | | 28 | 33 | 38 | 42 | 47 | 52 | 57 | 61 | 66 |
| 1400 | | | | | | | | 29 | 34 | 39 | 44 | 49 | 54 | 59 | 63 | 68 |
| 1450 | | | | | | | | 25 | 30 | 35 | 40 | 46 | 51 | 56 | 61 | 66 |
| 1500 | | | | | | | | 26 | 31 | 37 | 42 | 47 | 52 | 58 | 63 | 68 |
| 1550 | | | | | | | | 27 | 32 | 38 | 43 | 49 | 54 | 59 | 65 | 70 |
| 1600 | | | | | | | | 28 | 33 | 39 | 45 | 50 | 56 | 61 | 67 | 73 |
| 1650 | | | | | | | | 29 | 35 | 40 | 46 | 52 | 58 | 63 | 69 | 75 |
| 1700 | | | | | | | | 30 | 36 | 42 | 47 | 53 | 59 | 65 | 71 | 77 |
| 1800 | | | 25 | | | | | 31 | 38 | 44 | 50 | 57 | 63 | 69 | 75 | 82 |
| 1900 | | | 27 | | | | | 33 | 40 | 46 | 53 | 60 | 66 | 73 | 80 | 86 |
| 2000 | | | 28 | | | | | 35 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 91 |
| 2500 | | | 26 | | | | | 35 | 44 | 52 | 61 | 70 | 78 | 87 | 96 | 105 |
| 3000 | | | 31 | | | | | 42 | 52 | 63 | 73 | 84 | 94 | 105 | 115 | 126 |
| 3500 | | | 37 | | | | | 49 | 61 | 73 | 85 | 98 | 110 | 122 | 134 | 146 |
| 4000 | | | 42 | | | | | 56 | 70 | 84 | 98 | 112 | 126 | 140 | 153 | 167 |
| 5000 | | | 35 | | | | | 70 | 87 | 105 | 122 | 140 | 157 | 174 | 192 | 209 |
| 6000 | | | 42 | | | | | 84 | 105 | 126 | 146 | 167 | 188 | 209 | 230 | 251 |
| 7000 | | | 49 | | | | | 98 | 122 | 146 | 171 | 195 | 220 | 244 | 269 | 293 |
| 8000 | | | 56 | | | | | 112 | 140 | 167 | 195 | 223 | 251 | 279 | 307 | |
| 9000 | | | 63 | | | | | 126 | 157 | 188 | 220 | 251 | 283 | 314 | | |
| 10000 | | | 70 | | | | | 140 | 174 | 209 | 244 | 279 | 314 | | | |

| Gear Box...High. Gear | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 | |
|------------------------|--|-------------------------|---|---|----|----|----|----|----|----|----|----|----|----|---|----|
| Density Lb. Per Cu Ft. | | 50 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | |
| Width. | | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | 25 |
| 525 | | | | | | | | | | | | | | | | 26 |
| 550 | | | | | | | | | | | | | | | | 26 |
| 575 | | | | | | | | | | | | | | | | 27 |
| 600 | | | | | | | | | | | | | | | | 28 |
| 625 | | | | | | | | | | | | | | | | 29 |
| 650 | | | | | | | | | | | | | | | | 30 |
| 675 | | | | | | | | | | | | | | | | 31 |
| 700 | | | | | | | | | | | | | | | | 32 |
| 750 | | | | | | | | | | | | | | | | 33 |
| 800 | | | | | | | | | | | | | | | | 34 |
| 850 | | | | | | | | | | | | | | | | 35 |
| 900 | | | | | | | | | | | | | | | | 36 |
| 950 | | | | | | | | | | | | | | | | 37 |
| 1000 | | | | | | | | | | | | | | | | 38 |
| 1050 | | | | | | | | | | | | | | | | 39 |
| 1100 | | | | | | | | | | | | | | | | 40 |
| 1150 | | | | | | | | | | | | | | | | 41 |
| 1200 | | | | | | | | | | | | | | | | 42 |
| 1250 | | | | | | | | | | | | | | | | 43 |
| 1300 | | | | | | | | | | | | | | | | 44 |
| 1350 | | | | | | | | | | | | | | | | 45 |
| 1400 | | | | | | | | | | | | | | | | 46 |
| 1450 | | | | | | | | | | | | | | | | 47 |
| 1500 | | | | | | | | | | | | | | | | 48 |
| 1550 | | | | | | | | | | | | | | | | 49 |
| 1600 | | | | | | | | | | | | | | | | 50 |
| 1650 | | | | | | | | | | | | | | | | 51 |
| 1700 | | | | | | | | | | | | | | | | 52 |
| 1800 | | | | | | | | | | | | | | | | 53 |
| 1900 | | | | | | | | | | | | | | | | 54 |
| 2000 | | | | | | | | | | | | | | | | 55 |
| 2500 | | | | | | | | | | | | | | | | 56 |
| 3000 | | | | | | | | | | | | | | | | 57 |
| 3500 | | | | | | | | | | | | | | | | 58 |
| 4000 | | | | | | | | | | | | | | | | 59 |
| 5000 | | | | | | | | | | | | | | | | 60 |
| 6000 | | | | | | | | | | | | | | | | 61 |
| 7000 | | | | | | | | | | | | | | | | 62 |
| 8000 | | | | | | | | | | | | | | | | 63 |
| 9000 | | | | | | | | | | | | | | | | 64 |
| 10000 | | | | | | | | | | | | | | | | 65 |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...High. Gear | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 | |
|------------------------|--|-------------------------|---|---|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|-----|
| Density Lb. Per Cu Ft. | | 55 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | |
| Width. | | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | 25 |
| 575 | | | | | | | | | | | | | | | | 26 |
| 600 | | | | | | | | | | | | | | | 26 | 27 |
| 625 | | | | | | | | | | | | | | | 27 | 29 |
| 650 | | | | | | | | | | | | | | 26 | 28 | 30 |
| 675 | | | | | | | | | | | | | 25 | 27 | 29 | 31 |
| 700 | | | | | | | | | | | | | 26 | 28 | 30 | 32 |
| 750 | | | | | | | | | | | | 26 | 28 | 30 | 32 | 34 |
| 800 | | | | | | | | | | 25 | 27 | 30 | 32 | 34 | 37 | 39 |
| 850 | | | | | | | | | | 27 | 29 | 32 | 34 | 36 | 39 | 41 |
| 900 | | | | | | | | | | 28 | 31 | 33 | 36 | 39 | 41 | 43 |
| 950 | | | | | | | | | | 28 | 31 | 33 | 35 | 38 | 41 | 43 |
| 1000 | | | | | | | | | | 27 | 30 | 33 | 35 | 38 | 41 | 43 |
| 1050 | | | | | | | | | | 29 | 31 | 34 | 37 | 40 | 43 | 46 |
| 1100 | | | | | | | | | | 30 | 33 | 36 | 39 | 42 | 45 | 48 |
| 1150 | | | | | | | | 25 | 28 | 31 | 35 | 38 | 41 | 44 | 47 | 50 |
| 1200 | | | | | | | | 26 | 30 | 33 | 36 | 39 | 43 | 46 | 49 | 53 |
| 1250 | | | | | | | | 27 | 31 | 34 | 38 | 41 | 45 | 48 | 51 | 55 |
| 1300 | | | | | | | | 29 | 32 | 36 | 39 | 43 | 46 | 50 | 54 | 57 |
| 1350 | | | | | | | | 26 | 30 | 33 | 37 | 41 | 45 | 48 | 52 | 56 |
| 1400 | | | | | | | | 27 | 31 | 35 | 39 | 42 | 46 | 50 | 54 | 58 |
| 1450 | | | | | | | | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 |
| 1500 | | | | | | | | 29 | 33 | 37 | 41 | 46 | 50 | 54 | 58 | 62 |
| 1550 | | | | | | | | 26 | 30 | 34 | 39 | 43 | 47 | 51 | 56 | 60 |
| 1600 | | | | | | | | 27 | 31 | 35 | 40 | 44 | 48 | 52 | 56 | 61 |
| 1650 | | | | | | | | 28 | 33 | 38 | 42 | 47 | 52 | 57 | 61 | 66 |
| 1700 | | | | | | | | 29 | 34 | 39 | 44 | 49 | 53 | 58 | 63 | 68 |
| 1800 | | | | | | | | 26 | 31 | 36 | 41 | 46 | 51 | 57 | 62 | 67 |
| 1900 | | | | | | | | 27 | 33 | 38 | 43 | 49 | 54 | 60 | 65 | 70 |
| 2000 | | | | | | | | 29 | 34 | 40 | 46 | 51 | 57 | 63 | 68 | 74 |
| 2500 | | | | | | | | 29 | 34 | 40 | 46 | 51 | 57 | 63 | 68 | 74 |
| 3000 | | | | | | | | 26 | 31 | 36 | 41 | 46 | 51 | 57 | 62 | 67 |
| 3500 | | | | | | | | 27 | 32 | 37 | 41 | 46 | 50 | 55 | 59 | 64 |
| 4000 | | | | | | | | 28 | 33 | 38 | 42 | 47 | 52 | 57 | 61 | 66 |
| 5000 | | | | | | | | 29 | 34 | 39 | 44 | 49 | 53 | 58 | 63 | 68 |
| 6000 | | | | | | | | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 |
| 7000 | | | | | | | | 31 | 36 | 41 | 46 | 51 | 56 | 61 | 66 | 71 |
| 8000 | | | | | | | | 32 | 37 | 42 | 47 | 52 | 57 | 62 | 67 | 72 |
| 9000 | | | | | | | | 33 | 38 | 43 | 48 | 53 | 58 | 63 | 68 | 73 |
| 10000 | | | | | | | | 34 | 39 | 44 | 49 | 54 | 59 | 64 | 69 | 74 |
| | | | | | | | | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 |
| | | | | | | | | 36 | 41 | 46 | 51 | 56 | 61 | 66 | 71 | 76 |
| | | | | | | | | 37 | 42 | 47 | 52 | 57 | 62 | 67 | 72 | 77 |
| | | | | | | | | 38 | 43 | 48 | 53 | 58 | 63 | 68 | 73 | 78 |
| | | | | | | | | 39 | 44 | 49 | 54 | 59 | 64 | 69 | 74 | 79 |
| | | | | | | | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 |
| | | | | | | | | 41 | 46 | 51 | 56 | 61 | 66 | 71 | 76 | 81 |
| | | | | | | | | 42 | 47 | 52 | 57 | 62 | 67 | 72 | 77 | 82 |
| | | | | | | | | 43 | 48 | 53 | 58 | 63 | 68 | 73 | 78 | 83 |
| | | | | | | | | 44 | 49 | 54 | 59 | 64 | 69 | 74 | 79 | 84 |
| | | | | | | | | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 |
| | | | | | | | | 46 | 51 | 56 | 61 | 66 | 71 | 76 | 81 | 86 |
| | | | | | | | | 47 | 52 | 57 | 62 | 67 | 72 | 77 | 82 | 87 |
| | | | | | | | | 48 | 53 | 58 | 63 | 68 | 73 | 78 | 83 | 88 |
| | | | | | | | | 49 | 54 | 59 | 64 | 69 | 74 | 79 | 84 | 89 |
| | | | | | | | | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 |
| | | | | | | | | 51 | 56 | 61 | 66 | 71 | 76 | 81 | 86 | 91 |
| | | | | | | | | 52 | 57 | 62 | 67 | 72 | 77 | 82 | 87 | 92 |
| | | | | | | | | 53 | 58 | 63 | 68 | 73 | 78 | 83 | 88 | 93 |
| | | | | | | | | 54 | 59 | 64 | 69 | 74 | 79 | 84 | 89 | 94 |
| | | | | | | | | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 |
| | | | | | | | | 56 | 61 | 66 | 71 | 76 | 81 | 86 | 91 | 96 |
| | | | | | | | | 57 | 62 | 67 | 72 | 77 | 82 | 87 | 92 | 97 |
| | | | | | | | | 58 | 63 | 68 | 73 | 78 | 83 | 88 | 93 | 98 |
| | | | | | | | | 59 | 64 | 69 | 74 | 79 | 84 | 89 | 94 | 99 |
| | | | | | | | | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 |
| | | | | | | | | 61 | 66 | 71 | 76 | 81 | 86 | 91 | 96 | 101 |
| | | | | | | | | 62 | 67 | 72 | 77 | 82 | 87 | 92 | 97 | 102 |
| | | | | | | | | 63 | 68 | 73 | 78 | 83 | 88 | 93 | 98 | 103 |
| | | | | | | | | 64 | 69 | 74 | 79 | 84 | 89 | 94 | 99 | 104 |
| | | | | | | | | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| | | | | | | | | 66 | 71 | 76 | 81 | 86 | 91 | 96 | 101 | 106 |
| | | | | | | | | 67 | 72 | 77 | 82 | 87 | 92 | 97 | 102 | 107 |
| | | | | | | | | 68 | 73 | 78 | 83 | 88 | 93 | 98 | 103 | 108 |
| | | | | | | | | 69 | 74 | 79 | 84 | 89 | 94 | 99 | 104 | 109 |
| | | | | | | | | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | 110 |
| | | | | | | | | 71 | 76 | 81 | 86 | 91 | 96 | 101 | 106 | 111 |
| | | | | | | | | 72 | 77 | 82 | 87 | 92 | 97 | 102 | 107 | 112 |
| | | | | | | | | 73 | 78 | 83 | 88 | 93 | 98 | 103 | 108 | 113 |
| | | | | | | | | 74 | 79 | 84 | 89 | 94 | 99 | 104 | 109 | 114 |
| | | | | | | | | 75 | 80 | 85 | 90 | 95 | 100 | 105 | 110 | 115 |
| | | | | | | | | 76 | 81 | 86 | 91 | 96 | 101 | 106 | 111 | 116 |
| | | | | | | | | 77 | 82 | 87 | 92 | 97 | 102 | 107 | 112 | 117 |
| | | | | | | | | 78 | 83 | 88 | 93 | 98 | 103 | 108 | 113 | 118 |
| | | | | | | | | 79 | 84 | 89 | 94 | 99 | 104 | 109 | 114 | 119 |
| | | | | | | | | 80 | 85 | 90 | 95 | 100 | 105 | 110 | 115 | 120 |
| | | | | | | | | 81 | 86 | 91 | 96 | 101 | 106 | 111 | 116 | 121 |
| | | | | | | | | 82 | 87 | 92 | 97 | 102 | 107 | 112 | 117 | 122 |
| | | | | | | | | 83 | 88 | 93 | 98 | 103 | 108 | 113 | 118 | 123 |
| | | | | | | | | 84 | 89 | 94 | 99 | 104 | 109 | 114 | 119 | 124 |
| | | | | | | | | 85 | 90 | 95 | 100 | 105 | 110 | 115 | 120 | 125 |
| | | | | | | | | 86 | 91 | 96 | 101 | 106 | 111 | 116 | 121 | 126 |
| | | | | | | | | 87 | 92 | 97 | 102 | 107 | 112 | 117 | 122 | 127 |
| | | | | | | | | 88 | 93 | 98 | 103 | 108 | 113 | 118 | 123 | 128 |
| | | | | | | | | 89 | 94 | 99 | 104 | 109 | 114 | 119 | 124 | 129 |
| | | | | | | | | 90 | 95 | 100 | 105 | 110 | 115 | 120 | 125 | 130 |
| | | | | | | | | 91 | 96 | 101 | 106 | 111 | 116 | 121 | 126 | 131 |
| | | | | | | | | 92 | 97 | 102 | 107 | 112 | 117 | 122 | 127 | 132 |
| | | | | | | | | 93 | 98 | 103 | 108 | 113 | 118 | 123 | 128 | 133 |
| | | | | | | | | 94 | 99 | 104 | 109 | 114 | 119 | 124 | 129 | 134 |
| | | | | | | | | 95 | 100 | 105 | 110 | 115 | 120 | 125 | 130 | 135 |
| | | | | | | | | 96 | 101 | 106 | 111 | 116 | 121 | 126 | 131 | 136 |
| | | | | | | | | 97 | 102 | 107 | 112 | 117 | 122 | 127 | 132 | 137 |
| | | | | | | | | 98 | 103 | 108 | 113 | 118 | 123 | 128 | 133 | 138 |
| | | | | | | | | 99 | 104 | 109 | 114 | 119 | 124 | 129 | 134 | 139 |
| | | | | | | | | 100 | 105 | 110 | 115 | 120 | 125 | 130 | 135 | 140 |
| | | | | | | | | 101 | 106 | 111 | 116 | 121 | 126 | 131 | 136 | 141 |
| | | | | | | | | 102 | 107 | 112 | 117 | 122 | 127 | 132 | 137 | 142 |
| | | | | | | | | 103 | 108 | 113 | 118 | 123 | 128 | 133 | 138 | 143 |
| | | | | | | | | 104 | 109 | 114 | 119 | 124 | 129 | 134 | 139 | 144 |
| | | | | | | | | 105 | 110 | 115 | 120 | 125 | 130 | 135 | 140 | 145 |
| | | | | | | | | 106 | 111 | 116 | 121 | 126 | 131 | 136 | 141 | 146 |
| | | | | | | | | 107 | 112 | 117 | 122 | 127 | 132 | 137 | 142 | 147 |
| | | | | | | | | 108 | 113 | 118 | 123 | 128 | 133 | 138 | 143 | 148 |
| | | | | | | | | 109 | 114 | 119 | 124 | 129 | 134 | 139 | | |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use
 ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...High. Gear | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 | |
|------------------------|----|-------------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|--|
| Density Lb. Per Cu Ft. | | 65 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | |
| Rate | | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | 25 | |
| 675 | | | | | | | | | | | | | | | 26 | |
| 700 | | | | | | | | | | | | | | 25 | 27 | |
| 750 | | | | | | | | | | | | | 25 | 27 | 29 | |
| 800 | | | | | | | | | | | | 25 | 27 | 29 | 31 | |
| 850 | | | | | | | | | | | | 27 | 29 | 31 | 33 | |
| 900 | | | | | | | | | | | 26 | 28 | 30 | 33 | 35 | |
| 950 | | | | | | | | | | 25 | 28 | 30 | 32 | 34 | 37 | |
| 1000 | | | | | | | | | | 27 | 29 | 31 | 34 | 36 | 39 | |
| 1050 | | | | | | | | | 25 | 28 | 30 | 33 | 35 | 38 | 41 | |
| 1100 | | | | | | | | | 27 | 29 | 32 | 35 | 37 | 40 | 42 | |
| 1150 | | | | | | | | | 28 | 31 | 33 | 36 | 39 | 42 | 44 | |
| 1200 | | | | | | | | 26 | 29 | 32 | 35 | 38 | 41 | 43 | 46 | |
| 1250 | | | | | | | | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48 | |
| 1300 | | | | | | 25 | 28 | 31 | 35 | 38 | 41 | 44 | 47 | 50 | | |
| 1350 | | | | | 26 | 29 | 33 | 36 | 39 | 42 | 46 | 49 | 52 | | | |
| 1400 | | | | | 27 | 30 | 34 | 37 | 41 | 44 | 47 | 51 | 54 | | | |
| 1450 | | | | | 28 | 32 | 35 | 39 | 42 | 46 | 49 | 53 | 56 | | | |
| 1500 | | | | | 25 | 29 | 33 | 36 | 40 | 43 | 47 | 51 | 54 | 58 | | |
| 1550 | | | | | 26 | 30 | 34 | 37 | 41 | 45 | 49 | 52 | 56 | 60 | | |
| 1600 | | | | | 27 | 31 | 35 | 39 | 42 | 46 | 50 | 54 | 58 | 62 | | |
| 1650 | | | | | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 | 64 | | |
| 1700 | | | | | 29 | 33 | 37 | 41 | 45 | 49 | 53 | 57 | 62 | 66 | | |
| 1800 | | | | | 26 | 30 | 35 | 39 | 43 | 48 | 52 | 57 | 61 | 65 | 70 | |
| 1900 | | | | | 28 | 32 | 37 | 41 | 46 | 50 | 55 | 60 | 64 | 69 | 73 | |
| 2000 | | | | | 29 | 34 | 39 | 43 | 48 | 53 | 58 | 63 | 68 | 72 | 77 | |
| 2500 | | | | 30 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | 78 | 85 | 91 | 97 | |
| 3000 | | | 29 | 36 | 43 | 51 | 58 | 65 | 72 | 80 | 87 | 94 | 101 | 109 | 116 | |
| 3500 | | 25 | 34 | 42 | 51 | 59 | 68 | 76 | 85 | 93 | 101 | 110 | 118 | 127 | 135 | |
| 4000 | | 29 | 39 | 48 | 58 | 68 | 77 | 87 | 97 | 106 | 116 | 126 | 135 | 145 | 155 | |
| 5000 | | 36 | 48 | 60 | 72 | 85 | 97 | 109 | 121 | 133 | 145 | 157 | 169 | 181 | 193 | |
| 6000 | 29 | 43 | 58 | 72 | 87 | 101 | 116 | 130 | 145 | 159 | 174 | 188 | 203 | 217 | 232 | |
| 7000 | 34 | 51 | 68 | 85 | 101 | 118 | 135 | 152 | 169 | 186 | 203 | 220 | 237 | 254 | 270 | |
| 8000 | 39 | 58 | 77 | 97 | 116 | 135 | 155 | 174 | 193 | 212 | 232 | 251 | 270 | 290 | 309 | |
| 9000 | 43 | 65 | 87 | 109 | 130 | 152 | 174 | 196 | 217 | 239 | 261 | 283 | 304 | | | |
| 10000 | 48 | 72 | 97 | 121 | 145 | 169 | 193 | 217 | 241 | 266 | 290 | 314 | | | | |

| Gear Box...High. Gear | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 | |
|------------------------|----|-------------------------|---|----|----|----|----|----|----|----|----|----|----|----|---|--|
| Density Lb. Per Cu Ft. | | 70 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | |
| Rate | | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | 25 | |
| 800 | | | | | | | | | | | | | | 25 | 27 | |
| 850 | | | | | | | | | | | | | | 27 | 29 | |
| 900 | | | | | | | | | | | | | | 26 | 28 | |
| 950 | | | | | | | | | | | | | | 26 | 28 | |
| 1000 | | | | | | | | | | | | | | 27 | 29 | |
| 1050 | | | | | | | | | | | | | | 26 | 28 | |
| 1100 | | | | | | | | | | | | | | 27 | 30 | |
| 1150 | | | | | | | | | | | | | | 28 | 31 | |
| 1200 | | | | | | | | | | | | | | 26 | 28 | |
| 1250 | | | | | | | | | | | | | | 28 | 31 | |
| 1300 | | | | | | | | | | | | | | 29 | 32 | |
| 1350 | | | | | | | | | | | | | | 30 | 33 | |
| 1400 | | | | | | | | | | | | | | 31 | 35 | |
| 1450 | | | | | | | | | | | | | | 33 | 36 | |
| 1500 | | | | | | | | | | | | | | 27 | 30 | |
| 1550 | | | | | | | | | | | | | | 28 | 31 | |
| 1600 | | | | | | | | | | | | | | 29 | 32 | |
| 1650 | | | | | | | | | | | | | | 26 | 30 | |
| 1700 | | | | | | | | | | | | | | 27 | 30 | |
| 1800 | | | | | | | | | | | | | | 28 | 32 | |
| 1900 | | | | | | | | | | | | | | 26 | 30 | |
| 2000 | | | | | | | | | | | | | | 27 | 31 | |
| 2500 | | | | | | | | | | | | | | 28 | 34 | |
| 3000 | | | | | | | | | | | | | | 34 | 40 | |
| 3500 | | | | | | | | | | | | | | 31 | 39 | |
| 4000 | | | | | | | | | | | | | | 36 | 45 | |
| 5000 | | | | | | | | | | | | | | 45 | 56 | |
| 6000 | 27 | | | | | | | | | | | | | 40 | 54 | |
| 7000 | 31 | | | | | | | | | | | | | 47 | 63 | |
| 8000 | 36 | | | | | | | | | | | | | 54 | 72 | |
| 9000 | 40 | | | | | | | | | | | | | 61 | 81 | |
| 10000 | 45 | | | | | | | | | | | | | 67 | 90 | |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...High. Gear | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 | |
|------------------------|--|-------------------------|---|---|----|----|----|----|----|----|----|----|----|----|---|----|
| Density Lb. Per Cu Ft. | | 75 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | |
| Width. | | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | | 25 |
| 800 | | | | | | | | | | | | | | | 25 | 27 |
| 850 | | | | | | | | | | | | | | | 27 | 28 |
| 900 | | | | | | | | | | | | | | | 28 | 30 |
| 950 | | | | | | | | | | | | | | | 26 | 28 |
| 1000 | | | | | | | | | | | | | | | 26 | 28 |
| 1050 | | | | | | | | | | | | | | | 25 | 27 |
| 1100 | | | | | | | | | | | | | | | 25 | 27 |
| 1150 | | | | | | | | | | | | | | | 26 | 28 |
| 1200 | | | | | | | | | | | | | | | 25 | 27 |
| 1250 | | | | | | | | | | | | | | | 26 | 28 |
| 1300 | | | | | | | | | | | | | | | 27 | 29 |
| 1350 | | | | | | | | | | | | | | | 28 | 30 |
| 1400 | | | | | | | | | | | | | | | 29 | 31 |
| 1450 | | | | | | | | | | | | | | | 30 | 32 |
| 1500 | | | | | | | | | | | | | | | 30 | 32 |
| 1550 | | | | | | | | | | | | | | | 31 | 33 |
| 1600 | | | | | | | | | | | | | | | 31 | 33 |
| 1650 | | | | | | | | | | | | | | | 26 | 28 |
| 1700 | | | | | | | | | | | | | | | 27 | 29 |
| 1800 | | | | | | | | | | | | | | | 28 | 30 |
| 1900 | | | | | | | | | | | | | | | 28 | 30 |
| 2000 | | | | | | | | | | | | | | | 29 | 31 |
| 2500 | | | | | | | | | | | | | | | 27 | 29 |
| 3000 | | | | | | | | | | | | | | | 25 | 27 |
| 3500 | | | | | | | | | | | | | | | 26 | 28 |
| 4000 | | | | | | | | | | | | | | | 27 | 29 |
| 5000 | | | | | | | | | | | | | | | 28 | 30 |
| 6000 | | | | | | | | | | | | | | | 28 | 30 |
| 7000 | | | | | | | | | | | | | | | 28 | 30 |
| 8000 | | | | | | | | | | | | | | | 28 | 30 |
| 9000 | | | | | | | | | | | | | | | 28 | 30 |
| 10000 | | | | | | | | | | | | | | | 28 | 30 |

| Gear Box...High. Gear | | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 | |
|------------------------|--|-------------------------|---|---|----|----|----|----|----|----|----|----|----|----|---|----|
| Density Lb. Per Cu Ft. | | 80 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | |
| Width. | | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | | 25 |
| 900 | | | | | | | | | | | | | | | 25 | 27 |
| 950 | | | | | | | | | | | | | | | 26 | 28 |
| 1000 | | | | | | | | | | | | | | | 26 | 28 |
| 1050 | | | | | | | | | | | | | | | 26 | 28 |
| 1100 | | | | | | | | | | | | | | | 26 | 28 |
| 1150 | | | | | | | | | | | | | | | 26 | 28 |
| 1200 | | | | | | | | | | | | | | | 26 | 28 |
| 1250 | | | | | | | | | | | | | | | 26 | 28 |
| 1300 | | | | | | | | | | | | | | | 26 | 28 |
| 1350 | | | | | | | | | | | | | | | 26 | 28 |
| 1400 | | | | | | | | | | | | | | | 26 | 28 |
| 1450 | | | | | | | | | | | | | | | 26 | 28 |
| 1500 | | | | | | | | | | | | | | | 26 | 28 |
| 1550 | | | | | | | | | | | | | | | 26 | 28 |
| 1600 | | | | | | | | | | | | | | | 26 | 28 |
| 1650 | | | | | | | | | | | | | | | 26 | 28 |
| 1700 | | | | | | | | | | | | | | | 26 | 28 |
| 1800 | | | | | | | | | | | | | | | 26 | 28 |
| 1900 | | | | | | | | | | | | | | | 26 | 28 |
| 2000 | | | | | | | | | | | | | | | 26 | 28 |
| 2500 | | | | | | | | | | | | | | | 26 | 28 |
| 3000 | | | | | | | | | | | | | | | 26 | 28 |
| 3500 | | | | | | | | | | | | | | | 26 | 28 |
| 4000 | | | | | | | | | | | | | | | 26 | 28 |
| 5000 | | | | | | | | | | | | | | | 26 | 28 |
| 6000 | | | | | | | | | | | | | | | 26 | 28 |
| 7000 | | | | | | | | | | | | | | | 26 | 28 |
| 8000 | | | | | | | | | | | | | | | 26 | 28 |
| 9000 | | | | | | | | | | | | | | | 26 | 28 |
| 10000 | | | | | | | | | | | | | | | 26 | 28 |

For Use with **TRANSPREAD** Density Meter ..gb004 Narrow, Standard Jockey. Accuracy of final settings operators responsibility based on use ... Other rates and rate calculator can be viewed at www.transpread.com/spreaders/trailers, also available in XL format for your own computer.

| Gear Box...High. Gear | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 | |
|------------------------|-------------------------|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|-----|
| Density Lb. Per Cu Ft. | 90 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | | 25 |
| 950 | | | | | | | | | | | | | | | 27 |
| 1000 | | | | | | | | | | | | | | 26 | 28 |
| 1050 | | | | | | | | | | | | | 26 | 27 | 29 |
| 1100 | | | | | | | | | | | | 26 | 27 | 29 | 31 |
| 1150 | | | | | | | | | | | 26 | 28 | 28 | 30 | 32 |
| 1200 | | | | | | | | | | 25 | 27 | 29 | 31 | 31 | 33 |
| 1250 | | | | | | | | | | 26 | 28 | 31 | 33 | 33 | 35 |
| 1300 | | | | | | | | | | 27 | 29 | 32 | 34 | 34 | 36 |
| 1350 | | | | | | | | | 26 | 28 | 31 | 33 | 35 | 35 | 38 |
| 1400 | | | | | | | | | 27 | 29 | 32 | 34 | 37 | 37 | 39 |
| 1450 | | | | | | | | | 25 | 28 | 30 | 33 | 35 | 38 | 40 |
| 1500 | | | | | | | | | 26 | 29 | 31 | 34 | 37 | 39 | 42 |
| 1550 | | | | | | | | | 27 | 30 | 32 | 35 | 38 | 41 | 43 |
| 1600 | | | | | | | | 25 | 28 | 31 | 33 | 36 | 39 | 42 | 45 |
| 1650 | | | | | | | | 26 | 29 | 32 | 35 | 37 | 40 | 43 | 46 |
| 1700 | | | | | | | | 27 | 30 | 33 | 36 | 39 | 42 | 44 | 47 |
| 1800 | | | | | | 25 | 28 | 31 | 35 | 38 | 41 | 44 | 47 | 50 | 53 |
| 1900 | | | | | | 27 | 30 | 33 | 36 | 40 | 43 | 46 | 50 | 53 | 56 |
| 2000 | | | | | | 28 | 31 | 35 | 38 | 42 | 45 | 49 | 52 | 56 | 59 |
| 2500 | | | | | 26 | 31 | 35 | 39 | 44 | 48 | 52 | 57 | 61 | 65 | 70 |
| 3000 | | | | 26 | 31 | 37 | 42 | 47 | 52 | 58 | 63 | 68 | 73 | 78 | 84 |
| 3500 | | | | 31 | 37 | 43 | 49 | 55 | 61 | 67 | 73 | 79 | 85 | 92 | 98 |
| 4000 | | | 28 | 35 | 42 | 49 | 56 | 63 | 70 | 77 | 84 | 91 | 98 | 105 | 112 |
| 5000 | 26 | 35 | 44 | 52 | 61 | 70 | 78 | 87 | 96 | 105 | 113 | 122 | 131 | 140 | 149 |
| 6000 | 31 | 42 | 52 | 63 | 73 | 84 | 94 | 105 | 115 | 126 | 136 | 146 | 157 | 167 | 177 |
| 7000 | 37 | 49 | 61 | 73 | 85 | 98 | 110 | 122 | 134 | 146 | 159 | 171 | 183 | 195 | 207 |
| 8000 | 28 | 42 | 56 | 70 | 84 | 98 | 112 | 126 | 140 | 153 | 167 | 181 | 195 | 209 | 223 |
| 9000 | 31 | 47 | 63 | 78 | 94 | 110 | 126 | 141 | 157 | 173 | 188 | 204 | 220 | 235 | 251 |
| 10000 | 35 | 52 | 70 | 87 | 105 | 122 | 140 | 157 | 174 | 192 | 209 | 227 | 244 | 262 | 279 |

| Gear Box...High. Gear | RATE CHART LB. PER ACRE | | | | | | | | | | | | | gb004 | |
|------------------------|-------------------------|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|-----|
| Density Lb. Per Cu Ft. | 100 | | | | | | | | | | | | | Figures in body of chart = mm of door opening | |
| Width. | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| Rate | | | | | | | | | | | | | | | |
| 500 | | | | | | | | | | | | | | | |
| 525 | | | | | | | | | | | | | | | |
| 550 | | | | | | | | | | | | | | | |
| 575 | | | | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | | | | |
| 625 | | | | | | | | | | | | | | | |
| 650 | | | | | | | | | | | | | | | |
| 675 | | | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | |
| 750 | | | | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | | | | |
| 850 | | | | | | | | | | | | | | | |
| 900 | | | | | | | | | | | | | | | 25 |
| 950 | | | | | | | | | | | | | | | 27 |
| 1000 | | | | | | | | | | | | | | | 26 |
| 1050 | | | | | | | | | | | | | | | 28 |
| 1100 | | | | | | | | | | | | | | 26 | 28 |
| 1150 | | | | | | | | | | | | | 25 | 27 | 29 |
| 1200 | | | | | | | | | | | | | 26 | 28 | 30 |
| 1250 | | | | | | | | | | | | | 26 | 27 | 31 |
| 1300 | | | | | | | | | | | | | 27 | 29 | 33 |
| 1350 | | | | | | | | | | | | | 28 | 30 | 34 |
| 1400 | | | | | | | | | | | | | 25 | 29 | 33 |
| 1450 | | | | | | | | | | | | | 26 | 31 | 35 |
| 1500 | | | | | | | | | | | | | 27 | 32 | 36 |
| 1550 | | | | | | | | | | | | | 25 | 30 | 34 |
| 1600 | | | | | | | | | | | | | 26 | 31 | 35 |
| 1650 | | | | | | | | | | | | | 28 | 33 | 37 |
| 1700 | | | | | | | | | | | | | 29 | 34 | 38 |
| 1800 | | | | | | | | | | | | | 31 | 36 | 40 |
| 1900 | | | | | | | | | | | | | 33 | 38 | 42 |
| 2000 | | | | | | | | | | | | | 35 | 41 | 44 |
| 2500 | | | | | | | | | | | | | 43 | 47 | 51 |
| 3000 | | | | | | | | | | | | | 51 | 55 | 59 |
| 3500 | | | | | | | | | | | | | 61 | 66 | 71 |
| 4000 | | | | | | | | | | | | | 71 | 77 | 82 |
| 5000 | 26 | 35 | 44 | 52 | 61 | 70 | 78 | 87 | 96 | 105 | 113 | 122 | 131 | 140 | 149 |
| 6000 | 31 | 42 | 52 | 63 | 73 | 84 | 94 | 105 | 115 | 126 | 136 | 146 | 157 | 167 | 177 |
| 7000 | 37 | 49 | 61 | 73 | 85 | 98 | 110 | 122 | 134 | 146 | 159 | 171 | 183 | 195 | 207 |
| 8000 | 28 | 42 | 56 | 70 | 84 | 98 | 112 | 126 | 140 | 153 | 167 | 181 | 195 | 209 | 223 |
| 9000 | 31 | 47 | 63 | 78 | 94 | 110 | 126 | 141 | 157 | 173 | 188 | 204 | 220 | 235 | 251 |
| 10000 | 35 | 52 | 70 | 87 | 105 | 122 | 140 | 157 | 174 | 192 | 209 | 227 | 244 | 262 | 279 |